

APPENDIX 2. CURRENT CODE POLICY

Address:

#### **88 MORPHETT RD GLENGOWRIE SA 5044**

Click to view a detailed interactive SAILIS

To view a detailed interactive property map in SAPPA click on the map below



#### **Property Zoning Details**

#### Overlay

Airport Building Heights (Regulated) (*All structures over 15 metres*) Advertising Near Signalised Intersections Building Near Airfields Future Road Widening Hazards (Flooding - Evidence Required) Key Railway Crossings Prescribed Wells Area Regulated and Significant Tree Traffic Generating Development Urban Transport Routes Water Resources **Zone** Recreation

#### **Development Pathways**

#### Recreation

1. Accepted Development

Means that the development type does not require planning consent (planning approval). Please ensure compliance with relevant land use and development controls in the Code.

- Brush fence
- Building work on railway land
- Internal building work
- Partial demolition of a building or structure
- Private bushfire shelter
- Protective tree netting structure
- Solar photovoltaic panels (roof mounted)
- Swimming pool or spa pool
- Water tank (above ground)
- Water tank (underground)

#### 2. Code Assessed - Deemed to Satisfy

Means that the development type requires consent (planning approval). Please ensure compliance with relevant land use and development controls in the Code.

- Advertisement
- Outbuilding
- Replacement building
- Temporary accommodation in an area affected by bushfire
- Verandah
- 3. Code Assessed Performance Assessed

Performance Assessed development types listed below are those for which the Code identifies relevant policies. Additional development types that are not listed as Accepted, Deemed to Satisfy or Restricted default to a Performance assessed Pathway. Please contact your local council for more information.

- Advertisement
- Demolition
- Outbuilding
- Retaining wall
- Shop
- Tree-damaging activity
- Verandah
- 4. Impact Assessed Restricted

Means that the development type requires approval. Classes of development that are classified as Restricted are listed in Table 4 of the relevant Zones.

Property Policy Information for above selection

# Part 2 - Zones and Sub Zones

#### **Recreation Zone**

**Assessment Provisions (AP)** 

# **Desired Outcome**

DO 1 Provision of a range of accessible recreational facilities.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

# Performance Outcome Deemed-to-Satisfy Criteria / Designated Performance Feature Designated Performance Feature Land Use and Intensity Feature P0 1.1 DTS/DPF 1.1 Development is associated with or ancillary to the primary purpose of structured, unstructured, active and / or passive recreational facilities. DTS/DPF 1.1 (a) Car parking (b) Change rooms

P0 1.2	<ul> <li>(c) Golf course</li> <li>(d) Indoor recreation facility</li> <li>(e) Lighting for night use of facilities</li> <li>(f) Market</li> <li>(g) Motorsport track and associated activities</li> <li>(h) Office ancillary to recreation facility</li> <li>(i) Open space</li> <li>(j) Outdoor sports courts</li> <li>(k) Playground</li> <li>(l) Racecourse and associated activities</li> <li>(m) Recreation area</li> <li>(n) Shop ancillary to recreation facility</li> <li>(o) Showground and associated activities</li> <li>(p) Special event</li> <li>(q) Spectator viewing structure</li> <li>(r) Sporting clubrooms</li> <li>(s) Sporting ovals and fields</li> <li>(t) Stadium</li> <li>(u) Swimming pool</li> <li>(v) Tourist accommodation ancillary to recreation facility</li> </ul>	
P0 1.2	DTS/DPF 1.2	
Shops including restaurants are of a scale that is subordinate to the principal recreational use of land.	Shop gross leasable floor area does not exceed 80m <sup>2</sup> .	
P0 1.3	DTS/DPF 1.3	
Offices are of a scale that is subordinate to the principal recreational use of land.	Office gross leasable floor area does not exceed 80m <sup>2</sup> .	
P0 1.4	DTS/DPF 1.4	
Tourist accommodation of a scale that is subordinate to the principal recreational use of land.	None are applicable.	
P0 1.5	DTS/DPF 1.5	
<ul> <li>Facilities capable of attracting larger numbers of spectators may include complementary activities associated with the principal recreational use of land, such as:</li> <li>(a) Horse breeding, keeping, sales and training activities associated with a racecourse</li> <li>(b) Storage and maintenance of racing vehicles associated with a motorsport track.</li> </ul>	None are applicable.	
PO 1.6	DTS/DPF 1.6	
Facilities that may attract longer-term stays may include complementary activities associated with the principal recreational use of land, such as tourist accommodation.	ays may include None are applicable. h the principal	
Built Form a	nd Character	
P0 2.1	DTS/DPF 2.1	
Development includes building londescene and streatescene	None are applicable.	
Development includes building, landscape and streetscape design elements to achieve high visual amenity particularly along public roads and open spaces.		

Policy24 - Enquiry			
Buildings are designed and sited to manage visual impacts.	Buildings are set back:		
	<ul> <li>(a) no closer to a public road than an existing building on an adjoining allotment, or 8m where no building exists on an adjoining site</li> <li>(b) 8m from the boundary of an allotment containing, or zoned to primarily accommodate, a sensitive receiver in other ownership.</li> </ul>		
P0 2.3	DTS/DPF 2.3		
Outbuildings are of a scale that manages visual impacts.	Outbuildings have a:		
	<ul> <li>(a) floor area that does not exceed 80m<sup>2</sup></li> <li>(b) wall height that does not exceed 3m</li> <li>(c) building height that does not exceed 5m</li> </ul>		
Interfac	e Height		
PO 3.1 Buildings mitigate the visual impacts of massing on residential development within a neighbourhood-type zone.	DTS/DPF 3.1 Buildings constructed within a building envelope provided by a 45 degree plane measured from a height of 3m above natural ground level at the boundary of an allotment used for residentia purposes within a neighbourhood-type zone as shown in the following diagram (except where this boundary is a southern boundary or where this boundary is the primary street boundary		
	LEGEND BUILDING ENVELOPE NEAREST NEAREST NEAREST SUBJORNTINE NACOUND LEVEL NATURAL GROUND LEVEL PRIMARY ROAD FRONTAGE		
PO 3.2	DTS/DPF 3.2		
Buildings mitigate overshadowing of residential development within a neighbourhood-type zone.	Buildings on sites with a southern boundary adjoining the boundary of an allotment used for residential purposes within a neighbourhood-type zone are constructed within a building envelope provided by a 30 degree plane grading north measured from a height of 3m above natural ground level at the southern boundary, as shown in the following diagram:		
	LECEND BULDING EMBLORE SOUTHERN BULDING BULD		

Policy24 - Eriquiry		
Land I	Division	
P0 4.1	DTS/DPF 4.1	
Land division supports the provision of recreational facilities.	<ul> <li>Land division is for the purposes of:</li> <li>(a) the creation of a public road or a public reserve or</li> <li>(b) a minor adjustment of allotment boundaries to remove an anomaly in existing boundaries with respect to the location of existing buildings or structures.</li> </ul>	
Concej	pt Plans	
P0 5.1 Development is compatible with the outcomes sought by any relevant Concept Plan contained within Part 12 - Concept Plans of the Planning and Design Code to support the orderly development of land through staging of development and provision of infrastructure.	<ul> <li>DTS/DPF 5.1</li> <li>The site of the development is wholly located outside any relevant Concept Plan boundary. The following Concept Plans are relevant:</li> <li>In relation to DTS/DPF 5.1, in instances where: <ul> <li>(a) one or more Concept Plan is returned, refer to Part 12 - Concept Plans in the Planning and Design Code to determine if a Concept Plan is relevant to the site of the proposed development. Note: multiple concept plans may be relevant.</li> <li>(b) in instances where 'no value' is returned, there is no relevant concept plan and DTS/DPF 5.1 is met.</li> </ul> </li> </ul>	
Adverti	sements	
P0 6.1	DTS/DPF 6.1	
Freestanding advertisements that identify the associated business without creating a visually dominant element within the locality.	Freestanding advertisements: (a) do not exceed 2m in height (b) do not have a sign face that exceeds 2m <sup>2</sup> per side.	

#### Table 5 - Procedural Matters (PM) - Notification

The following table identifies, pursuant to section 107(6) of the *Planning, Development and Infrastructure Act 2016*, classes of performance assessed development that are excluded from notification. The table also identifies any exemptions to the placement of notices when notification is required.

#### Interpretation

Notification tables exclude the classes of development listed in Column A from notification provided that they do not fall within a corresponding exclusion prescribed in Column B.

Where a development or an element of a development falls within more than one class of development listed in Column A, it will be excluded from notification if it is excluded (in its entirety) under any of those classes of development. It need not be excluded under all applicable classes of development.

Where a development involves multiple performance assessed elements, all performance assessed elements will require notification (regardless of whether one or more elements are excluded in the applicable notification table) unless every performance assessed element of the application is excluded in the applicable notification table, in which case the application will not require notification.

Class of Development	Exceptions
(Column A)	(Column B)

1.	Development which, in the opinion of the relevant authority, is of a minor nature only and will not unreasonably impact on the owners or occupiers of land in the locality of the site of the development.	None specified.	
2.	<ul> <li>Any development involving any of the following (or of any combination of any of the following): <ul> <li>(a) advertisement</li> <li>(b) air handling unit, air conditioning system or exhaust fan</li> <li>(c) building work on railway land</li> <li>(d) change rooms</li> <li>(e) fence</li> <li>(f) outbuilding</li> <li>(g) outdoor sports courts</li> <li>(h) playground</li> <li>(i) protective tree netting structure</li> <li>(j) retaining wall</li> <li>(k) shade sail</li> <li>(l) solar photovoltaic panels (roof mounted)</li> <li>(m) verandah</li> <li>(n) water tank.</li> </ul> </li> </ul>	<ul> <li>Except development that does not satisfy any of the following:</li> <li>1. Recreation Zone DTS/DPF 2.2</li> <li>2. Recreation Zone DTS/DPF 3.1</li> <li>3. Recreation Zone DTS/DPF 3.2.</li> </ul>	
3.	<ul> <li>Any development involving any of the following (or of any combination of any of the following):</li> <li>(a) indoor recreation facility</li> <li>(b) market</li> <li>(c) showground</li> <li>(d) special event</li> <li>(e) sporting clubrooms</li> <li>(f) swimming pool</li> <li>(g) horse breeding, keeping, sales, training or stables ancillary to an existing racecourse</li> </ul>	Except where the site of the development is adjacent land to a sit (or land) used for residential purposes in a neighbourhood-type zone.	
4.	<ul> <li>Any development involving any of the following (or of any combination of any of the following):</li> <li>(a) internal building works</li> <li>(b) land division</li> <li>(c) open space</li> <li>(d) recreation area</li> <li>(e) replacement building</li> <li>(f) temporary accommodation in an area affected by bushfire</li> <li>(g) tree damaging activity.</li> </ul>	None specified.	
5.	Demolition.	<ol> <li>Except any of the following:</li> <li>the demolition of a State or Local Heritage Place</li> <li>the demolition of a building (except an ancillary building) in a Historic Area Overlay.</li> </ol>	
6.	Office.	Except office that does not satisfy any of the following:	

	1. Recreation Zone DTS/DPF 1.3	
	2. Recreation Zone DTS/DPF 2.2	
	3. Recreation Zone DTS/DPF 3.1	
	4. Recreation Zone DTS/DPF 3.2.	
7. Shop.	Except shop that does not satisfy any of the following:	
	1. Recreation Zone DTS/DPF 1.2	
	2. Recreation Zone DTS/DPF 2.2	
	3. Recreation Zone DTS/DPF 3.1	
	4. Recreation Zone DTS/DPF 3.2.	
8. Telecommunications facility.	Except telecommunications facility exceeding 30m in height or	
	where the site of the development is adjacent land to a site (or land) used for residential purposes in a neighbourhood zone.	
Placement of Notices - Exemptions for Performance Assessed Development		
None specified.		
Placement of Notices - Exemptions for Restricte	ed Development	

None specified.

# Part 3 - Overlays

Advertising Near Signalised Intersections Overlay

#### Assessment Provisions (AP)

# **Desired Outcome**

DO 1 Provision of a safe road environment by reducing driver distraction at key points of conflict on the road.

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature		
Advertisements Near Signalised Intersections			
P0 1.1	DTS/DPF 1.1		
Advertising near signalised intersections does not cause unreasonable distraction to road users through illumination,	Advertising:		

flashing lights, or moving or changing displays or messages.	<ul> <li>(a) is not illuminated</li> <li>(b) does not incorporate a moving or changing display or message</li> </ul>
	(c) does not incorporate a flashing light(s).

#### **Procedural Matters (PM) - Referrals**

The following table identifies classes of development / activities that require referral in this Overlay and the applicable referral body. It sets out the purpose of the referral as well as the relevant statutory reference from Schedule 9 of the Planning, Development and Infrastructure (General) Regulations 2017.

Class of Development / Activity	Referral Body	Purpose of Referral	Statutory Reference
Advertisement or advertising hoarding that: (a) is within 100m of a: (i) signalised intersection or (ii) signalised pedestrian crossing and (b) will: (i) be internally illuminated or (ii) incorporate a moving or changing display or message or (iii) incorporate a flashing light.	Commissioner of Highways.	To provide expert technical assessment on potential risks relating to pedestrian and road safety which may arise from advertisements near intersections.	Development of a class to which Schedule 9 clause 3 item 21 of the Planning, Development and Infrastructure (General) Regulations 2017 applies

#### Airport Building Heights (Regulated) Overlay

#### **Assessment Provisions (AP)**

	Desired Outcome
DO 1	Management of potential impacts of buildings and generated emissions to maintain operational and safety requirements of registered and certified commercial and military airfields, airports, airstrips and helicopter landing sites.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)



# Deemed-to-Satisfy Criteria / Designated Performance Feature

Built Form

P0 1.1	DTS/DPF 1.1
Building height does not pose a hazard to the operation of a certified or registered aerodrome.	Buildings are located outside the area identified as 'All structures' (no height limit is prescribed) and do not exceed the height specified in the Airport Building Heights (Regulated) Overlay which applies to the subject site as shown on the SA Property and Planning Atlas. In instances where more than one value applies to the site, the lowest value relevant to the site of the proposed development is applicable.
P0 1.2	DTS/DPF 1.2
Exhaust stacks are designed and sited to minimise plume impacts on aircraft movements associated with a certified or registered aerodrome.	Development does not include exhaust stacks.

The following table identifies classes of development / activities that require referral in this Overlay and the applicable referral body. It sets out the purpose of the referral as well as the relevant statutory reference from Schedule 9 of the Planning, Development and Infrastructure (General) Regulations 2017.

Class of Development / Activity	Referral Body	Purpose of Referral	Statutory Reference
<ul> <li>Any of the following classes of development:</li> <li>(a) building located in an area identified as 'All structures' (no height limit is prescribed) or will exceed the height specified in the Airport Building Heights (Regulated) Overlay</li> <li>(b) building comprising exhaust stacks that generates plumes, or may cause plumes to be generated, above a height specified in the Airport Building Heights (Regulated) Overlay.</li> </ul>	The airport-operator company for the relevant airport within the meaning of the <i>Airports Act</i> 1996 of the Commonwealth or, if there is no airport-operator company, the Secretary of the Minister responsible for the administration of the <i>Airports Act</i> 1996 of the Commonwealth.	To provide expert assessment and direction to the relevant authority on potential impacts on the safety and operation of aviation activities.	Development of a class to which Schedule 9 clause 3 item 1 of the Planning, Development and Infrastructure (General) Regulations 2017 applies.

#### **Building Near Airfields Overlay**

**Assessment Provisions (AP)** 

	Desired Outcome	
DO 1 Maintain the operational and safety requirements of certified commercial and military airfields, airports, airstrips and helicopter landing sites through management of non-residential lighting, turbulence and activities that may attract or result in the congregation of wildlife.		
Performance Outcome Deemed-to-Satisfy Criteria /		

Designated Performance Feature

P0 1.1

Policy24 - Enquiry		
Outdoor lighting associated with a non-residential use does not pose a hazard to commercial or military aircraft operations.	Development: (a) primarily or wholly for residential purposes (b) for non-residential purposes that does not incorporate outdoor floodlighting.	
PO 1.2 Development likely to attract or result in the congregation of wildlife is adequately separated from airfields to minimise the potential for aircraft wildlife strike.	DTS/DPF 1.2 All development except where it comprises one or more of the following located not less than 3km from the boundaries of an airport used by commercial or military aircraft: (a) food packing/processing plant (b) horticulture (c) intensive animal husbandry (d) showground (e) waste management facility (f) waste transfer station (g) wetland (h) wildlife sanctuary.	
PO 1.3 Buildings are adequately separated from runways and other take- off and landing facilities within certified or registered aerodromes to minimise the potential for building-generated turbulence and windshear that may pose a safety hazard to aircraft flight movement.	DTS/DPF 1.3 The distance from any part of a runway centreline to the closest point of the building is not less than 35 times the building height.	

The following table identifies classes of development / activities that require referral in this Overlay and the applicable referral body. It sets out the purpose of the referral as well as the relevant statutory reference from Schedule 9 of the Planning, Development and Infrastructure (General) Regulations 2017.

Class of Development / Activity	Referral Body	Purpose of Referral	Statutory Reference
None	None	None	None

#### **Future Road Widening Overlay**

**Assessment Provisions (AP)** 

Desired Outcome	
DO 1 Development which is consistent with and will not compromise efficient delivery of future road widening re	
Printed on 30/11/202	

# **Performance Outcome**

# Deemed-to-Satisfy Criteria / Designated Performance Feature

Future Road Widening	
P0 1.1	DTS/DPF 1.1
Development does not compromise or is located and designed to minimise its impact on future road widening requirements.	Development does not involve building work, or building work is located wholly outside the land subject to the 6m Consent Area, the C Type Requirement or the Strip Requirement of the Metropolitan Adelaide Road Widening Plan.

#### **Procedural Matters (PM)**

The following table identifies classes of development / activities that require referral in this Overlay and the applicable referral body. It sets out the purpose of the referral as well as the relevant statutory reference from Schedule 9 of the Planning, Development and Infrastructure (General) Regulations 2017.

Class of Development / Activity	Referral Body	Purpose of Referral	Statutory Reference
Other than where all deemed-to-satisfy criteria for all policies relevant to this referral are met, development (including the division of land) that is within or may encroach within a Future Road Widening Area.	Commissioner of Highways.	To provide expert technical assessment and direction to the relevant authority on the safe and efficient operation and management of all roads relevant to the Commissioner of Highways as described in the Planning and Design Code.	Development of a class to which Schedule 9 clause 3 item 4 of the Planning, Development and Infrastructure (General) Regulations 2017 applies.

#### Hazards (Flooding - Evidence Required) Overlay

#### Assessment Provisions (AP)

	Desired Outcome
DO 1	Development adopts a precautionary approach to mitigate potential impacts on people, property, infrastructure and the environment from potential flood risk through the appropriate siting and design of development.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

# Performance Outcome

# Deemed-to-Satisfy Criteria / Designated Performance Feature

Flood Resilience

P0 1.1 Development is sited, designed and constructed to minimise the risk of entry of potential floodwaters where the entry of flood waters is likely to result in undue damage to or compromise ongoing activities within buildings.	<ul> <li>DTS/DPF 1.1</li> <li>Habitable buildings, commercial and industrial buildings, and buildings used for animal keeping incorporate a finished floor level at least 300mm above:</li> <li>(a) the highest point of top of kerb of the primary street or</li> <li>(b) the highest point of natural ground level at the primary street boundary where there is no kerb</li> </ul>	
Environmen	tal Protection	
PO 2.1 Buildings and structures used either partly or wholly to contain or store hazardous materials are designed to prevent spills or leaks leaving the confines of the building.	•	

The following table identifies classes of development / activities that require referral in this Overlay and the applicable referral body. It sets out the purpose of the referral as well as the relevant statutory reference from Schedule 9 of the Planning, Development and Infrastructure (General) Regulations 2017.

	Class of Development / Activity	Referral Body	Purpose of Referral	Statutory Reference
I	None	None	None	None

#### Key Railway Crossings Overlay

#### **Assessment Provisions (AP)**

	Desired Outcome
DO 1	Safe, efficient and uninterrupted operation of key railway crossings.

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
Access, Design and Function	
P0 1.1	DTS/DPF 1.1
Site access does not interfere or impact on the safe operation of a railway crossing.	Development does not involve a new or modified access or cause an increase in traffic through an existing access that is located within the following distance from a railway crossing:

(a) 110 km/h road - 190m
(b) 100 km/h road - 165m
(c) 90 km/h road - 140m
(d) 80 km/h road - 110m
(e) 70 km/h road - 90m
(f) 60 km/h road - 70m
(g) 50km/h or less road - 50m

The following table identifies classes of development / activities that require referral in this Overlay and the applicable referral body. It sets out the purpose of the referral as well as the relevant statutory reference from Schedule 9 of the Planning, Development and Infrastructure (General) Regulations 2017.

Class of Development / Activity	Referral Body	Purpose of Referral	Statutory Reference
None	None	None	None

#### **Prescribed Wells Area Overlay**

#### **Assessment Provisions (AP)**

	Desired Outcome
DO 1	Sustainable water use in prescribed wells areas.

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
PO 1.1	DTS/DPF 1.1
All development, but in particular involving any of the following:	Development satisfies either of the following:
<ul> <li>(a) horticulture</li> <li>(b) activities requiring irrigation</li> <li>(c) aquaculture</li> <li>(d) industry</li> <li>(e) intensive animal husbandry</li> <li>(f) commercial forestry</li> <li>has a lawful, sustainable and reliable water supply that does not place undue strain on water resources in prescribed wells areas.</li> </ul>	<ul> <li>(a) the applicant has a current water licence in which sufficient spare capacity exists to accommodate the water needs of the proposed use or</li> <li>(b) the proposal does not involve the taking of water for which a licence would be required under the Landscape South Australia Act 2019.</li> </ul>

#### **Procedural Matters (PM) - Referrals**

The following table identifies classes of development / activities that require referral in this Overlay and the applicable referral body. It sets out the purpose of the referral as well as the relevant statutory reference from Schedule 9 of the Planning, Development and Infrastructure (General) Regulations 2017.

Policy24 - Enquiry

Class of Development / Activity	Referral Body	Purpose of Referral	Statutory Reference
Any of the following classes of development that require or may require water to be taken in addition to any allocation that has already been granted under the <i>Landscape South Australia Act</i> 2019: (a) horticulture (b) activities requiring irrigation (c) aquaculture (d) industry (e) intensive animal husbandry (f) commerical forestry. Commercial forestry that requires a forest water licence under Part 8 Division 6 of the <i>Landscape</i> <i>South Australia Act 2019.</i>	The Chief Executive of the Department of the Minister responsible for the administration of the <i>Landscape South Australia</i> <i>Act 2019.</i>	To provide expert technical assessment and direction to the relevant authority on the taking of water to ensure development is undertaken sustainably.	Development of a class to which Schedule 9 clause 3 item 13 of the Planning, Development and Infrastructure (General) Regulations 2017 applies.

#### **Regulated and Significant Tree Overlay**

#### **Assessment Provisions (AP)**

DO 1

# **Desired Outcome**

Conservation of regulated and significant trees to provide aesthetic and environmental benefits and mitigate tree loss.

Performance Outcomes (PO) and Deemed to Satisfy (DTS) / Designated Performance Feature (DPF) Criteria

	Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
	Tree Retentio	on and Health
PO 1.1		DTS/DPF 1.1
Regulat	ed trees are retained where they:	None are applicable.
(a)	make an important visual contribution to local character and amenity	
(b)	are indigenous to the local area and listed under the National Parks and Wildlife Act 1972 as a rare or endangered native species and / or	
(c)	provide an important habitat for native fauna.	
P0 1.2		DTS/DPF 1.2

Policy24	- Enquiry	
Signific	ant trees are retained where they:	None are applicable.
(a) (b)	amenity of the local area	
(c)	represent an important habitat for native fauna	
(d)		
(e)	are important to the maintenance of biodiversity in the local environment and / or	
(f)	form a notable visual element to the landscape of the local area.	
P0 1.3		DTS/DPF 1.3
	damaging activity not in connection with other oment satisfies (a) and (b):	None are applicable.
(a)	<ul> <li>tree damaging activity is only undertaken to: <ul> <li>(i) remove a diseased tree where its life expectancy is short</li> </ul> </li> <li>(ii) mitigate an unacceptable risk to public or private safety due to limb drop or the like</li> <li>(iii) rectify or prevent extensive damage to a building of value as comprising any of the following: <ul> <li>A. a Local Heritage Place</li> <li>B. a State Heritage Place</li> <li>C. a substantial building of value</li> </ul> </li> <li>and there is no reasonable alternative to rectify or prevent such damage other than to undertake a tree damaging activity</li> <li>(iv) reduce an unacceptable hazard associated with a tree within 20m of an existing residential, tourist accommodation or other habitable building from bushfire</li> <li>(v) treat disease or otherwise in the general interests of the health of the tree and / or</li> <li>(vi) maintain the aesthetic appearance and structural integrity of the tree</li> </ul>	
(b)	in relation to a significant tree, tree-damaging activity is avoided unless all reasonable remedial treatments and measures have been determined to be ineffective.	
PO 1.4		DTS/DPF 1.4
	damaging activity in connection with other development as all the following:	None are applicable.
(a)	it accommodates the reasonable development of land in accordance with the relevant zone or subzone where such development might not otherwise be possible	
(b)	in the case of a significant tree, all reasonable development options and design solutions have been considered to prevent substantial tree-damaging activity occurring.	
	~	

Ground work	affecting trees	
P0 2.1	DTS/DPF 2.1	
Regulated and significant trees, including their root systems, are not unduly compromised by excavation and / or filling of land, or the sealing of surfaces within the vicinity of the tree to support their retention and health.		
Land	Division	
PO 3.1	DTS/DPF 3.1	
Land division results in an allotment configuration that enables its subsequent development and the retention of regulated and significant trees as far as is reasonably practicable.	<ul> <li>Land division where:</li> <li>(a) there are no regulated or significant trees located within or adjacent to the plan of division or</li> <li>(b) the application demonstrates that an area exists to accommodate subsequent development of proposed allotments after an allowance has been made for a tree protection zone around any regulated tree within and adjacent to the plan of division.</li> </ul>	

The following table identifies classes of development / activities that require referral in this Overlay and the applicable referral body. It sets out the purpose of the referral as well as the relevant statutory reference from Schedule 9 of the Planning, Development and Infrastructure (General) Regulations 2017.

Class of Development / Activity	Referral Body	Purpose of Referral	Statutory Reference
None	None	None	None

#### **Traffic Generating Development Overlay**

#### **Assessment Provisions (AP)**

	Desired Outcome		
DO 1	Safe and efficient operation of Urban Transport Routes and Major Urban Transport Routes for all road users.		
DO 2	Provision of safe and efficient access to and from urban transport routes and major urban transport routes.		

Performance Outcomes (PO) and Deemed to Satisfy (DTS) / Designated Performance Feature (DPF) Criteria

# **Performance Outcome**

# Deemed-to-Satisfy Criteria / Designated Performance

	Feature
Traffic Genera	ting Development
P0 1.1	DTS/DPF 1.1
Development designed to minimise its potential impact on the safety, efficiency and functional performance of the State Maintained Road network.	Access is obtained directly from a State Maintained Road where it involves any of the following types of development: (a) land division creating 50 or more additional allotments (b) commercial development with a gross floor area of
	10,000m2 or more (c) retail development with a gross floor area of 2,000m2 or more
	<ul> <li>(d) a warehouse or transport depot with a gross leasable floor area of 8,000m2 or more</li> </ul>
	<ul> <li>(e) industry with a gross floor area of 20,000m2 or more</li> <li>(f) educational facilities with a capacity of 250 students or more.</li> </ul>
P0 1.2	DTS/DPF 1.2
Access points sited and designed to accommodate the type and volume of traffic likely to be generated by development.	Access is obtained directly from a State Maintained Road where it involves any of the following types of development:
	<ul> <li>(a) land division creating 50 or more additional allotments</li> <li>(b) commercial development with a gross floor area of 10,000m2 or more</li> </ul>
	(c) retail development with a gross floor area of 2,000m2 or more
	(d) a warehouse or transport depot with a gross leasable floor area of 8,000m2 or more
	<ul> <li>(e) industry with a gross floor area of 20,000m2 or more</li> <li>(f) educational facilities with a capacity of 250 students or more.</li> </ul>
P0 1.3	DTS/DPF 1.3
Sufficient accessible on-site queuing provided to meet the needs of the development so that queues do not impact on the State Maintained Road network.	Access is obtained directly from a State Maintained Road where it involves any of the following types of development:
	<ul> <li>(a) land division creating 50 or more additional allotments</li> <li>(b) commercial development with a gross floor area of 10,000m2 or more</li> </ul>
	(c) retail development with a gross floor area of 2,000m2 or more
	(d) a warehouse or transport depot with a gross leasable floor area of 8,000m2 or more
	<ul> <li>(e) industry with a gross floor area of 20,000m2 or more</li> <li>(f) educational facilities with a capacity of 250 students or more.</li> </ul>

The following table identifies classes of development / activities that require referral in this Overlay and the applicable referral body. It sets out the purpose of the referral as well as the relevant statutory reference from Schedule 9 of the Planning, Development and Infrastructure (General) Regulations 2017.

Class of Development / Activity	Referral Body	Purpose of Referral	Statutory Reference

Except where all of the relevant deemed-to-satisfy	Commissioner of Highways.	To provide expert technical	Development
criteria are met, any of the following classes of		assessment and direction to	of a class to
development that are proposed within 250m of a		the Relevant Authority on the	which
State Maintained Road:		safe and efficient operation	Schedule 9
		and management of all roads	clause 3 item
(a) land division creating 50 or more additional		relevant to the	7 of the
allotments		Commissioner of Highways	Planning,
(b) commercial development with a gross floor		as described in the Planning	Development
area of 10,000m <sup>2</sup> or more		and Design Code.	and
(c) retail development with a gross floor area		_	Infrastructure
of 2,000m <sup>2</sup> or more			(General)
(d) a warehouse or transport depot with a			Regulations
gross leasable floor area of 8,000m <sup>2</sup> or			2017 applies.
more			
(e) industry with a gross floor area of			
20,000m <sup>2</sup> or more			
(f) educational facilities with a capacity of 250			
students or more.			

#### **Urban Transport Routes Overlay**

#### **Assessment Provisions (AP)**

Desired Outcome				
DO 1	Safe and efficient operation of Urban Transport Routes for all road users.			
DO 2	Provision of safe and efficient access to and from Urban Transport Routes.			

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

# PerformanceDeemed-to-Satisfy Criteria / DesignatedOutcomePerformance Feature

01.1	DTS/DPF 1.1
01.1	
Access is designed to allow safe entry and exit to and from a site to meet the needs of levelopment and minimise traffic flow interference associated with access novements along adjacent State maintained roads.	<ul> <li>An access point satisfies (a), (b) or (c):</li> <li>(a) where servicing a single (1) dwelling / residential allotment: <ul> <li>(i) it will not result in more than one access point</li> <li>(ii) vehicles can enter and exit the site in a forward direction</li> <li>(iii) vehicles can cross the property boundary at an angle between 70 degrees and 90 degrees</li> <li>(iv) passenger vehicles (with a length up to 5.2m) can enter and exit the site wholly within the kerbside lane of the road</li> <li>(v) it will have a width of between 3m and 4m (measured at the site boundary)</li> </ul> </li> <li>(b) where the development will result in 2 and up to 6 dwellings:</li> </ul>

· ···· <b>j</b> = · ··· <b>j</b> ···· <b>j</b>		
	(i)	(i) it will not result in more than one access point servicing the development site
	(ii)	vehicles can enter and exit the site in a forward direction
	(iii)	vehicles can cross the property boundary at an angle between 70 degrees and 90 degrees
	(iv)	passenger vehicles (with a length up to 5.2m) can enter and exit the site wholly within the kerbside lane of the road
	(v)	it will have a width of between 5.8m to 6m (measured at the site boundary) and an access depth of 6m (measured from the site boundary into the site)
		he development will result in 7 or more dwellings, or is a non- tial land use:
	(i)	it will not result in more than one access point servicing the development site
	(ii)	vehicles can enter and exit the site using left turn only movements
	(iii)	vehicles can enter and exit the site in a forward direction
	(iv)	vehicles can cross the property boundary at an angle between 70 degrees and 90 degrees
	(v)	it will have a width of between 6m and 7m (measured at the site boundary), where the development is expected to accommodate vehicles with a length of 6.4m or less
	(vi)	it will have a width of between 6m and 9m (measured at the site boundary), where the development is expected to accommodate vehicles with a length from 6.4m to 8.8m
	(vii)	it will have a width of between 9m and 12m (measured at the site boundary), where the development is expected to accommodate vehicles with a length from 8.8m to 12.5m
	(viii)	provides for simultaneous two-way vehicle movements at the access:
		A. with entry and exit movements for vehicles with a length up to 5.2m vehicles being fully within the kerbside lane of the road
		and
		<ul> <li>B. with entry movements of 8.8m vehicles (where relevant) being fully within the kerbside lane of the road and the exit movements of 8.8m vehicles do not cross the centreline of the road.</li> </ul>
	Access	- On-Site Queuing

P0 2.1	DTS/DPF 2.1		
Sufficient accessible on-site queuing adjacent to access points is provided to meet the needs of development so that all vehicle queues can be contained fully within the boundaries of the development site, to minimise interruption on the functional	<ul> <li>An access point in accordance with one of the following:         <ul> <li>(a) will not service, or is not intended to service, more than 6 dwellings and there are no internal driveways, intersections, car parking spaces or gates within 6.0m of the access point (measured from the site boundary into the site) as shown in the following diagram:</li> </ul> </li> </ul>		

	Gate
60	ill service, or is intended to service, development that will generate less than ) vehicle movements per day, and: (i) is expected to be serviced by vehicles with a length no greater than 6.4m
(	<ul> <li>there are no internal driveways, intersections, parking spaces or gates within 6.0m of the access point (measured from the site boundary into the site)</li> </ul>
	ill service, or is intended to service, development that will generate less than ) vehicle movements per day, and:
	<ul> <li>(i) is expected to be serviced by vehicles with a length greater than a 6.4m small rigid vehicle</li> </ul>
(	<ul> <li>there are no internal driveways, intersections, parking spaces or gates within 6.0m of the access point (measured from the site boundary into the site)</li> </ul>
(	(iii) any termination of or change in priority of movement within the main car park aisle is located far enough into the site so that the largest vehicle expected on-site can store fully within the site before being required to stop
(	(iv) all parking or manoeuvring areas for commercial vehicles are located a minimum of 12m or the length of the longest vehicle expected on site from the access (measured from the site boundary into the site) as shown in the following diagram:
	Internal Intersection
1	ation Spacing) - Existing Access Point
DTS/DPF 3.1	
An existing	g access point satisfies (a), (b) or (c):
(b) it is dev	will not service, or is not intended to service, more than 6 dwellings is not located on a Controlled Access Road and will not service evelopment that will result in (b) a larger class of vehicle expected to ccess the site using the existing access
(c) is r	not located on a Controlled Access Road and development constitutes: (i) a change of use between an office <500m <sup>2</sup> gross leasable floor area
	(c) wi 60 (c) wi 60 (c) it (c) it (c) it (c) it

Policy24 - Enquiry							
		Ve	nd a consulting room <5 ersa	500m² gross leasable floor area or vice			
	(		change in use from a sl ersonal or domestic ser	hop to an office, consulting room or vices establishment			
	(			onsulting room or office <250m² gross op <250m² gross leasable floor area			
	(		change of use from a s arehouse <500m² gross	hop <500m² gross leasable floor area to a s leasable floor area			
	(		n office or consulting ro rea.	oom with a <500m² gross leasable floor			
	Access – Loca	ation (Spa	acing) – New Access Points				
P0 4.1	DTS/DPF 4.1						
New access points are spaced apart from any existing access point or public road		-	it satisfies (a), (b) or (c)				
junction to manage impediments to traffic flow and maintain safe and efficient operating conditions on the road.	has spe the	s fronta eed env e local r	ige to a local road (not l ironment of 60km/h or	ided to serve between 1 and 6 dwellings and being a Controlled Access Road) with a less, the new access point is provided on num of 6.0m from the tangent point as			
	Th		$\begin{array}{c} \hline \\ \hline $	by heavy line $x = \frac{6}{y}$			
	un		centre-line and the extensions of the d. On a divided road, dimension Y-Y ext	side road property lines shown as dotted lines, on an ends to Point $Y_1$ .			
	and	d acces		ended to serve between 1 and 6 dwellings ng a road that is not a State Maintained cess:			
			not located on a Control				
	<ul> <li>(ii) is not located on a section of road affected by double barrier lines</li> <li>(iii) will be on a road with a speed environment of 70km/h or less</li> </ul>						
		(iv) is located outside of the bold lines on the diagram shown in the					
	diagram following part (a) (v) located minimum of 6m from a median opening or pedestrian						
	crossing						
	alte ava	ernative ailable,	e local road at least 25n	b) do not apply and access from an n from the State Maintained Road is not cated on a Controlled Access Road, the new e with the following:			
		peed	Separation between	Separation from public road junctions			
		<b>mit</b> ) km/h	access points No spacing	and merging/terminating lanes 20m			
	or	less	requirement	-			
	60	) km/h	30m	73m			

Policy24 - Enquiry			
	70 km/h	40m	92m
	80 km/h	50m	114m
	90 km/h	65m	139m
	100	80m	165m
	km/h		
	110	100m	193m
	km/h		
	Access - Locatio	n (Sight Lings)	
PO 5.1	DTS/DPF 5.1	(Sight Lines)	
Access points are located and designed to accommodate sight lines that enable drivers and pedestrians to navigate potential conflict points with roads in a controlled and safe manner.	sight in acco the surface o	baching or exiting an acc ordance with the followin of the road):	ess point have an unobstructed line of g (measured at a height of 1.1m above
	Speed	Access point serving	
	Limit	dwellings	development
	40 km/h or	40m	73m
	less 50 km/h	55m	97m
		73m	123m
	60 km/h		
	70 km/h	92m	151m
	80 km/h	114m	181m
	90 km/h	139m	214m
	100 km/h	165m	248m
	110km/h	193m	285m
	(b) pedestrian s	SISD ightlines in accordance	with the following diagram:
	Circulation ro or <u>Property bou</u>	driveway	These areas to be kept clear of obstructions to visibility Property boundary Pedestrian
	Access – Mu	d and Debris	

Policy24 - Enquiry			
Access points constructed to minimise mud or other debris being carried or transferred onto the road to ensure safe road operating conditions.	is sealed from the edge of seal on the road for a minimum of 10m or to the property		
	Access - Stormwater		
P0 7.1	DTS/DPF 7.1		
Access points are designed to minimise negative impact on roadside drainage of water.	Development does not: (a) decrease the capacity of an existing drainage point (b) restrict or prevent the flow of stormwater through an existing drainage poir and system.		
	Building on Road Reserve		
P0 8.1	DTS/DPF 8.1		
Buildings or structures that encroach onto, above or below road reserves are designed and sited to minimise impact on safe movements by all road users.	Buildings or structures are not located on, above or below the road reserve.		
	Public Road Junctions		
P0 9.1	DTS/DPF 9.1		
New junctions with a public road (including the opening of unmade public road junctions) or modifications to existing road junctions are located and designed to ensure safe operating conditions are maintained on the State Maintained Road.			
	Corner Cut-Offs		
PO 10.1	DTS/DPF 10.1		
Development is located and designed to maintain sightlines for drivers turning into and out of public road junctions to contribute to driver safety.	Development does not involve building work, or building work is located wholly outside the land shown as 'Corner Cut-Off Area' in the following diagram:		
	Corner Cut- Off Area		

#### **Procedural Matters (PM) - Referrals**

The following table identifies classes of development / activities that require referral in this Overlay and the applicable referral body. It sets out the purpose of the referral as well as the relevant statutory reference from Schedule 9 of the Planning, Development and Infrastructure (General) Regulations 2017.

Class of Development / Activity	Referral Body	Purpose of Referral	Statutory Reference
<ul> <li>Except where all of the relevant deemed-to-satisfy criteria are met, development (including the division of land) that involves any of the following to/on a State Maintained Road or within 25 metres of an intersection with any such road:</li> <li>(a) creation of a new access or junction</li> <li>(b) alterations to an existing access or public road junction (except where deemed to be minor in the opinion of the relevant authority)</li> <li>(c) development that changes the nature of vehicular movements or increase the number or frequency of movements through an existing access (except where deemed to be minor in the opinion of the relevant authority).</li> </ul>	Commissioner of Highways.	To provide expert technical assessment and direction to the Relevant Authority on the safe and efficient operation and management of all roads relevant to the Commissioner of Highways as described in the Planning and Design Code.	Development of a class to which Schedule 9 clause 3 item 7 of the Planning, Development and Infrastructure (General) Regulations 2017 applies

## Water Resources Overlay

#### **Assessment Provisions (AP)**

Desired Outcome				
DO 1	Protection of the quality of surface waters considering adverse water quality impacts associated with projected reductions in rainfall and warmer air temperatures as a result of climate change.			
DO 2	Maintain the conveyance function and natural flow paths of watercourses to assist in the management of flood waters and stormwater runoff.			

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature	
Water Ca	atchment	
P0 1.1	DTS/DPF 1.1	
Watercourses and their beds, banks, wetlands and floodplains (1% AEP flood extent) are not damaged or modified and are retained in their natural state, except where modification is required for essential access or maintenance purposes.	None are applicable.	
P0 1.2	DTS/DPF 1.2	

Development avoids interfering with the existing hydrology or water regime of swamps and wetlands other than to improve the existing conditions to enhance environmental values.	None are applicable.
P0 1.3	DTS/DPF 1.3
Wetlands and low-lying areas providing habitat for native flora and fauna are not drained, except temporarily for essential management purposes to enhance environmental values.	None are applicable.
P0 1.4	DTS/DPF 1.4
Watercourses, areas of remnant native vegetation, or areas prone to erosion that are capable of natural regeneration are fenced off to limit stock access.	None are applicable.
P0 1.5	DTS/DPF 1.5
Development that increases surface water run-off includes a suitably sized strip of vegetated land on each side of a watercourse to filter runoff to: (a) reduce the impacts on native aquatic ecosystems (b) minimise soil loss eroding into the watercourse.	A strip of land 20m or more wide measured from the top of existing banks on each side of the watercourse is free from development, livestock use and revegetated with locally indigenous vegetation.
P0 1.6	DTS/DPF 1.6
Development resulting in the depositing or placing of an object or solid material in a watercourse or lake occurs only where it involves any of the following:	None are applicable.
<ul> <li>(a) the construction of an erosion control structure</li> <li>(b) devices or structures used to extract or regulate water flowing in a watercourse</li> <li>(c) devices used for scientific purposes</li> <li>(d) the rehabilitation of watercourses.</li> </ul>	
P0 1.7	DTS/DPF 1.7
Watercourses, floodplains (1% AEP flood extent) and wetlands protected and enhanced by retaining and protecting existing native vegetation.	None are applicable.
PO 1.8	DTS/DPF 1.8
Watercourses, floodplains (1% AEP flood extent) and wetlands are protected and enhanced by stabilising watercourse banks and reducing sediments and nutrients entering the watercourse.	None are applicable.
PO 1.9	DTS/DPF 1.9
Dams, water tanks and diversion drains are located and constructed to maintain the quality and quantity of flows required to meet environmental and downstream needs.	None are applicable.

The following table identifies classes of development / activities that require referral in this Overlay and the applicable referral body. It sets out the purpose of the referral as well as the relevant statutory reference from Schedule 9 of the Planning, Development and Infrastructure (General) Regulations 2017.

Class of Development / Activity	Referral Body	Purpose of Referral	Statutory

			Reference
None	None	None	None

# Part 4 - General Development Policies

#### **Advertisements**

#### Assessment Provisions (AP)

	Desired Outcome
DO 1	Advertisements and advertising hoardings are appropriate to context, efficient and effective in communicating with the public, limited in number to avoid clutter, and do not create hazard.

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
Appe	arance
PO 1.1	DTS/DPF 1.1
Advertisements are compatible and integrated with the design of the building and/or land they are located on.	<ul> <li>Advertisements attached to a building satisfy all of the following:</li> <li>(a) are not located in a Neighbourhood-type zone</li> <li>(b) where they are flush with a wall: <ul> <li>(i) if located at canopy level, are in the form of a fascia sign</li> <li>(ii) if located above canopy level: <ul> <li>A. do not have any part rising above parapet height</li> <li>B. are not attached to the roof of the building</li> </ul> </li> </ul></li></ul>
	<ul> <li>(c) where they are not flush with a wall:         <ul> <li>(i) if attached to a verandah, no part of the advertisement protrudes beyond the outer limits of the verandah structure</li> <li>(ii) if attached to a two-storey building:</li></ul></li></ul>

	C. does not have a sign face that exceeds 1m2 per side.
	<ul> <li>(d) if located below canopy level, are flush with a wall</li> <li>(e) if located at canopy level, are in the form of a fascia sign</li> <li>(f) if located above a canopy: <ul> <li>(i) are flush with a wall</li> <li>(ii) do not have any part rising above parapet height</li> <li>(iii) are not attached to the roof of the building.</li> </ul> </li> </ul>
	(g) if attached to a verandah, no part of the advertisement protrudes beyond the outer limits of the verandah structure
	<ul> <li>(h) if attached to a two-storey building, have no part located above the finished floor level of the second storey of the building</li> </ul>
	(i) where they are flush with a wall, do not, in combination with any other existing sign, cover more than 15% of the building facade to which they are attached.
PO 1.2	DTS/DPF 1.2
Advertising hoardings do not disfigure the appearance of the land upon which they are situated or the character of the locality.	Where development comprises an advertising hoarding, the supporting structure is:
	<ul> <li>(a) concealed by the associated advertisement and decorative detailing or</li> <li>(b) not visible from an adjacent public street or thoroughfare, other than a support structure in the form of a single or dual post design.</li> </ul>
PO 1.3	DTS/DPF 1.3
Advertising does not encroach on public land or the land of an adjacent allotment.	Advertisements and/or advertising hoardings are contained within the boundaries of the site.
PO 1.4	DTS/DPF 1.4
Where possible, advertisements on public land are integrated with existing structures and infrastructure.	Advertisements on public land that meet at least one of the following:
	<ul><li>(a) achieves Advertisements DTS/DPF 1.1</li><li>(b) are integrated with a bus shelter.</li></ul>
P0 1.5	DTS/DPF 1.5
Advertisements and/or advertising hoardings are of a scale and size appropriate to the character of the locality.	None are applicable.
Proliferation of	Advertisements
PO 2.1	DTS/DPF 2.1
Proliferation of advertisements is minimised to avoid visual clutter and untidiness.	No more than one freestanding advertisement is displayed per occupancy.
P0 2.2	DTS/DPF 2.2
Multiple business or activity advertisements are co-located and	Advertising of a multiple business or activity complex is located

Policy24 - Enquiry

PO 2.3	DTS/DPF 2.3
Proliferation of advertisements attached to buildings is	Advertisements satisfy all of the following:
ninimised to avoid visual clutter and untidiness.	
	(a) are attached to a building
	(b) other than in a Neighbourhood-type zone, where they are flush with a wall, cover no more than 15% of the building force do to which they are attached
	<ul> <li>building facade to which they are attached</li> <li>(c) do not result in more than one sign per occupancy that</li> </ul>
	is not flush with a wall.
Advertis	ing Content
P0 3.1	DTS/DPF 3.1
Advertisements are limited to information relating to the lawful use of land they are located on to assist in the ready	Advertisements contain information limited to a lawful existing or proposed activity or activities on the same site as the
identification of the activity or activities on the land and avoid	advertisement.
unrelated content that contributes to visual clutter and untidiness.	
PO 4.1	DTS/DPF 4.1
Light spill from advertisement illumination does not unreasonably compromise the amenity of sensitive receivers.	Advertisements do not incorporate any illumination.
Sa	afety
PO 5.1	DTS/DPF 5.1
Advertisements and/or advertising hoardings erected on a	Advertisements have a minimum clearance of 2.5m between the
verandah or projecting from a building wall are designed and located to allow for safe and convenient pedestrian access.	top of the footpath and base of the underside of the sign.
P0 5.2	DTS/DPF 5.2
Advertisements and/or advertising hoardings do not distract or create a hazard to drivers through excessive illumination.	No advertisement illumination is proposed.
PO 5.3	DTS/DPF 5.3
Advertisements and/or advertising hoardings do not create a	
5 5	Advertisements satisfy all of the following:
hazard to drivers by: <sup>(a)</sup> being liable to interpretation by drivers as an official	<ul> <li>(a) are not located in a public road or rail reserve</li> <li>(b) are located wholly outside the land shown as 'Corner</li> </ul>
<ul> <li>hazard to drivers by:</li> <li>(a) being liable to interpretation by drivers as an official traffic sign or signal</li> <li>(b) obscuring or impairing drivers' view of official traffic</li> </ul>	(a) are not located in a public road or rail reserve
<ul> <li>hazard to drivers by:</li> <li>(a) being liable to interpretation by drivers as an official traffic sign or signal</li> <li>(b) obscuring or impairing drivers' view of official traffic signs or signals</li> </ul>	<ul> <li>(a) are not located in a public road or rail reserve</li> <li>(b) are located wholly outside the land shown as 'Corner Cut-Off Area' in the following diagram</li> <li>Corner Cut-</li> </ul>
<ul> <li>hazard to drivers by:</li> <li>(a) being liable to interpretation by drivers as an official traffic sign or signal</li> <li>(b) obscuring or impairing drivers' view of official traffic signs or signals</li> </ul>	<ul> <li>(a) are not located in a public road or rail reserve</li> <li>(b) are located wholly outside the land shown as 'Corner Cut-Off Area' in the following diagram</li> <li>Corner Cut-</li> </ul>
<ul> <li>(a) being liable to interpretation by drivers as an official traffic sign or signal</li> <li>(b) obscuring or impairing drivers' view of official traffic signs or signals</li> <li>(c) obscuring or impairing drivers' view of features of a road that are potentially hazardous (such as junctions, bends, changes in width and traffic control devices) or other</li> </ul>	<ul> <li>(a) are not located in a public road or rail reserve</li> <li>(b) are located wholly outside the land shown as 'Corner Cut-Off Area' in the following diagram</li> </ul>
<ul> <li>hazard to drivers by:</li> <li>(a) being liable to interpretation by drivers as an official traffic sign or signal</li> <li>(b) obscuring or impairing drivers' view of official traffic signs or signals</li> <li>(c) obscuring or impairing drivers' view of features of a road that are potentially hazardous (such as junctions, bends, changes in width and traffic control devices) or other</li> </ul>	<ul> <li>(a) are not located in a public road or rail reserve</li> <li>(b) are located wholly outside the land shown as 'Corner Cut-Off Area' in the following diagram</li> </ul>
<ul> <li>(a) being liable to interpretation by drivers as an official traffic sign or signal</li> <li>(b) obscuring or impairing drivers' view of official traffic signs or signals</li> <li>(c) obscuring or impairing drivers' view of features of a road that are potentially hazardous (such as junctions, bends, changes in width and traffic control devices) or other road or rail vehicles at/or approaching level crossings.</li> </ul>	<ul> <li>(a) are not located in a public road or rail reserve are located wholly outside the land shown as 'Corner Cut-Off Area' in the following diagram</li> <li>Corner Cut-Off Area' Allotment Boundary</li> <li>Off Area</li> <li>Allotment Boundary</li> <li>DTS/DPF 5.4</li> </ul>
<ul> <li>hazard to drivers by:</li> <li>(a) being liable to interpretation by drivers as an official traffic sign or signal</li> <li>(b) obscuring or impairing drivers' view of official traffic signs or signals</li> <li>(c) obscuring or impairing drivers' view of features of a road that are potentially hazardous (such as junctions, bends, changes in width and traffic control devices) or other road or rail vehicles at/or approaching level crossings.</li> </ul>	<ul> <li>(a) are not located in a public road or rail reserve are located wholly outside the land shown as 'Corner Cut-Off Area' in the following diagram</li> <li>Corner Cut-Off Area</li> <li>Allotment Boundary</li> <li>Allotment Boundary</li> <li>Allotment Boundary</li> </ul>

Policy24 - Enquiry	
Advertisements and/or advertising hoardings provide sufficient clearance from the road carriageway to allow for safe and convenient movement by all road users.	<ul> <li>Where the advertisement or advertising hoarding is:</li> <li>(a) on a kerbed road with a speed zone of 60km/h or less, the advertisement or advertising hoarding is located at least 0.6m from the roadside edge of the kerb</li> <li>(b) on an unkerbed road with a speed zone of 60km/h or less, the advertisement or advertising hoarding is located at least 5.5m from the edge of the seal</li> <li>(c) on any other kerbed or unkerbed road, the advertisement or advertising hoarding is located a minimum of the following distance from the roadside edge of the kerb or the seal:</li> <li>(a) 110 km/h road - 14m</li> <li>(b) 100 km/h road - 13m</li> <li>(c) 90 km/h road - 10m</li> <li>(d) 70 or 80 km/h road - 8.5m.</li> </ul>
PO 5.6 Advertising near signalised intersections does not cause unreasonable distraction to road users through illumination, flashing lights, or moving or changing displays or messages.	DTS/DPF 5.6 Advertising: (a) is not illuminated (b) does not incorporate a moving or changing display or message (c) does not incorporate a flashing light(s).

## Animal Keeping and Horse Keeping

**Assessment Provisions (AP)** 

	Desired Outcome
DO 1	Animals are kept at a density that is not beyond the carrying capacity of the land and in a manner that minimises their adverse effects on the environment, local amenity and surrounding development.

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature	
Siting and Design		
P0 1.1	DTS/DPF 1.1	
Animal keeping, horse keeping and associated activities do not create adverse impacts on the environment or the amenity of the locality.	None are applicable.	
P0 1.2	DTS/DPF 1.2	
Animal keeping and horse keeping is located and managed to	None are applicable.	

minimise the potential transmission of disease to other	
operations where animals are kept.	
Horse	Keeping
P0 2.1	DTS/DPF 2.1
Water from stable wash-down areas is directed to appropriate absorption areas and/or drainage pits to minimise pollution of land and water.	None are applicable.
P0 2.2	DTS/DPF 2.2
Stables, horse shelters or associated yards are sited appropriate distances away from sensitive receivers and/or allotments in other ownership to avoid adverse impacts from dust, erosion and odour.	<ul> <li>Stables, horse shelters and associated yards are sited in accordance with all of the following:</li> <li>(a) 30m or more from any sensitive receivers (existing or approved) on land in other ownership</li> <li>(b) where an adjacent allotment is vacant and in other ownership, 30m or more from the boundary of that allotment.</li> </ul>
P0 2.3	DTS/DPF 2.3
All areas accessible to horses are separated from septic tank effluent disposal areas to protect the integrity of that system. Stable flooring is constructed with an impervious material to facilitate regular cleaning.	Septic tank effluent disposal areas are enclosed with a horse- proof barrier such as a fence to exclude horses from this area.
P0 2.4	DTS/DPF 2.4
To minimise environmental harm and adverse impacts on water resources, stables, horse shelters and associated yards are appropriately set back from a watercourse.	Stables, horse shelters and associated yards are set back 50m or more from a watercourse.
P0 2.5	DTS/DPF 2.5
Stables, horse shelters and associated yards are located on slopes that are stable to minimise the risk of soil erosion and water runoff.	Stables, horse shelters and associated yards are not located on land with a slope greater than 10% (1-in-10).
Ker	inels
P0 3.1	DTS/DPF 3.1
Kennel flooring is constructed with an impervious material to facilitate regular cleaning.	The floors of kennels satisfy all of the following: (a) are constructed of impervious concrete (b) are designed to be self-draining when washed down.
P0 3.2	DTS/DPF 3.2
Kennels and exercise yards are designed and sited to minimise noise nuisance to neighbours through measures such as: (a) adopting appropriate separation distances	Kennels are sited 500m or more from the nearest sensitive receiver on land in other ownership.
<ul> <li>(a) adopting appropriate separation distances</li> <li>(b) orientating openings away from sensitive receivers.</li> </ul>	
P0 3.3	DTS/DPF 3.3
Dogs are regularly observed and managed to minimise nuisance impact on adjoining sensitive receivers from animal behaviour.	Kennels are sited in association with a permanent dwelling on the land.

ł

Wastes	
P0 4.1	DTS/DPF 4.1
Storage of manure, used litter and other wastes (other than wastewater lagoons) is designed, constructed and managed to minimise attracting and harbouring vermin.	None are applicable.
P0 4.2	DTS/DPF 4.2
Facilities for the storage of manure, used litter and other wastes (other than wastewater lagoons) are located to minimise the potential for polluting water resources.	Waste storage facilities (other than wastewater lagoons) are located outside the 1% AEP flood event areas.

#### Aquaculture

#### **Assessment Provisions (AP)**

	Desired Outcome
DO 1	Aquaculture facilities are developed in an ecologically, economically and socially sustainable manner to support an equitable sharing of marine, coastal and inland resources and mitigate conflict with other water-based and land-based uses.

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
Land-based	l Aquaculture
P0 1.1	DTS/DPF 1.1
Land-based aquaculture and associated components are sited and designed to mitigate adverse impacts on nearby sensitive receivers.	<ul> <li>Land-based aquaculture and associated components are located to satisfy all of the following:</li> <li>(a) 200m or more from a sensitive receiver in other ownership</li> <li>(b) 500m or more from the boundary of a zone primarily intended to accommodate sensitive receivers.</li> </ul>
P0 1.2	DTS/DPF 1.2
Land-based aquaculture and associated components are sited and designed to prevent surface flows from entering ponds in a 1% AEP sea flood level event.	None are applicable.
P0 1.3	DTS/DPF 1.3
Land-based aquaculture and associated components are sited and designed to prevent pond leakage that would pollute groundwater.	None are applicable.

Policy24 - Enquiry	
PO 1.4	DTS/DPF 1.4
Land-based aquaculture and associated components are sited and designed to prevent farmed species escaping and entering into any waters.	None are applicable.
PO 1.5	DTS/DPF 1.5
Land-based aquaculture and associated components, including intake and discharge pipes, are designed to minimise the need to traverse sensitive areas to minimise impact on the natural environment.	None are applicable.
PO 1.6	DTS/DPF 1.6
Pipe inlets and outlets associated with land-based aquaculture are sited and designed to minimise the risk of disease transmission.	None are applicable.
P0 1.7	DTS/DPF 1.7
Storage areas associated with aquaculture activity are integrated with the use of the land and sited and designed to minimise their visual impact on the surrounding environment.	None are applicable.
Marine Based	d Aquaculture
P0 2.1	DTS/DPF 2.1
Marine aquaculture is sited and designed to minimise its adverse impacts on sensitive ecological areas including:	None are applicable.
<ul> <li>(a) creeks and estuaries</li> <li>(b) wetlands</li> <li>(c) significant seagrass and mangrove communities</li> <li>(d) marine habitats and ecosystems.</li> </ul>	
PO 2.2	DTS/DPF 2.2
Marine aquaculture is sited in areas with adequate water current to disperse sediments and dissolve particulate wastes to prevent the build-up of waste that may cause environmental harm.	None are applicable.
PO 2.3	DTS/DPF 2.3
Marine aquaculture is designed to not involve discharge of human waste on the site, on any adjacent land or into nearby waters.	None are applicable.
P0 2.4	DTS/DPF 2.4
Marine aquaculture (other than inter-tidal aquaculture) is located an appropriate distance seaward of the high water mark.	Marine aquaculture development is located 100m or more seaward of the high water mark.
PO 2.5	DTS/DPF 2.5
Marine aquaculture is sited and designed to not obstruct or interfere with:	None are applicable.
<sup>(a)</sup> areas of high public use	
(b) areas, including beaches, used for recreational activities such as swimming, fishing, skiing, sailing and other	

Policy24	- Enquiry	
	water sports	
(c)	areas of outstanding visual or environmental value	
(d)	areas of high tourism value	
(e)	areas of important regional or state economic activity, including commercial ports, wharfs and jetties	
(f)	the operation of infrastructure facilities including inlet and outlet pipes associated with the desalination of sea water.	
PO 2.6		DTS/DPF 2.6
interfer	aquaculture is sited and designed to minimise ence and obstruction to the natural processes of the and marine environment.	None are applicable.
P0 2.7		DTS/DPF 2.7
	aquaculture is designed to be as unobtrusive as able by incorporating measures such as:	None are applicable.
(a)	using feed hoppers painted in subdued colours and suspending them as close as possible to the surface of the water	
(b)	positioning structures to protrude the minimum distance practicable above the surface of the water	
(c)	avoiding the use of shelters and structures above cages and platforms unless necessary to exclude predators and protected species from interacting with the farming structures and/or stock inside the cages, or for safety reasons	
(d)	positioning racks, floats and other farm structures in unobtrusive locations landward from the shoreline.	
PO 2.8		DTS/DPF 2.8
Access, launching and maintenance facilities utilise existing established roads, tracks, ramps and paths to or from the sea where possible to minimise environmental and amenity impacts.		None are applicable.
PO 2.9		DTS/DPF 2.9
Access, launching and maintenance facilities are developed as common user facilities and are co-located where practicable to mitigate adverse impacts on coastal areas.		None are applicable.
PO 2.10		DTS/DPF 2.10
to prote	aquaculture is sited to minimise potential impacts on, and act the integrity of, reserves under the <i>National Parks and</i> <i>Act 1972</i> .	Marine aquaculture is located 1000m or more seaward of the boundary of any reserve under the <i>National Parks and Wildlife</i> Act 1972.
PO 2.11		DTS/DPF 2.11
	e storage, cooling and processing facilities do not impair stline and its visual amenity by:	None are applicable.
(a)	being sited, designed, landscaped and of a scale to reduce the overall bulk and appearance of buildings and complement the coastal landscape	
(b)	making provision for appropriately sited and designed vehicular access arrangements, including using existing vehicular access arrangements as far as practicable	

n and Safety		
DTS/DPF 3.1		
None are applicable.		
DTS/DPF 3.2		
None are applicable.		
Environmental Management		
DTS/DPF 4.1		
None are applicable.		
DTS/DPF 4.2		
None are applicable.		
DTS/DPF 4.3		
None are applicable.		
DTS/DPF 4.4		
None are applicable.		

# **Beverage Production in Rural Areas**

#### **Assessment Provisions (AP)**

Desired Outcome		
DO		Mitigation of potential amenity and environmental impacts of value-adding beverage production facilities such as wineries, distilleries, cideries and breweries.

# **Performance Outcome**

# Deemed-to-Satisfy Criteria / Designated Performance Feature

Odour and Noise		
P0 1.1	DTS/DPF 1.1	
Beverage production activities are designed and sited to minimise odour impacts on rural amenity.	None are applicable.	
P0 1.2	DTS/DPF 1.2	
Beverage production activities are designed and sited to minimise noise impacts on sensitive receivers.	None are applicable.	
P0 1.3	DTS/DPF 1.3	
Fermentation, distillation, manufacturing, storage, packaging and bottling activities occur within enclosed buildings to improve the visual appearance within a locality and manage noise associated with these activities.	None are applicable.	
PO 1.4	DTS/DPF 1.4	
Breweries are designed to minimise odours emitted during boiling and fermentation stages of production.	Brew kettles are fitted with a vapour condenser.	
P0 1.5	DTS/DPF 1.5	
Beverage production solid wastes are stored in a manner that minimises odour impacts on sensitive receivers in other ownership.	Solid waste from beverage production is collected and stored in sealed containers and removed from the site within 48 hours.	
Water	Quality	
P0 2.1	DTS/DPF 2.1	
Beverage production wastewater management systems (including wastewater irrigation) are set back from watercourses to minimise adverse impacts on water resources.	Wastewater management systems are set back 50m or more from the banks of watercourses and bores.	
P0 2.2	DTS/DPF 2.2	
The storage or disposal of chemicals or hazardous substances is undertaken in a manner to prevent pollution of water resources.	None are applicable.	
P0 2.3	DTS/DPF 2.3	
Stormwater runoff from areas that may cause contamination due to beverage production activities (including vehicle movements and machinery operations) is drained to an onsite stormwater treatment system to manage potential environmental impacts.	None are applicable.	
P0 2.4	DTS/DPF 2.4	
Stormwater runoff from areas unlikely to cause contamination by beverage production and associated activities (such as roof catchments and clean hard-paved surfaces) is diverted away from beverage production areas and wastewater management systems.	None are applicable.	
Policy24 - Enquiry

Wastewater Irrigation		
P0 3.1	DTS/DPF 3.1	
Beverage production wastewater irrigation systems are designed and located to not contaminate soil and surface and ground water resources or damage crops.	None are applicable.	
P0 3.2	DTS/DPF 3.2	
Beverage production wastewater irrigation systems are designed and located to minimise impact on amenity and avoid spray drift onto adjoining land.	Beverage production wastewater is not irrigated within 50m of any dwelling in other ownership.	
P0 3.3	DTS/DPF 3.3	
Beverage production wastewater is not irrigated onto areas that pose an undue risk to the environment or amenity such as:	None are applicable.	
<ul> <li>(a) waterlogged areas</li> <li>(b) land within 50m of a creek, swamp or domestic or stock water bore</li> <li>(c) land subject to flooding</li> <li>(d) steeply sloping land</li> <li>(e) rocky or highly permeable soil overlaying an unconfined aquifer.</li> </ul>		

# Bulk Handling and Storage Facilities

### **Assessment Provisions (AP)**

	Desired Outcome
DO 1	Facilities for the bulk handling and storage of agricultural, mineral, petroleum, rock, ore or other similar commodities are designed to minimise adverse impacts on transport networks, the landscape and surrounding land uses.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

### Performance Outcome Deemed-to-Satisfy Criteria / **Designated Performance Feature** Siting and Design PO 1.1 DTS/DPF 1.1 Bulk handling and storage facilities are sited and designed to Facilities for the handling, storage and dispatch of commodities minimise risks of adverse air quality and noise impacts on in bulk (excluding processing) meet the following minimum sensitive receivers. separation distances from sensitive receivers: (a) bulk handling of agricultural crop products, rock, ores, minerals, petroleum products or chemicals at a wharf or

wh ves mo	arf side facility (including sea-port grain terminals), ere the handling of these materials into or from ssels does not exceed 100 tonnes per day: 300m or ore from residential premises not associated with the illity
mir any	k handling of agricultural crop products, rock, ores, nerals, petroleum products or chemicals to or from / commercial storage facility: 300m or more from idential premises not associated with the facility
wit sto	k petroleum storage involving individual containers h a capacity up to 200 litres and a total on-site rage capacity not exceeding 1,000 cubic metres: Om or more
a. c up b. c 100	al handling with: capacity up to 1 tonne per day or a storage capacity to 50 tonnes: 500m or more capacity exceeding 1 tonne per day but not exceeding 0 tonnes per day or a storage capacity exceeding 50 nnes but not exceeding 5000 tonnes: 1000m or more.

Buffers and Landscaping	
P0 2.1	DTS/DPF 2.1
Bulk handling and storage facilities incorporate a buffer area for the establishment of dense landscaping adjacent road frontages to enhance the appearance of land and buildings from public thoroughfares.	None are applicable.
PO 2.2	DTS/DPF 2.2
Bulk handling and storage facilities incorporate landscaping to assist with screening and dust filtration.	None are applicable.
Access ar	nd Parking
P0 3.1	DTS/DPF 3.1
Roadways and vehicle parking areas associated with bulk handling and storage facilities are designed and surfaced to control dust emissions and prevent drag out of material from the site.	Roadways and vehicle parking areas are sealed with an all- weather surface.
Slipways, Wharv	es and Pontoons
P0 4.1	DTS/DPF 4.1
Slipways, wharves and pontoons used for the handling of bulk materials (such as fuel, oil, catch, bait and the like) incorporate catchment devices to avoid the release of materials into adjacent waters.	None are applicable.

# **Clearance from Overhead Powerlines**

## **Assessment Provisions (AP)**

# **Desired Outcome**

DO 1

Protection of human health and safety when undertaking development in the vicinity of overhead transmission powerlines.

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
PO 1.1 Buildings are adequately separated from aboveground powerlines to minimise potential hazard to people and property.	<ul> <li>DTS/DPF 1.1</li> <li>One of the following is satisfied: <ul> <li>(a) a declaration is provided by or on behalf of the applicant to the effect that the proposal would not be contrary to the regulations prescribed for the purposes of section 86 of the <i>Electricity Act 1996</i></li> <li>(b) there are no aboveground powerlines adjoining the site that are the subject of the proposed development.</li> </ul> </li> </ul>

# Design

# Assessment Provisions (AP)

		Desired Outcome
DO 1	Develo	opment is:
	(a)	contextual - by considering, recognising and carefully responding to its natural surroundings or built environment and positively contributes to the character of the immediate area
	(b)	durable - fit for purpose, adaptable and long lasting
	(c)	inclusive - by integrating landscape design to optimise pedestrian and cyclist usability, privacy and equitable access, and promoting the provision of quality spaces integrated with the public realm that can be used for access and recreation and help optimise security and safety both internally and within the public realm, for occupants and visitors
	(d)	sustainable - by integrating sustainable techniques into the design and siting of development and landscaping to improve community health, urban heat, water management, environmental performance, biodiversity and local amenity and to minimise energy consumption.

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
All deve	lopment
External A	ppearance
P0 1.1	DTS/DPF 1.1
Buildings reinforce corners through changes in setback, articulation, materials, colour and massing (including height, width, bulk, roof form and slope).	None are applicable.

t

Policy24 - Enquiry

provides shelter over footpaths (in the form of verandahs, awnings, canopies and the like, with adequate lighting) to positively contribute to the walkability, comfort and safety of the public realm.DTS/DPFP0 1.3DTS/DPFBuilding elevations facing the primary street (other than ancillary buildings) are designed and detailed to convey purpose, identify main access points and complement the streetscape.DTS/DPFP0 1.4DTS/DPFPlant, exhaust and intake vents and other technical equipment is integrated into the building design to minimise visibility from the public realm and negative impacts on residential development, locating the plant and equipment from view (c) when located on the roof of non-residential development, locating the plant and equipment as far as practicable from adjacent sensitive land uses.DTS/DPFP0 1.5The negative visual impact of outdoor storage, waste management, loading and service areas is minimised by integrating them into the building design and screening them from public view (such as fencing, landscaping and built form) taking into account the form of development contemplated in the relevant zone.DTS/DPFP0 2.1Development maximises opportunities for passive surveillance of the public realm by providing clear lines of sight, appropriate lighting and the use of visually permeable screening wherever practicable.DTS/DPFP0 2.2DTS/DPFDevelopment is designed to differentiate public, communal and private areas.DTS/DPF	2
provides shelter over footpaths (in the form of verandahs, awnings, canopies and the like, with adequate lighting) to positively contribute to the walkability, comfort and safety of the public realm.DTS/DPFP0 1.3DTS/DPFBuilding elevations facing the primary street (other than ancillary buildings) are designed and detailed to convey purpose, identify main access points and complement the streetscape.DTS/DPFP0 1.4DTS/DPFPlant, exhaust and intake vents and other technical equipment is integrated into the building design to minimise visibility from the public realm and negative impacts on residential amenity by:Develop beyond is beyond is contrast and equipment in unobtrusive locations viewed from public roads and spacesDTS/DPF(b)screening rooftop plant and equipment from view (c)MNone are practicable from adjacent sensitive land uses.DTS/DPFP0 1.5DTS/DPFNone are practicable from adjacent sensitive land uses.DTS/DPFThe negative visual impact of outdoor storage, waste management, loading and service areas is minimised by integrating them into the building design and screening them from public view (such as fencing, landscaping and built form) taking into account the form of development contemplated in the relevant zone.DTS/DPFP0 2.1Development maximises opportunities for passive surveillance of the public realm by providing clear lines of sight, appropriate lighting and the use of visually permeable screening wherever practicable.DTS/DPFP0 2.2DTS/DPFDevelopment is designed to differentiate public, communal and private areas.DTS/DPFP0 2.3DTS/DPFDTS/DPF<	
Building elevations facing the primary street (other than ancillary buildings) are designed and detailed to convey purpose, identify main access points and complement the streetscape.None are points and complement the streetscape.P01.4DTS/DPFPlant, exhaust and intake vents and other technical equipment is integrated into the building design to minimise visibility from the public realm and negative impacts on residential amenity by:Develop beyond is beyond is beyond is public realm and negative impacts on residential amenity by:DTS/DPF(a) (b) screening rooftop plant and equipment from view (c)when located on the roof of non-residential development, locating the plant and equipment as far as practicable from adjacent sensitive land uses.DTS/DPFPo 1.5DTS/DPFNone are management, loading and service areas is minimised by integrating them into the building design and screening them from public view (such as fencing, landscaping and built form) taking into account the form of development contemplated in the relevant zone.DTS/DPF IPo 2.1DTS/DPF IDevelopment maximises opportunities for passive surveillance of lighting and the use of visually permeable screening wherever practicable.DTS/DPF IPo 2.2DTS/DPF IDevelopment is designed to differentiate public, communal and private areas.DTS/DPF IPo 2.3DTS/DPF IBuildings are designed with safe, perceptible and direct accessNone are	applicable.
buildings) are designed and detailed to convey purpose, identify main access points and complement the streetscape.DiscourceP01.4DTS/DPFPlant, exhaust and intake vents and other technical equipment is integrated into the building design to minimise visibility from the public realm and negative impacts on residential amenity by:Develop beyond is beyond is to evelop ment in unobtrusive locations viewed from public roads and spacesDTS/DPF(a) positioning plant and equipment in unobtrusive locations viewed from public roads and spacesDTS/DPF(b) screening rooftop plant and equipment from view (c) when located on the roof of non-residential development, locating the plant and equipment as far as practicable from adjacent sensitive land uses.DTS/DPFP0 1.5DTS/DPFNone arrThe negative visual impact of outdoor storage, waste management, loading and service areas is minimised by integrating them into the building design and screening them from public view (such as fencing, landscaping and built form) taking into account the form of development contemplated in the relevant zone.DTS/DPFP0 2.1Development maximises opportunities for passive surveillance of the public realm by providing clear lines of sight, appropriate lighting and the use of visually permeable screening wherever practicable.DTS/DPFP0 2.2Development is designed to differentiate public, communal and private areas.DTS/DPFP0 2.3DTS/DPFBuildings are designed with safe, perceptible and direct accessNone arr	.3
Plant, exhaust and intake vents and other technical equipment is integrated into the building design to minimise visibility from the public realm and negative impacts on residential amenity by:       Develop beyond it         (a)       positioning plant and equipment in unobtrusive locations viewed from public roads and spaces       Image: Comparison of the plant and equipment from view       Image: Comparison of the plant and equipment from view       Image: Comparison of the plant and equipment as far as practicable from adjacent sensitive land uses.       Image: DTS/DPF it         Po 1.5       The negative visual impact of outdoor storage, waste management, loading and service areas is minimised by integrating them into the building design and screening them from public view (such as fencing, landscaping and built form) taking into account the form of development contemplated in the relevant zone.       DTS/DPF it         Po 2.1       DTS/DPF it       DTS/DPF it         Development maximises opportunities for passive surveillance of the public realm by providing clear lines of sight, appropriate lighting and the use of visually permeable screening wherever practicable.       DTS/DPF it         Po 2.2       Development is designed to differentiate public, communal and private areas.       DTS/DPF it         Buildings are designed with safe, perceptible and direct access       None arr	applicable.
integrated into the building design to minimise visibility from the public realm and negative impacts on residential amenity by:beyond implicits positioning plant and equipment in unobtrusive locations viewed from public roads and spacesbeyond implicits (b)(a) (b)positioning plant and equipment in unobtrusive locations viewed from public roads and spacesbeyond implicits (b)(b)screening rooftop plant and equipment from view (c)when located on the roof of non-residential development, locating the plant and equipment as far as practicable from adjacent sensitive land uses.DTS/DPF implicitsPo 1.5The negative visual impact of outdoor storage, waste management, loading and service areas is minimised by integrating them into the building design and screening them from public view (such as fencing, landscaping and built form) taking into account the form of development contemplated in the relevant zone.DTS/DPF implicitsPo 2.1Development maximises opportunities for passive surveillance of the public realm by providing clear lines of sight, appropriate lighting and the use of visually permeable screening wherever practicable.DTS/DPF implicitsPo 2.2Development is designed to differentiate public, communal and private areas.None arrPo 2.3DTS/DPF implicitsDTS/DPF implicitsBuildings are designed with safe, perceptible and direct accessNone arr	.4
viewed from public roads and spaces(b)screening rooftop plant and equipment from view(c)when located on the roof of non-residential development, locating the plant and equipment as far as practicable from adjacent sensitive land uses.DTS/DPF -P0 1.5DTS/DPF -None arrThe negative visual impact of outdoor storage, waste management, loading and service areas is minimised by integrating them into the building design and screening them from public view (such as fencing, landscaping and built form) taking into account the form of development contemplated in the relevant zone.DTS/DPF -P0 2.1DTS/DPF -Development maximises opportunities for passive surveillance of the public realm by providing clear lines of sight, appropriate lighting and the use of visually permeable screening wherever practicable.DTS/DPF -P0 2.2Development is designed to differentiate public, communal and private areas.DTS/DPF -P0 2.3DTS/DPF -Buildings are designed with safe, perceptible and direct accessNone arr	nent does not incorporate any structures that protrude he roofline.
The negative visual impact of outdoor storage, waste management, loading and service areas is minimised by integrating them into the building design and screening them from public view (such as fencing, landscaping and built form) taking into account the form of development contemplated in the 	
management, loading and service areas is minimised by integrating them into the building design and screening them from public view (such as fencing, landscaping and built form) taking into account the form of development contemplated in the relevant zone.SafetyP0 2.1DTS/DPF 2Development maximises opportunities for passive surveillance of the public realm by providing clear lines of sight, appropriate lighting and the use of visually permeable screening wherever practicable.DTS/DPF 2P0 2.2Development is designed to differentiate public, communal and private areas.DTS/DPF 2P0 2.3DTS/DPF 2Buildings are designed with safe, perceptible and direct accessNone are	.5
PO 2.1DTS/DPF 2Development maximises opportunities for passive surveillance of the public realm by providing clear lines of sight, appropriate lighting and the use of visually permeable screening wherever practicable.None arrPO 2.2DTS/DPF 2Development is designed to differentiate public, communal and private areas.None arrPO 2.3DTS/DPF 2Buildings are designed with safe, perceptible and direct accessNone arr	e applicable.
Development maximises opportunities for passive surveillance of the public realm by providing clear lines of sight, appropriate lighting and the use of visually permeable screening wherever practicable.None arPO 2.2DTS/DPF 2Development is designed to differentiate public, communal and private areas.None arPO 2.3DTS/DPF 2Buildings are designed with safe, perceptible and direct accessNone ar	
the public realm by providing clear lines of sight, appropriate lighting and the use of visually permeable screening wherever practicable.DTS/DPF 2PO 2.2DTS/DPF 2DTS/DPF 2Development is designed to differentiate public, communal and private areas.DTS/DPF 2PO 2.3DTS/DPF 2DTS/DPF 2Buildings are designed with safe, perceptible and direct accessNone areas	.1
Development is designed to differentiate public, communal and private areas.None arePO 2.3DTS/DPF 2Buildings are designed with safe, perceptible and direct accessNone are	e applicable.
private areas.       DTS/DPF         PO 2.3       DTS/DPF         Buildings are designed with safe, perceptible and direct access       None are	2
Buildings are designed with safe, perceptible and direct access None ar	applicable.
	3
	applicable.
PO 2.4 DTS/DPF 2	4
Development at street level is designed to maximise None an opportunities for passive surveillance of the adjacent public realm.	applicable.
PO 2.5 DTS/DPF 2	.5

Policy24 - Enquiry				
Common areas and entry points of buildings (such as the foyer areas of residential buildings), and non-residential land uses at street level, maximise passive surveillance from the public realm to the inside of the building at night.	None are applicable.			
Lands	caping			
P0 3.1	DTS/DPF 3.1			
Soft landscaping and tree planting is incorporated to:	None are applicable.			
<ul> <li>(a) minimise heat absorption and reflection</li> <li>(b) maximise shade and shelter</li> <li>(c) maximise stormwater infiltration</li> <li>(d) enhance the appearance of land and streetscapes</li> <li>(e) contribute to biodiversity.</li> </ul>				
P0 3.2	DTS/DPF 3.2			
Soft landscaping and tree planting maximises the use of locally indigenous plant species, incorporates plant species best suited to current and future climate conditions and avoids pest plant and weed species.	None are applicable.			
Environmenta	Il Performance			
PO 4.1	DTS/DPF 4.1			
Buildings are sited, oriented and designed to maximise natural sunlight access and ventilation to main activity areas, habitable rooms, common areas and open spaces.	None are applicable.			
P0 4.2	DTS/DPF 4.2			
Buildings are sited and designed to maximise passive environmental performance and minimise energy consumption and reliance on mechanical systems, such as heating and cooling.	None are applicable.			
P0 4.3	DTS/DPF 4.3			
Buildings incorporate climate-responsive techniques and features such as building and window orientation, use of eaves, verandahs and shading structures, water harvesting, at ground landscaping, green walls, green roofs and photovoltaic cells.	None are applicable.			
Water Sensitive Design				
P0 5.1	DTS/DPF 5.1			
Development is sited and designed to maintain natural hydrological systems without negatively impacting:	None are applicable.			
(a) the quantity and quality of surface water and groundwater				
<ul> <li>(b) the depth and directional flow of surface water and groundwater</li> <li>(c) the multiple of function of a struct environment</li> </ul>				
(c) the quality and function of natural springs.				
On-site Waste Tr	eatment Systems			
P0 6.1	DTS/DPF 6.1			
Dedicated on-site effluent disposal areas do not include any	Effluent disposal drainage areas do not:			

areas to be used for, or could be reasonably foreseen to be used for, private open space, driveways or car parking.	(a) encroach within an area used as private open space or
	<ul> <li>result in less private open space than that specified in</li> <li>Design Table 1 - Private Open Space</li> <li>(b) use an area also used as a driveway</li> </ul>
	<ul> <li>(c) encroach within an area used for on-site car parking or result in less on-site car parking than that specified in Transport, Access and Parking Table 1 - General Off- Street Car Parking Requirements or Table 2 - Off-Street Car Parking Requirements in Designated Areas.</li> </ul>
Carparking	Appearance
P0 7.1	DTS/DPF 7.1
Development facing the street is designed to minimise the negative impacts of any semi-basement and undercroft car parking on the streetscapes through techniques such as:	None are applicable.
<ul> <li>(a) limiting protrusion above finished ground level</li> <li>(b) screening through appropriate planting, fencing and mounding</li> <li>(c) limiting the width of openings and integrating them into</li> </ul>	
the building structure.	
P0 7.2	DTS/DPF 7.2
Vehicle parking areas are appropriately located, designed and constructed to minimise impacts on adjacent sensitive receivers through measures such as ensuring they are attractively developed and landscaped, screen fenced and the like.	None are applicable.
P0 7.3	DTS/DPF 7.3
Safe, legible, direct and accessible pedestrian connections are provided between parking areas and the development.	None are applicable.
P0 7.4	DTS/DPF 7.4
Street level vehicle parking areas incorporate tree planting to provide shade and reduce solar heat absorption and reflection.	None are applicable.
PO 7.5	DTS/DPF 7.5
Street level parking areas incorporate soft landscaping to improve visual appearance when viewed from within the site and from public places.	None are applicable.
P0 7.6	DTS/DPF 7.6
Vehicle parking areas and associated driveways are landscaped to provide shade and positively contribute to amenity.	None are applicable.
P0 7.7	DTS/DPF 7.7
Vehicle parking areas and access ways incorporate integrated stormwater management techniques such as permeable or porous surfaces, infiltration systems, drainage swales or rain gardens that integrate with soft landscaping.	None are applicable.
Earthworks ar	nd sloping land
P0 8.1	DTS/DPF 8.1

#### Development, including any associated driveways and access Development does not involve any of the following: tracks, minimises the need for earthworks to limit disturbance to (a) excavation exceeding a vertical height of 1m natural topography. (b) filling exceeding a vertical height of 1m (c) a total combined excavation and filling vertical height of 2m or more. PO 8.2 DTS/DPF 8.2 Driveways and access tracks are designed and constructed to Driveways and access tracks on sloping land (with a gradient allow safe and convenient access on sloping land (with a exceeding 1 in 8) satisfy (a) and (b): gradient exceeding 1 in 8). (a) do not have a gradient exceeding 25% (1-in-4) at any point along the driveway (b) are constructed with an all-weather trafficable surface. PO 8.3 DTS/DPF 8.3 Driveways and access tracks on sloping land (with a gradient None are applicable. exceeding 1 in 8): (a) do not contribute to the instability of embankments and cuttings (b) provide level transition areas for the safe movement of people and goods to and from the development (c) are designed to integrate with the natural topography of the land. DTS/DPF 8.4 PO 8.4 Development on sloping land (with a gradient exceeding 1 in 8) None are applicable. avoids the alteration of natural drainage lines and includes onsite drainage systems to minimise erosion. PO 8.5 DTS/DPF 8.5 Development does not occur on land at risk of landslip nor None are applicable. increases the potential for landslip or land surface instability. Fences and Walls PO 9.1 DTS/DPF 9.1 Fences, walls and retaining walls are of sufficient height to None are applicable. maintain privacy and security without unreasonably impacting the visual amenity and adjoining land's access to sunlight or the amenity of public places. PO 9.2 DTS/DPF 9.2 Landscaping incorporated on the low side of retaining walls is A vegetated landscaped strip 1m wide or more is provided visible from public roads and public open space to minimise against the low side of a retaining wall. visual impacts. Overlooking / Visual Privacy (in building 3 storeys or less) PO 10 1 DTS/DPF 10.1 Development mitigates direct overlooking from upper level Upper level windows facing side or rear boundaries shared with a residential allotment/site satisfy one of the following: windows to habitable rooms and private open spaces of

adjoining residential uses.

	(a) are permanently obscured to a height of 1.5m above finished floor level and are fixed or not capable of being opened more than 200mm
	(b) have sill heights greater than or equal to 1.5m above finished floor level
	(c) incorporate screening with a maximum of 25% openings, permanently fixed no more than 500mm from the window surface and sited adjacent to any part of the window less than 1.5 m above the finished floor level.
P0 10.2	DTS/DPF 10.2
Development mitigates direct overlooking from balconies,	One of the following is satisfied:
terraces and decks to habitable rooms and private open space of adjoining residential uses.	<ul> <li>(a) the longest side of the balcony or terrace will face a public road, public road reserve or public reserve that is at least 15m wide in all places faced by the balcony or terrace or</li> </ul>
	<ul> <li>(b) all sides of balconies or terraces on upper building levels are permanently obscured by screening with a maximum 25% transparency/openings fixed to a minimum height of:</li> </ul>
	<ul> <li>(i) 1.5m above finished floor level where the balcony is located at least 15 metres from the nearest habitable window of a dwelling on adjacent land</li> </ul>
	or (ii) 1.7m above finished floor level in all other cases
	1

All Residential development
-----------------------------

Front elevations and passive surveillance		
P0 11.1	DTS/DPF 11.1	
Dwellings incorporate windows along primary street frontages to encourage passive surveillance and make a positive contribution to the streetscape.	<ul> <li>Each dwelling with a frontage to a public street:</li> <li>(a) includes at least one window facing the primary street from a habitable room that has a minimum internal room dimension of 2.4m</li> <li>(b) has an aggregate window area of at least 2m<sup>2</sup> facing the primary street.</li> </ul>	
P0 11.2	DTS/DPF 11.2	
Dwellings incorporate entry doors within street frontages to address the street and provide a legible entry point for visitors.	Dwellings with a frontage to a public street have an entry door visible from the primary street boundary.	

Outlook and amenity	
PO 12.1 Living rooms have an external outlook to provide a high standard of amenity for occupants.	DTS/DPF 12.1 A living room of a dwelling incorporates a window with an outlook towards the street frontage or private open space, public open space, or waterfront areas.
P0 12.2 Bedrooms are separated or shielded from active communal recreation areas, common access areas and vehicle parking	DTS/DPF 12.2 None are applicable.

areas and access ways to mitigate noise and artificial light intrusion.

#### PO 13.1

Residential ancillary buildings and structures are sited and designed to not detract from the streetscape or appearance of buildings on the site or neighbouring properties.

### Ancillary Development DTS/DPF 13.1

#### Ancillary buildings:

- (a) are ancillary to a dwelling erected on the same site
- (b) have a floor area not exceeding 60m2
- (c) are not constructed, added to or altered so that any part is situated:
  - (i) in front of any part of the building line of the dwelling to which it is ancillary or
  - (ii) within 900mm of a boundary of the allotment with a secondary street (if the land has boundaries on two or more roads)
- (d) in the case of a garage or carport, the garage or carport:
  - (i) is set back at least 5.5m from the boundary of the primary street
  - when facing a primary street or secondary street, has a total door / opening not exceeding:
    - A. for dwellings of single building level -7m in width or 50% of the site frontage, whichever is the lesser
    - B. for dwellings comprising two or more building levels at the building line fronting the same public street - 7m in width
- (e) if situated on a boundary (not being a boundary with a primary street or secondary street), do not exceed a length of 11.5m unless:
  - a longer wall or structure exists on the adjacent site and is situated on the same allotment boundary and
  - the proposed wall or structure will be built along the same length of boundary as the existing adjacent wall or structure to the same or lesser extent
- (f) if situated on a boundary of the allotment (not being a boundary with a primary street or secondary street), all walls or structures on the boundary will not exceed 45% of the length of that boundary
- (g) will not be located within 3m of any other wall along the same boundary unless on an adjacent site on that boundary there is an existing wall of a building that would be adjacent to or about the proposed wall or structure
- (h) have a wall height or post height not exceeding 3m above natural ground level (and not including a gable end)
- (i) have a roof height where no part of the roof is more than 5m above the natural ground level
- (j) if clad in sheet metal, is pre-colour treated or painted in a non-reflective colour
- (k) retains a total area of soft landscaping in accordance

(i)       a total area as determined by the following table:         Dwelling site area (or in the building or group dwelling(s), average site area) (or 1)       Dwelling site area (or in the building or group dwelling(s), average site area) (or 1)         150       10%         150-200       15%         201-450       20%         -450       25%         (ii)       the amount of existing soft landscaping prior to the development occurring.         P0 13.2       DTS/DFF 13.2         Ancillary buildings and structures do not result in over-development of the site.       Private Open Space (Private) (Private) Open Space (Private) (Private) Open Space (Private) (Private) Open Space (Private) (P	Policy24 - Enquiry		(i) or (ii) which ever is less.	
case of residential flat building or group dwelling(s), average site area) (m <sup>2</sup> )       setter of site         -150       10%         -150       10%         -150       20%         -250       25%         (ii)       the amount of existing soft landscaping prior to the development occurring.         201.450       25%         (iii)       the amount of existing soft landscaping prior to the development occurring.         201.32       Ancillary buildings and structures do not impede on-site functional requirements and do not result in over-development of the site.       DTSVPF 132         Ancillary buildings and structures do not result in over-development of the site.       DTSVPF 132         Ancillary buildings and structures do not result in over-development of the site.       DTSVPF 132         Ancillary buildings and structures do not result in over-development of the site.       DTSVPF 132         Ancillary buildings and structures do not result in over-development of the site.       DTSVPF 132         Ancillary buildings and structures do not result in over-development of the site.       DTSVPF 132         Ancillary buildings and structures do not result in ubased to not cause unreasonable noise nuisance to adjacent sensitive receivers.       DTSVPF 132         Catege associated on an adjoining allotment or       0         Police at least 12m from the nearest habitable room located on an adjoining allotment or			· · · · · · · · · · · · · · · · · · ·	the following
Image: second			case of residential flat building or group dwelling(s), average site	percentage of
P0 13.2       (i)       the amount of existing soft landscaping prior to the development occurring.         P0 13.2       (ii)       the amount of existing soft landscaping prior to the development occurring.         P0 13.2       Ancillary buildings and structures do not result in:       (ii)         Ancillary buildings and structures do not result in:       (iii)       (iii)         Ancillary buildings and structures do not result in:       (iii)       (iii)         (iii)       less private open space than specified in Design in Uthan Areas Table 1 - Private Open Space         (iv)       less on-site car parking than specified in Design in Uthan Areas Table 1 - Private Open Space         (iv)       less on-site car parking than specified in Transport, Access and Parking Requirements or Table 2 - Off-Street Car Parking Re			<150	10%
P0 13.2       DTS/DFF 13.2         Ancillary buildings and structures do not impede on-site functional requirements such as private open space than specified in Design in Urban Areas Table 1 - Private Open Space       DTS/DFF 13.2         Ancillary buildings and structures do not result in over-development of the site.       DTS/DFF 13.2         P0 13.3       DTS/DFF 13.2         P0 13.3       DTS/DFF 13.2         P0 13.3       DTS/DFF 13.3         Fixed plant and equipment in the form of pumps and/or filtration systems for a swimming pool or spa is positioned and/or housed to not cause unreasonable noise nuisance to adjacent sensitive receivers.       DTS/DFF 13.3         Fixed plant and equipment in the form of pumps and/or filtration sensitive receivers.       DTS/DFF 13.3         The pump and/or filtration system is ancillary to a dwelling erected on the same site and is:       (a) enclosed in a solid acoustic structure that is located at least 5m from the nearest habitable room located on an adjoining allotment or         P0 14.1       Garage spleasance         P0 14.1       Garages and carports facing a street:         (a) are situated so that no part of the duelling (b) are set back at least 5.5m from the boundary of the primary street         (b) are set back at least 5.5m from the boundary of the primary street         (c) have a garage door / opening not exceeding 7m in width (d) have a garage door / opening not exceeding 7m in width (d) have a garage door / opening not exceeding 7m in width (d) have a garage door / opening not exceeding 75%,			150-200	15%
(ii)       the amount of existing soft landscaping prior to the development occurring.         (iii)       the amount of existing soft landscaping prior to the development occurring.         Po 13.2       Ancillary buildings and structures do not result in:         (iii)       less private open space provision or car parking requirements such as private open space provision or of the site.         (iii)       less private open space than specified in Design in Urban Areas Table 1 - Private Open Space         (iv)       less on-site car parking than specified in Transport, Access and Parking Table 1 - General Off-Street Car Parking Requirements or Table 2 - Off-Street Car Parking Requirements or Table 2 - Off-Street Car Parking Requirements in Designated Areas.         Po 13.3       Dis/DPF 13.3         Fixed plant and equipment in the form of pumps and/or filtration system is ancillary to a dwelling erected on the same site and is:         (a)       enclosed in a solid acoustic structure that is located at least 5m from the nearest habitable room located on an adjoining allotment or         (b)       located at least 12m from the nearest habitable room located on an adjoining allotment.         OTS/DFF 14.1         Garages and carports facing a street:         (a)       are situated so that no part of the garage or carport is in front of any part of the building line of the develing         (b)       are set back at least 5.5m from the boundary of the primary street         (c)       have a gar			201-450	20%
P0 13.2       DTS/DPF 13.2         Ancillary buildings and structures do not impede on-site functional requirements such as private open space provision or car parking requirements and do not result in over-development of the site.       DTS/DPF 13.2         P0 13.3       Exec on site car parking than specified in Transport, Access and Parking Taguiements or Table 2 - Off-Street Car Parking Requirements in Designated Areas.         P0 13.3       DTS/DPF 13.3         Fixed plant and equipment in the form of pumps and/or housed to not cause unreasonable noise nuisance to adjacent sensitive receivers.       DTS/DPF 13.3         The pump and/or filtration systems for a swimming pool or spa is positioned and/or housed to not cause unreasonable noise nuisance to adjacent sensitive receivers.       DTS/DPF 13.3         Carrage appearance       DTS/DPF 14.1         Garage appearance appearance of a dwelling.       DTS/DPF 14.1         Garage appearance of a dwelling.       Garage and carports facing a street: (a) are situated so that no part of the building line of the dwelling (b) have a garage door / opening widt not exceeding 7m in width (d) have a garage door / opening widt not exceeding 50%, of the site frontage unless the dwelling line fronting the same public street.			>450	25%
Ancillary buildings and structures do not impede on-site       Ancillary buildings and structures do not result in:         (a)       less private open space than specified in Design in Urban Areas Table 1 - Private Open Space         (b)       less on-site car parking than specified in Transport, Access and Parking Table 1 - General Off-Street Car Parking Requirements or Table 2 - Of		(ii		indscaping prior to
(a)       less private open space than specified in Design in Urban Areas Table 1 - Private Open Space         (b)       less private open space than specified in Design in Urban Areas Table 1 - Private Open Space         (b)       less private open space than specified in Transport, Access and Parking Table 1 - General Off-Street Car Parking Requirements or Table 2 - Off-Street Car Parking Requirements in Designated Areas.         P0 13.3       DTS/DPF 13.3         Fixed plant and equipment in the form of pumps and/or filtration systems for a swimming pool or spa is positioned and/or housed to not cause unreasonable noise nuisance to adjacent sensitive receivers.       DTS/DPF 13.3         The pump and/or filtration system is ancillary to a dwelling erected on the same site and is:       (a)         (b)       located at least 12m from the nearest habitable room located on an adjoining allotment or         (b)       located at least 12m from the nearest habitable room located on an adjoining allotment.         (c)       DTS/DPF 14.1         Garage appearance       Garage and carports facing a street:         (a)       are situated so that no part of the building line of the dwelling (b)         (b)       are set back at least 5.5m from the boundary of the primary street         (c)       have a garage door / opening not exceeding 7m in width (d)         (d)       have a garage door / opening with not exceeding 50% of the site frontage unless the dwelling has two	P0 13.2	DTS/DPF 13.2		
Fixed plant and equipment in the form of pumps and/or filtration systems for a swimming pool or spa is positioned and/or housed to not cause unreasonable noise nuisance to adjacent sensitive receivers.       The pump and/or filtration system is ancillary to a dwelling erected on the same site and is:         (a)       enclosed in a solid acoustic structure that is located at least 5m from the nearest habitable room located on an adjoining allotment or         (b)       located at least 12m from the nearest habitable room located on an adjoining allotment.         DTS/DPF 14.1         Garage appearance of a dwelling.       Carage and carports facing a street:         (a)       are situated so that no part of the garage or carport is in front of any part of the building line of the dwelling         (b)       are set back at least 5.5m from the boundary of the primary street         (c)       have a garage door / opening not exceeding 50% of the site frontage unless the dwelling has two or more building line fronting the same public street.	Ancillary buildings and structures do not impede on-site functional requirements such as private open space provision or car parking requirements and do not result in over-development of the site.	Ancillary bui (a) less Urba (b) less Acc Park	private open space than specified an Areas Table 1 - Private Open Sp on-site car parking than specified ess and Parking Table 1 - General king Requirements or Table 2 - Off	d in Design in bace I in Transport, Off-Street Car
sensitive receivers.       (a)       enclosed in a solid acoustic structure that is located at least 5m from the nearest habitable room located on an adjoining allotment or         (b)       located at least 12m from the nearest habitable room located on an adjoining allotment.         Carage appearance         PO 14.1       DTS/DPF 14.1         Garages and carports facing a street:       (a)         appearance of a dwelling.       (a)         (b)       are situated so that no part of the garage or carport is in front of any part of the building line of the dwelling         (b)       are set back at least 5.5m from the boundary of the primary street         (c)       have a garage door / opening not exceeding 50% of the site frontage unless the dwelling has two or more building line fronting the same public street.	PO 13.3 Fixed plant and equipment in the form of pumps and/or filtration systems for a swimming pool or spa is positioned and/or	The pump ar	• •	to a dwelling
located on an adjoining allotment.         located on an adjoining allotment.         Garage appearance         P0 14.1         Garages and carports facing a street:         (a) are situated so that no part of the garage or carport is in front of any part of the building line of the dwelling         (b) are set back at least 5.5m from the boundary of the primary street         (c) have a garage door / opening not exceeding 7m in width         (d) have a garage door / opening width not exceeding 50% of the site frontage unless the dwelling has two or more building levels at the building line fronting the same public street.	housed to not cause unreasonable noise nuisance to adjacent sensitive receivers.	leas adjo	st 5m from the nearest habitable re	
PO 14.1       DTS/DPF 14.1         Garaging is designed to not detract from the streetscape or appearance of a dwelling.       Garages and carports facing a street:         (a)       are situated so that no part of the garage or carport is in front of any part of the building line of the dwelling         (b)       are set back at least 5.5m from the boundary of the primary street         (c)       have a garage door / opening not exceeding 7m in width         (d)       have a garage door / opening width not exceeding 50% of the site frontage unless the dwelling has two or more building levels at the building line fronting the same public street.				t habitable room
<ul> <li>Garaging is designed to not detract from the streetscape or appearance of a dwelling.</li> <li>(a) are situated so that no part of the garage or carport is in front of any part of the building line of the dwelling</li> <li>(b) are set back at least 5.5m from the boundary of the primary street</li> <li>(c) have a garage door / opening not exceeding 7m in width</li> <li>(d) have a garage door / opening width not exceeding 50% of the site frontage unless the dwelling has two or more building levels at the building line fronting the same public street.</li> </ul>	Garage a	ppearance		
<ul> <li>appearance of a dwelling.</li> <li>(a) are situated so that no part of the garage or carport is in front of any part of the building line of the dwelling</li> <li>(b) are set back at least 5.5m from the boundary of the primary street</li> <li>(c) have a garage door / opening not exceeding 7m in width</li> <li>(d) have a garage door / opening width not exceeding 50% of the site frontage unless the dwelling has two or more building levels at the building line fronting the same public street.</li> </ul>	P0 14.1	DTS/DPF 14.1		
<ul> <li>(a) are situated so that no part of the garage or carport is in front of any part of the building line of the dwelling</li> <li>(b) are set back at least 5.5m from the boundary of the primary street</li> <li>(c) have a garage door / opening not exceeding 7m in width</li> <li>(d) have a garage door / opening width not exceeding 50% of the site frontage unless the dwelling has two or more building levels at the building line fronting the same public street.</li> </ul>	Garaging is designed to not detract from the streetscape or appearance of a dwelling.	Garages and	l carports facing a street:	
primary street (c) have a garage door / opening not exceeding 7m in width (d) have a garage door / opening width not exceeding 50% of the site frontage unless the dwelling has two or more building levels at the building line fronting the same public street.				
<ul> <li>(c) have a garage door / opening not exceeding 7m in width</li> <li>(d) have a garage door / opening width not exceeding 50% of the site frontage unless the dwelling has two or more building levels at the building line fronting the same public street.</li> </ul>				oundary of the
Massing		(c) have (d) have of th build	e a garage door / opening not exc e a garage door /opening width no ne site frontage unless the dwellin ding levels at the building line fron	ot exceeding 50% Ig has two or more
	Ma:	ssing		

Policy24 - Enquiry

Policy24 - Enquiry	
P0 15.1	DTS/DPF 15.1
The visual mass of larger buildings is reduced when viewed from adjoining allotments or public streets.	None are applicable
Dwelling	additions
P0 16.1	DTS / DPF 16.1
Dwelling additions are sited and designed to not detract from the streetscape or amenity of adjoining properties and do not	Dwelling additions:
impede on-site functional requirements.	<ul> <li>(a) are not constructed, added to or altered so that any part is situated closer to a public street</li> <li>(b) do not result in: <ul> <li>(i) excavation exceeding a vertical height of 1m</li> <li>(ii) filling exceeding a vertical height of 1m</li> <li>(iii) a total combined excavation and filling vertical height of 2m or more</li> <li>(iv) less Private Open Space than specified in Design Table 1 - Private Open Space</li> <li>(v) less on-site parking than specified in Transport Access and Parking Table 1 - General Off-Street Car Parking Requirements or Table 2 - Off-Street Car Parking Requirements in Designated Areas</li> <li>(vi) upper level windows facing side or rear boundaries unless:</li> <li>A. they are permanently obscured to a height of 1.5m above finished floor level that is fixed or not capable of being opened more than 200mm or</li> <li>B. have sill heights greater than or equal to 1.5m above finished floor level or</li> <li>C. incorporate screening to a height of 1.5m above finished floor level</li> <li>(vii) all sides of balconies or terraces on upper building levels are permanently obscured by screening with a maximum 25% transparency/openings fixed to a minimum height of:</li> <li>A. 1.5m above finished floor level where the balcony is located at least 15 metres from the nearest habitable window of a dwelling on adjacent land</li> <li>B. 1.7m above finished floor level in all other cases.</li> </ul> </li> </ul>
Private 0	pen Space
P0 17.1	DTS/DPF 17.1
Dwellings are provided with suitable sized areas of usable private open space to meet the needs of occupants.	Private open space is provided in accordance with Design Table 1 - Private Open Space.
Water Sens	itive Design
PO 18.1	DTS/DPF 18.1

Residential development creating a common driveway / access

Residential development creating a common driveway / access

includes stormwater management systems that minimise the discharge of sediment, suspended solids, organic matter, nutrients, bacteria, litter and other contaminants to the stormwater system, watercourses or other water bodies.	<ul> <li>that services 5 or more dwellings achieves the following stormwater runoff outcomes:</li> <li>(a) 80 per cent reduction in average annual total suspended solids</li> <li>(b) 60 per cent reduction in average annual total phosphorus</li> <li>(c) 45 per cent reduction in average annual total nitrogen.</li> </ul>	
 PO 18.2	DTS/DPF 18.2	
Residential development creating a common driveway / access includes a stormwater management system designed to mitigate peak flows and manage the rate and duration of stormwater discharges from the site to ensure that the development does not increase the peak flows in downstream systems.	<ul> <li>Development creating a common driveway / access that services 5 or more dwellings:</li> <li>(a) maintains the pre-development peak flow rate from the site based upon a 0.35 runoff coefficient for the 18.1% AEP 30-minute storm and the stormwater runoff time to peak is not increased or captures and retains the difference in pre-development runoff volume (based upon a 0.35 runoff coefficient) vs post development runoff volume from the site for an 18.1% AEP 30-minute storm; and</li> <li>(b) manages site generated stormwater runoff up to and including the 1% AEP flood event to avoid flooding of buildings.</li> </ul>	
Car parking, access	and manoeuvrability	
PO 19.1	DTS/DPF 19.1	
Enclosed parking spaces are of a size and dimensions to be functional, accessible and convenient.	Residential car parking spaces enclosed by fencing, walls or other structures have the following internal dimensions (separate from any waste storage area): (a) single width car parking spaces: (i) a minimum length of 5.4m per space (ii) a minimum width of 3.0m (iii) a minimum garage door width of 2.4m (b) double width car parking spaces (side by side): (i) a minimum length of 5.4m (ii) a minimum width of 5.4m (ii) a minimum width of 5.4m (ii) minimum garage door width of 2.4m per space.	
PO 19.2	DTS/DPF 19.2	
Uncovered parking spaces are of a size and dimensions to be functional, accessible and convenient.	<ul> <li>Uncovered car parking spaces have:</li> <li>(a) a minimum length of 5.4m</li> <li>(b) a minimum width of 2.4m</li> <li>(c) a minimum width between the centre line of the space and any fence, wall or other obstruction of 1.5m</li> </ul>	
PO 19.3	DTS/DPF 19.3	
Driveways are located and designed to facilitate safe access and egress while maximising land available for street tree planting, landscaped street frontages, domestic waste collection and on- street parking.	Driveways and access points on sites with a frontage to a public road of 10m or less have a width between 3.0 and 3.2 metres measured at the property boundary and are the only access point provided on the site.	

Policy24 - Enquiry

Policy24 - Enquiry		
PO 19.4	DTS/DPF 19.4	
Vehicle access is safe, convenient, minimises interruption to the operation of public roads and does not interfere with street infrastructure or street trees.	<ul> <li>Vehicle access to designated car parking spaces satisfy (a) or (b):</li> <li>(a) is provided via a lawfully existing or authorised access point or an access point for which consent has been granted as part of an application for the division of land</li> <li>(b) where newly proposed: <ul> <li>(i) is set back 6m or more from the tangent point of an intersection of 2 or more roads</li> <li>(ii) is set back outside of the marked lines or infrastructure dedicating a pedestrian crossing</li> <li>(iii) does not involve the removal, relocation or damage to of mature street trees, street furniture or utility infrastructure services.</li> </ul> </li> </ul>	
PO 19.5	DTS/DPF 19.5	
Driveways are designed to enable safe and convenient vehicle movements from the public road to on-site parking spaces. P0 19.6 Driveways and access points are designed and distributed to optimise the provision of on-street visitor parking.	<ul> <li>Driveways are designed and sited so that:</li> <li>(a) the gradient from the place of access on the boundary of the allotment to the finished floor level at the front of the garage or carport is not steeper than 1:4 on average</li> <li>(b) they are aligned relative to the street boundary so that there is no more than a 20 degree deviation from 90 degrees between the centreline of any dedicated car parking space to which it provides access (measured from the front of that space) and the street boundary</li> <li>(c) if located to provide access from an alley, lane or right of way - the alley, land or right or way is at least 6.2m wide along the boundary of the allotment / site</li> <li>DTS/DPF 19.6</li> <li>Where on-street parking is available abutting the site's street frontage, on-street parking is retained in accordance with the</li> </ul>	
	<ul> <li>following requirements:</li> <li>(a) minimum 0.33 on-street spaces per dwelling on the site (rounded up to the nearest whole number)</li> <li>(b) minimum car park length of 5.4m where a vehicle can enter or exit a space directly</li> <li>(c) minimum carpark length of 6m for an intermediate space located between two other parking spaces or to an end obstruction where the parking is indented.</li> </ul>	
Waste	storage	
PO 20.1	DTS/DPF 20.1	
Provision is made for the adequate and convenient storage of waste bins in a location screened from public view.	None are applicable.	
Design of Trans	portable Dwellings	
PO 21.1	DTS/DPF 21.1	

		e between the building and ground aterial and finish consistent with the
Group dwelling, residential flat bui	ldings and battle-axe developmen	t
	enity	
PO 22.1 Dwellings are of a suitable size to accommodate a layout that is well organised and provides a high standard of amenity for	DTS/DPF 22.1 Dwellings have a minimum the following table:	internal floor area in accordance with
occupants.	Number of bedrooms	Minimum internal floor area
	Studio	35m <sup>2</sup>
	1 bedroom	50m <sup>2</sup>
	2 bedroom	65m <sup>2</sup>
	3+ bedrooms	80m <sup>2</sup> and any dwelling over 3 bedrooms provides an additional 15m <sup>2</sup> for every additional bedroom
P0 22.2	DTS/DPF 22.2	
The orientation and siting of buildings minimises impacts on the amenity, outlook and privacy of occupants and neighbours.	None are applicable.	
P0 22.3	DTS/DPF 22.3	
Development maximises the number of dwellings that face public open space and public streets and limits dwellings oriented towards adjoining properties.	None are applicable.	
PO 22.4	DTS/DPF 22.4	
Battle-axe development is appropriately sited and designed to respond to the existing neighbourhood context.	Dwelling sites/allotments a arrangement.	are not in the form of a battle-axe
Communal	Open Space	
PO 23.1	DTS/DPF 23.1	
Private open space provision may be substituted for communal open space which is designed and sited to meet the recreation and amenity needs of residents.	None are applicable.	
PO 23.2	DTS/DPF 23.2	
Communal open space is of sufficient size and dimensions to cater for group recreation.	Communal open space inc metres.	orporates a minimum dimension of 5
PO 23.3	DTS/DPF 23.3	
Communal open space is designed and sited to:	None are applicable.	

Policy24 - Enquiry	
<ul> <li>(a) be conveniently accessed by the dwellings which it services</li> </ul>	
(b) have regard to acoustic, safety, security and wind effects.	
P0 23.4	DTS/DPF 23.4
Communal open space contains landscaping and facilities that are functional, attractive and encourage recreational use.	at None are applicable.
PO 23.5	DTS/DPF 23.5
Communal open space is designed and sited to:	None are applicable.
(a) in relation to rooftop or elevated gardens, minimise overlooking into habitable room windows or onto the useable private open space of other dwellings	
(b) in relation to ground floor communal space, be overlooked by habitable rooms to facilitate passive surveillance.	
Carparking, ac	ccess and manoeuvrability
P0 24.1	DTS/DPF 24.1
Driveways and access points are designed and distributed to optimise the provision of on-street visitor parking.	<ul> <li>Where on-street parking is available directly adjacent the site, on-street parking is retained adjacent the subject site in accordance with the following requirements:</li> <li>(a) minimum 0.33 on-street car parks per proposed dwellings (rounded up to the nearest whole number)</li> </ul>
	<ul> <li>(b) minimum car park length of 5.4m where a vehicle can enter or exit a space directly</li> <li>(c) minimum carpark length of 6m for an intermediate</li> </ul>
	space located between two other parking spaces or to an end obstruction where the parking is indented.
P0 24.2	DTS/DPF 24.2
The number of vehicular access points onto public roads is minimised to reduce interruption of the footpath and positive contribute to public safety and walkability.	Access to group dwellings or dwellings within a residential flat building is provided via a single common driveway.
P0 24.3	DTS/DPF 24.3
Residential driveways that service more than one dwelling are designed to allow safe and convenient movement.	Driveways that service more than 1 dwelling or a dwelling on a battle-axe site:
	<ul> <li>(a) have a minimum width of 3m</li> <li>(b) for driveways servicing more than 3 dwellings:         <ol> <li>(i) have a width of 5.5m or more and a length of 6m or more at the kerb of the primary street</li> <li>(ii) where the driveway length exceeds 30m,</li> </ol> </li> </ul>
P0 24.4	incorporate a passing point at least every 30 metres with a minimum width of 5.5m and a minimum length of 6m. DTS/DPF 24.4
Residential driveways in a battle-axe configuration are designed to allow safe and convenient movement.	ed Where in a battle-axe configuration, a driveway servicing one dwelling has a minimum width of 3m.

Policy24 - Enquiry	
P0 24.5	DTS/DPF 24.5
Residential driveways that service more than one dwelling are designed to allow passenger vehicles to enter and exit the site and manoeuvre within the site in a safe and convenient manner.	Driveways providing access to more than one dwelling, or a dwelling on a battle-axe site, allow a B85 passenger vehicle to enter and exit the garages or parking spaces in no more than a three-point turn manoeuvre.
P0 24.6	DTS/DPF 24.6
Dwellings are adequately separated from common driveways and manoeuvring areas.	Dwelling walls with entry doors or ground level habitable room windows are set back at least 1.5m from any driveway or area designated for the movement and manoeuvring of vehicles.
Soft Lan	dscaping
P0 25.1	DTS/DPF 25.1
Soft landscaping is provided between dwellings and common driveways to improve the outlook for occupants and appearance of common areas.	Other than where located directly in front of a garage or a building entry, soft landscaping with a minimum dimension of 1m is provided between a dwelling and common driveway.
P0 25.2	DTS/DPF 25.2
Soft landscaping is provided that improves the appearance of common driveways.	Where a common driveway is located directly adjacent the side or rear boundary of the site, soft landscaping with a minimum dimension of 1m is provided between the driveway and site boundary (excluding along the perimeter of a passing point).
Site Facilities /	Waste Storage
P0 26.1	DTS/DPF 26.1
Provision is made for suitable mailbox facilities close to the major pedestrian entry to the site or conveniently located considering the nature of accommodation and mobility of occupants.	None are applicable.
P0 26.2	DTS/DPF 26.2
Provision is made for suitable external clothes drying facilities.	None are applicable.
P0 26.3	DTS/DPF 26.3
Provision is made for suitable household waste and recyclable material storage facilities which are:	None are applicable.
<ul> <li>(a) located away, or screened, from public view, and</li> <li>(b) conveniently located in proximity to dwellings and the waste collection point.</li> </ul>	
P0 26.4	DTS/DPF 26.4
Waste and recyclable material storage areas are located away from dwellings.	Dedicated waste and recyclable material storage areas are located at least 3m from any habitable room window.
PO 26.5	DTS/DPF 26.5
Where waste bins cannot be conveniently collected from the street, provision is made for on-site waste collection, designed to accommodate the safe and convenient access, egress and movement of waste collection vehicles.	None are applicable.
movement of waste collection vehicles.	
P0 26.6	DTS/DPF 26.6

and screened from public view.	
Supported accommodation	on and retirement facilities
Siting and C	Configuration
P0 27.1	DTS/DPF 27.1
Supported accommodation and housing for aged persons and people with disabilities is located where on-site movement of residents is not unduly restricted by the slope of the land.	None are applicable.
Movement	and Access
PO 28.1	DTS/DPF 28.1
Development is designed to support safe and convenient access and movement for residents by providing:	None are applicable.
(a) ground-level access or lifted access to all units	
(b) level entry porches, ramps, paths, driveways, passenger loading areas and areas adjacent to footpaths that allow for the passing of wheelchairs and resting places	
<ul> <li>(c) car parks with gradients no steeper than 1-in-40 and of sufficient area to provide for wheelchair manoeuvrability</li> </ul>	
(d) kerb ramps at pedestrian crossing points.	
Communal	Open Space
P0 29.1	DTS/DPF 29.1
Development is designed to provide attractive, convenient and comfortable indoor and outdoor communal areas to be used by residents and visitors.	None are applicable.
P0 29.2	DTS/DPF 29.2
Private open space provision may be substituted for communal open space which is designed and sited to meet the recreation and amenity needs of residents.	None are applicable.
P0 29.3	DTS/DPF 29.3
Communal open space is of sufficient size and dimensions to cater for group recreation.	Communal open space incorporates a minimum dimension of 5 metres.
PO 29.4	DTS/DPF 29.4
Communal open space is designed and sited to:	None are applicable.
<ul> <li>(a) be conveniently accessed by the dwellings which it services</li> </ul>	
<ul> <li>(b) have regard to acoustic, safety, security and wind effects.</li> </ul>	
PO 29.5	DTS/DPF 29.5
Communal open space contains landscaping and facilities that are functional, attractive and encourage recreational use.	None are applicable.
PO 29.6	DTS/DPF 29.6
Communal open space is designed and sited to:	None are applicable.
(a) in relation to rooftop or elevated gardens, minimise	

	overlooking into hebitable room windows or onto the	
	overlooking into habitable room windows or onto the useable private open space of other dwellings	
(b)	in relation to ground floor communal space, be overlooked by habitable rooms to facilitate passive surveillance.	
	Site Facilities /	Waste Storage
PO 30.1		DTS/DPF 30.1
items a vehicle	pment is designed to provide storage areas for personal and specialised equipment such as small electric powered s, including facilities for the recharging of small electric ed vehicles.	None are applicable.
PO 30.2		DTS/DPF 30.2
major p	on is made for suitable mailbox facilities close to the bedestrian entry to the site or conveniently located ering the nature of accommodation and mobility of ants.	None are applicable.
PO 30.3		DTS/DPF 28.3
Provisi	on is made for suitable external clothes drying facilities.	None are applicable.
PO 30.4		DTS/DPF 30.4
materia	on is made for suitable household waste and recyclable al storage facilities conveniently located and screened ublic view.	None are applicable.
PO 30.5		DTS/DPF 30.5
	and recyclable material storage areas are located away wellings.	Dedicated waste and recyclable material storage areas are located at least 3m from any habitable room window.
PO 30.6		DTS/DPF 30.6
	on is made for on-site waste collection where 10 or more e to be collected at any one time.	None are applicable.
PO 30.7		DTS/DPF 30.7
	es including gas and water meters are conveniently located reened from public view.	None are applicable.
	All non-resident	ial development
	Water Sens	itive Design
PO 31.1		DTS/DPF 31.1
oil or g	pment likely to result in significant risk of export of litter, rease includes stormwater management systems ed to minimise pollutants entering stormwater.	None are applicable.
PO 31.2		DTS/DPF 31.2
chemic	discharged from a development site is of a physical, cal and biological condition equivalent to or better than its veloped state.	None are applicable.
	Wash-down and Waste	Loading and Unloading

Policy24 - Enquiry

PO 32.1			DTS/DPF 32.1
waste i wash-d	refuse bi	ties including loading and unloading, storage of ins in commercial and industrial development or as used for the cleaning of vehicles, vessels, plant re:	None are applicable.
(a)	storm	ed to contain all wastewater likely to pollute water within a bunded and roofed area to exclude try of external surface stormwater run-off	
(b)	paved with an impervious material to facilitate wastewater collection		
(c)		icient size to prevent 'splash-out' or 'over-spray' of water from the wash-down area	
(d)	design (i) (ii)	ed to drain wastewater to either: a treatment device such as a sediment trap and coalescing plate oil separator with subsequent disposal to a sewer, private or Community Wastewater Management Scheme or a holding tank and its subsequent removal off- site on a regular basis.	

# Table 1 - Private Open Space

Dwelling Type	Minimum Rate	
Dwelling (at ground level)	<ul> <li>Total private open space area:</li> <li>(a) Site area &lt;301m2: 24m2 located behind the building line.</li> <li>(b) Site area ≥ 301m2: 60m2 located behind the building line.</li> <li>Minimum directly accessible from a living room: 16m2 / with a minimum dimension 3m.</li> </ul>	
Dwelling (above ground level)	<ul> <li>Studio (no separate bedroom): 4m<sup>2</sup> with a minimum dimension 1.8m</li> <li>One bedroom: 8m<sup>2</sup> with a minimum dimension 2.1m</li> <li>Two bedroom dwelling: 11m<sup>2</sup> with a minimum dimension 2.4m</li> <li>Three + bedroom dwelling: 15m<sup>2</sup> with a minimum dimension 2.6m</li> </ul>	
Cabin or caravan (permanently fixed to the ground) in a residential park or a caravan and tourist park	Total area: 16m <sup>2</sup> , which may be used as second car parking space, provided on each site intended for residential occupation.	

# Design in Urban Areas

# Assessment Provisions (AP)

	Desired Outcome		
DO 1	Develo	opment is:	
	(a)	contextual - by considering, recognising and carefully responding to its natural surroundings or built environment and positively contributing to the character of the locality	
	(b)	durable - fit for purpose, adaptable and long lasting	
	(c)	inclusive - by integrating landscape design to optimise pedestrian and cyclist usability, privacy and equitable access and promoting the provision of quality spaces integrated with the public realm that can be used for access and recreation and help optimise security and safety both internally and within the public realm, for occupants and visitors	
	(d)	sustainable - by integrating sustainable techniques into the design and siting of development and landscaping to improve community health, urban heat, water management, environmental performance, biodiversity and local amenity and to minimise energy consumption.	

Performance Outcome		Deemed-to-Satisfy Criteria / Designated Performance Feature		
All Devel		lopment		
	External A	ppearance		
PO 1.1		DTS/DPF 1.1		
Buildings reinforce corners through changes in setback, articulation, materials, colour and massing (including height, width, bulk, roof form and slope).		None are applicable.		
P0 1.2		DTS/DPF 1.2		
Where zero or minor setbacks are desirable, development provides shelter over footpaths (in the form of verandahs, awnings, canopies and the like, with adequate lighting) to positively contribute to the walkability, comfort and safety of the public realm.		None are applicable.		
PO 1.3		DTS/DPF 1.3		
Building elevations facing the primary street (other than ancillary buildings) are designed and detailed to convey purpose, identify main access points and complement the streetscape.		None are applicable.		
P0 1.4		DTS/DPF 1.4		
Plant, exhaust and intake vents and other technical equipment are integrated into the building design to minimise visibility from the public realm and negative impacts on residential amenity by: (a) positioning plant and equipment discretely, in		Development does not incorporate any structures that protrude beyond the roofline.		
	unobtrusive locations as viewed from public roads and spaces			
(b)	screening rooftop plant and equipment from view			
(c)	when located on the roof of non-residential development, locating the plant and equipment as far as practicable from adjacent sensitive land uses.			
PO 1.5		DTS/DPF 1.5		
The ne	gative visual impact of outdoor storage, waste	None are applicable.		

Policy24 - Enquiry		
management, loading and service areas is minimised by integrating them into the building design and screening them from public view (such as fencing, landscaping and built form), taking into account the form of development contemplated in the relevant zone.		
Safety		
P0 2.1	DTS/DPF 2.1	
Development maximises opportunities for passive surveillance of the public realm by providing clear lines of sight, appropriate lighting and the use of visually permeable screening wherever practicable.	None are applicable.	
P0 2.2	DTS/DPF 2.2	
Development is designed to differentiate public, communal and private areas.	None are applicable.	
P0 2.3	DTS/DPF 2.3	
Buildings are designed with safe, perceptible and direct access from public street frontages and vehicle parking areas.	None are applicable.	
P0 2.4	DTS/DPF 2.4	
Development at street level is designed to maximise opportunities for passive surveillance of the adjacent public realm.	None are applicable.	
PO 2.5	DTS/DPF 2.5	
Common areas and entry points of buildings (such as the foyer areas of residential buildings) and non-residential land uses at street level, maximise passive surveillance from the public realm to the inside of the building at night.	None are applicable.	
Landscaping		
P0 3.1	DTS/DPF 3.1	
Soft landscaping and tree planting are incorporated to:	None are applicable.	
<ul> <li>(a) minimise heat absorption and reflection</li> <li>(b) maximise shade and shelter</li> <li>(c) maximise stormwater infiltration</li> <li>(d) enhance the appearance of land and streetscapes.</li> </ul>		
Environmenta	l Performance	
PO 4.1	DTS/DPF 4.1	
Buildings are sited, oriented and designed to maximise natural sunlight access and ventilation to main activity areas, habitable rooms, common areas and open spaces.	None are applicable.	
P0 4.2	DTS/DPF 4.2	
Buildings are sited and designed to maximise passive environmental performance and minimise energy consumption and reliance on mechanical systems, such as heating and cooling.	None are applicable.	

Street-level vehicle parking areas incorporate tree planting to

PO 4.3 Buildings incorporate climate responsive techniques and features such as building and window orientation, use of eaves, verandahs and shading structures, water harvesting, at ground landscaping, green walls, green roofs and photovoltaic cells.

# DTS/DPF 4.3

None are applicable.

verandahs and shading structures, water harvesting, at ground landscaping, green walls, green roofs and photovoltaic cells.				
Water Sensitive Design				
P0 5.1	DTS/DPF 5.1			
<ul> <li>Development is sited and designed to maintain natural hydrological systems without negatively impacting:</li> <li>(a) the quantity and quality of surface water and groundwater</li> <li>(b) the depth and directional flow of surface water and groundwater</li> <li>(c) the quality and function of natural springs.</li> </ul>	None are applicable.			
On-site Waste Tr	eatment Systems			
PO 6.1 Dedicated on-site effluent disposal areas do not include any areas to be used for, or could be reasonably foreseen to be used for, private open space, driveways or car parking.	<ul> <li>DTS/DPF 6.1</li> <li>Effluent disposal drainage areas do not: <ul> <li>(a) encroach within an area used as private open space or result in less private open space than that specified in Design in Urban Areas Table 1 - Private Open Space</li> <li>(b) use an area also used as a driveway</li> <li>(c) encroach within an area used for on-site car parking or result in less on-site car parking than that specified in Transport, Access and Parking Table 1 - General Off-Street Car Parking Requirements or Table 2 - Off-Street Car Parking Requirements in Designated Areas.</li> </ul> </li> </ul>			
Car parking	appearance			
<ul> <li>PO 7.1</li> <li>Development facing the street is designed to minimise the negative impacts of any semi-basement and undercroft car parking on streetscapes through techniques such as: <ul> <li>(a) limiting protrusion above finished ground level</li> <li>(b) screening through appropriate planting, fencing and mounding</li> <li>(c) limiting the width of openings and integrating them into the building structure.</li> </ul> </li> </ul>	DTS/DPF 7.1 None are applicable.			
PO 7.2 Vehicle parking areas appropriately located, designed and constructed to minimise impacts on adjacent sensitive receivers through measures such as ensuring they are attractively developed and landscaped, screen fenced and the like.	DTS/DPF 7.2 None are applicable.			
PO 7.3 Safe, legible, direct and accessible pedestrian connections are provided between parking areas and the development.	DTS/DPF 7.3 None are applicable.			
PO 7.4	DTS/DPF 7.4			

Vehicle parking areas that are open to the sky and comprise 10

Policy24 - Enquiry			
provide shade, reduce solar heat absorption and reflection.	or more car parking spaces include a shade tree with a mature canopy of 4m diameter spaced for each 10 car parking spaces provided and a landscaped strip on any road frontage of a minimum dimension of 1m.		
P0 7.5	DTS/DPF 7.5		
Street level parking areas incorporate soft landscaping to improve visual appearance when viewed from within the site and from public places.	<ul> <li>Vehicle parking areas comprising 10 or more car parking spaces include soft landscaping with a minimum dimension of:</li> <li>(a) 1m along all public road frontages and allotment boundaries</li> <li>(b) 1m between double rows of car parking spaces.</li> </ul>		
P0 7.6	DTS/DPF 7.6		
Vehicle parking areas and associated driveways are landscaped to provide shade and positively contribute to amenity.	None are applicable.		
P0 7.7	DTS/DPF 7.7		
Vehicle parking areas and access ways incorporate integrated stormwater management techniques such as permeable or porous surfaces, infiltration systems, drainage swales or rain gardens that integrate with soft landscaping.	None are applicable.		
Earthworks ar	nd sloping land		
PO 8.1	DTS/DPF 8.1		
Development, including any associated driveways and access tracks, minimises the need for earthworks to limit disturbance to natural topography.	<ul> <li>Development does not involve any of the following:</li> <li>(a) excavation exceeding a vertical height of 1m</li> <li>(b) filling exceeding a vertical height of 1m</li> <li>(c) a total combined excavation and filling vertical height of 2m or more.</li> </ul>		
PO 8.2	DTS/DPF 8.2		
Driveways and access tracks designed and constructed to allow safe and convenient access on sloping land.	<ul> <li>Driveways and access tracks on sloping land (with a gradient exceeding 1 in 8) satisfy (a) and (b):</li> <li>(a) do not have a gradient exceeding 25% (1-in-4) at any point along the driveway</li> <li>(b) are constructed with an all-weather trafficable surface.</li> </ul>		
PO 8.3 Driveways and access tracks on sloping land (with a gradient exceeding 1 in 8):	DTS/DPF 8.3 None are applicable.		
(a) do not contribute to the instability of embankments and cuttings			
<ul> <li>(b) provide level transition areas for the safe movement of people and goods to and from the development</li> <li>(c) are designed to integrate with the natural topography of the land.</li> </ul>			
PO 8.4	DTS/DPF 8.4		
Development on sloping land (with a gradient exceeding 1 in 8) avoids the alteration of natural drainage lines and includes on site drainage systems to minimise erosion.	None are applicable.		

PO 8.5	DTS/DPF 8.5	
Development does not occur on land at risk of landslip or increase the potential for landslip or land surface instability.	None are applicable.	
Fences	and walls	
PO 9.1	DTS/DPF 9.1	
Fences, walls and retaining walls of sufficient height maintain privacy and security without unreasonably impacting visual amenity and adjoining land's access to sunlight or the amenity of public places.	None are applicable.	
P0 9.2	DTS/DPF 9.2	
Landscaping is incorporated on the low side of retaining walls that are visible from public roads and public open space to minimise visual impacts.	A vegetated landscaped strip 1m wide or more is provided against the low side of a retaining wall.	
Overlooking / Visual Pr	ivacy (low rise buildings)	
PO 10.1	DTS/DPF 10.1	
Development mitigates direct overlooking from upper level windows to habitable rooms and private open spaces of adjoining residential uses in neighbourhood-type zones.	<ul> <li>Upper level windows facing side or rear boundaries shared with a residential use in a neighbourhood-type zone: <ul> <li>(a) are permanently obscured to a height of 1.5m above finished floor level and are fixed or not capable of being opened more than 125mm</li> <li>(b) have sill heights greater than or equal to 1.5m above finished floor level</li> <li>(c) incorporate screening with a maximum of 25% openings permanently fixed no more than 500mm from the window surface and sited adjacent to any part of the window less than 1.5 m above the finished floor level.</li> </ul> </li> </ul>	
P0 10.2	DTS/DPF 10.2	
Development mitigates direct overlooking from balconies to habitable rooms and private open space of adjoining residential uses in neighbourhood type zones.	<ul> <li>One of the following is satisfied:</li> <li>(a) the longest side of the balcony or terrace will face a public road, public road reserve or public reserve that is at least 15m wide in all places faced by the balcony or terrace or</li> <li>(b) all sides of balconies or terraces on upper building levels are permanently obscured by screening with a maximum 25% transparency/openings fixed to a minimum height of: <ul> <li>(i) 1.5m above finished floor level where the balcony is located at least 15 metres from the nearest habitable window of a dwelling on adjacent land or</li> <li>(ii) 1.7m above finished floor level in all other cases</li> </ul> </li> </ul>	
Site Facilities / Waste Storage (exclu	ding low rise residential development)	
PO 11.1	DTS/DPF 11.1	
Development provides a dedicated area for on-site collection and sorting of recyclable materials and refuse, green organic waste and wash bay facilities for the ongoing maintenance of bins that		

Policy24 - Enquiry			
is adequate in size considering the number and nature of the activities they will serve and the frequency of collection.			
P0 11.2	DTS/DPF 11.2		
Communal waste storage and collection areas are located, enclosed and designed to be screened from view from the public domain, open space and dwellings.	None are applicable.		
P0 11.3	DTS/DPF 11.3		
Communal waste storage and collection areas are designed to be well ventilated and located away from habitable rooms.	None are applicable.		
P0 11.4	DTS/DPF 11.4		
Communal waste storage and collection areas are designed to allow waste and recycling collection vehicles to enter and leave the site without reversing.	None are applicable.		
P0 11.5	DTS/DPF 11.5		
For mixed use developments, non-residential waste and recycling storage areas and access provide opportunities for on-site management of food waste through composting or other waste recovery as appropriate.	None are applicable.		
All Development - M	ledium and High Rise		
External A	Appearance		
P0 12.1	DTS/DPF 12.1		
Buildings positively contribute to the character of the local area by responding to local context.	None are applicable.		
P0 12.2	DTS/DPF 12.2		
Architectural detail at street level and a mixture of materials at lower building levels near the public interface are provided to reinforce a human scale.	None are applicable.		
P0 12.3	DTS/DPF 12.3		
Buildings are designed to reduce visual mass by breaking up building elevations into distinct elements.	None are applicable.		
P0 12.4	DTS/DPF 12.4		
Boundary walls visible from public land include visually interesting treatments to break up large blank elevations.	None are applicable.		
P0 12.5	DTS/DPF 12.5		
External materials and finishes are durable and age well to minimise ongoing maintenance requirements.	Buildings utilise a combination of the following external materials and finishes:		
	<ul> <li>(a) masonry</li> <li>(b) natural stone</li> <li>(c) pre-finished materials that minimise staining, discolouring or deterioration.</li> </ul>		
P0 12.6	DTS/DPF 12.6		
Street-facing building elevations are designed to provide attractive, high quality and pedestrian-friendly street frontages.	<ul> <li>Building street frontages incorporate:</li> <li>(a) active uses such as shops or offices</li> <li>(b) prominent entry areas for multi-storey buildings (where it is a common entry)</li> <li>(c) habitable rooms of dwellings</li> <li>(d) areas of communed within realmy with public art on the store of communed within a store with public art on the store of communed within a store with public art on the store of communed within a store with a store of communed within a store of communed within a store with a store with a store of communed within a store with a store of communed within a store of communed within a store with a store of communed within a store with a store of communed within a store of communed within a store with a store of communed within a store of communed within a store with a store of communed within a store with a store of communed within a store of</li></ul>		

(d)

areas of communal public realm with public art or the

Policy24 - Enquily				
	like, wł provisi	nere consistent v ons.	vith the zone ar	nd/or subzone
P0 12.7	DTS/DPF 12.7			
Entrances to multi-storey buildings are safe, attractive, welcoming, functional and contribute to streetscape character.	Entrances to multi-storey buildings are:			
	(a) oriente	ed towards the s	treet	
	vehicle	e parking areas	-	om the street and
	welcor	ed to be promine ning feature if th I floor uses		
	addres	ed to provide sh is and transitiona	al space around	the entry
				lift and / or lobby access corridors
	(2)	ed to avoid the c	-	
P0 12.8	DTS/DPF 12.8			
Building services, plant and mechanical equipment are screened from the public realm.	None are applic	cable.		
Land	scaping			
PO 13.1	DTS/DPF 13.1			
Development facing a street provides a well landscaped area that contains a deep soil space to accommodate a tree of a species and size adequate to provide shade, contribute to tree canopy targets and soften the appearance of buildings.	Buildings provide a 4m by 4m deep soil space in front of the building that accommodates a medium to large tree, except where no building setback from front property boundaries is desired.			
P0 13.2	DTS/DPF 13.2			
Deep soil zones are provided to retain existing vegetation or provide areas that can accommodate new deep root vegetation, including tall trees with large canopies to provide shade and soften the appearance of multi-storey buildings.	Multi-storey development provides deep soil zones and incorporates trees at not less than the following rates, except in a location or zone where full site coverage is desired.			
	Site area	Minimum deep soil area	Minimum dimension	Tree / deep soil zones
	<300 m <sup>2</sup>	10 m <sup>2</sup>	1.5m	1 small tree / 10 m <sup>2</sup>
	300-1500 m <sup>2</sup>	7% site area	3m	1 medium tree / 30 m <sup>2</sup>
	>1500 m <sup>2</sup>	7% site area	6m	1 large or medium tree / 60 m <sup>2</sup>
				1
	Tree size and	site area definit	ions	
	Tree size and Small tree			canopy spread

Policy24 - Enquiry				
	Large tree	12m mature height and >8m canopy spread		
	Site area	The total area for development site, not average area per dwelling		
PO 13.3	DTS/DPF 13.3			
Deep soil zones with access to natural light are provided to assist in maintaining vegetation health.	None are applicable.			
P0 13.4	DTS/DPF 13.4			
Unless separated by a public road or reserve, development sites adjacent to any zone that has a primary purpose of accommodating low-rise residential development incorporate a deep soil zone along the common boundary to enable medium to large trees to be retained or established to assist in screening new buildings of 3 or more building levels in height.	Building elements of 3 or more building levels in height are set back at least 6m from a zone boundary in which a deep soil zone area is incorporated.			
Enviro	nmental			
P0 14.1	DTS/DPF 14.1			
Development minimises detrimental micro-climatic impacts on adjacent land and buildings.	None are applicable.			
P0 14.2	DTS/DPF 14.2			
Development incorporates sustainable design techniques and features such as window orientation, eaves and shading structures, water harvesting and use, green walls and roof designs that enable the provision of rain water tanks (where they are not provided elsewhere on site), green roofs and photovoltaic cells.				
P0 14.3				
Development of 5 or more building levels, or 21m or more in height (as measured from natural ground level and excluding roof-mounted mechanical plant and equipment) is designed to minimise the impacts of wind through measures such as: (a) a podium at the base of a tall tower and aligned with the street to deflect wind away from the street	None are applicable.			
(b) substantial verandahs around a building to deflect downward travelling wind flows over pedestrian areas				
<ul> <li>(c) the placement of buildings and use of setbacks to deflect the wind at ground level</li> </ul>				
<ul> <li>(d) avoiding tall shear elevations that create windy conditions at street level.</li> </ul>				
Car P	Parking			
P0 15.1	DTS/DPF 15.1			
Multi-level vehicle parking structures are designed to contribute to active street frontages and complement neighbouring buildings.	Multi-level vehicle parking structures within buildings: (a) provide land uses such as commercial, retail or other non-car parking uses along ground floor street frontages			

Policy24 - Enquiry				
	<ul> <li>(b) incorporate facade treatments in building elevations facing along major street frontages that are sufficiently enclosed and detailed to complement adjacent buildings.</li> </ul>			
P0 15.2	DTS/DPF 15.2			
Multi-level vehicle parking structures within buildings complement the surrounding built form in terms of height, massing and scale.	None are applicable.			
Overlooking/	Visual Privacy			
P0 16.1	DTS/DPF 16.1			
Development mitigates direct overlooking of habitable rooms and private open spaces of adjacent residential uses in neighbourhood-type zones through measures such as:	None are applicable.			
<ul> <li>(a) appropriate site layout and building orientation</li> <li>(b) off-setting the location of balconies and windows of habitable rooms or areas with those of other buildings so that views are oblique rather than direct to avoid direct line of sight</li> <li>(c) building setbacks from boundaries (including building</li> </ul>				
(c) building setbacks from boundaries (including building boundary to boundary where appropriate) that interrupt views or that provide a spatial separation between balconies or windows of habitable rooms				
(d) screening devices that are integrated into the building design and have minimal negative effect on residents' or neighbours' amenity.				
All residentia	l development			
Front elevations and	l passive surveillance			
P0 17.1	DTS/DPF 17.1			
Dwellings incorporate windows facing primary street frontages	Each dwelling with a frontage to a public street:			
to encourage passive surveillance and make a positive contribution to the streetscape.	<ul> <li>(a) includes at least one window facing the primary street from a habitable room that has a minimum internal room dimension of 2.4m</li> </ul>			
	(b) has an aggregate window area of at least 2m <sup>2</sup> facing the primary street.			
P0 17.2	DTS/DPF 17.2			
Dwellings incorporate entry doors within street frontages to address the street and provide a legible entry point for visitors.	Dwellings with a frontage to a public street have an entry door visible from the primary street boundary.			
Outlook ar	nd Amenity			
P0 18.1	DTS/DPF 18.1			
Living rooms have an external outlook to provide a high standard of amenity for occupants.	A living room of a dwelling incorporates a window with an external outlook of the street frontage, private open space, public open space, or waterfront areas.			
P0 18.2	DTS/DPF 18.2			
Bedrooms are separated or shielded from active communal recreation areas, common access areas and vehicle parking areas and access ways to mitigate noise and artificial light intrusion.	None are applicable.			

Ancillar	y Development
0 19.1	DTS/DPF 19.1
asidential ancillary buildings are sited and designed to not	Ancillary buildings:
esidential ancillary buildings are sited and designed to not etract from the streetscape or appearance of primary	(a) are ancillary to a dwelling erected on the same site
residential buildings on the site or neighbouring properties.	(b) have a floor area not exceeding 60m2
	(c) are not constructed, added to or altered so that any pa
	(i) in front of any part of the building line of the dwelling to which it is ancillary
	or (ii) within 900mm of a boundary of the allotment with a secondary street (if the land has boundaries on two or more roads)
	<ul> <li>(d) in the case of a garage or carport, the garage or carpo</li> <li>(i) is set back at least 5.5m from the boundary or the primary street</li> </ul>
	<ul> <li>(ii) when facing a primary street or secondary street, has a total door / opening not exceedin</li> <li>A. for dwellings of single building level - 7m in width or 50% of the site frontag whichever is the lesser</li> </ul>
	B. for dwellings comprising two or more building levels at the building line fronting the same public street - 7m i width
	<ul> <li>(e) if situated on a boundary (not being a boundary with a primary street or secondary street), do not exceed a length of 11.5m unless:         <ul> <li>(i) a longer wall or structure exists on the adjace</li> </ul> </li> </ul>
	site and is situated on the same allotment boundary and
	(ii) the proposed wall or structure will be built along the same length of boundary as the existing adjacent wall or structure to the same or lesser extent
	<ul> <li>(f) if situated on a boundary of the allotment (not being a boundary with a primary street or secondary street), al walls or structures on the boundary will not exceed 45 of the length of that boundary</li> </ul>
	(g) will not be located within 3m of any other wall along th same boundary unless on an adjacent site on that boundary there is an existing wall of a building that would be adjacent to or about the proposed wall or structure
	<ul> <li>(h) have a wall height or post height not exceeding 3m above natural ground level (and not including a gable end)</li> </ul>
	(i) have a roof height where no part of the roof is more the 5m above the natural ground level
	<ul> <li>(i) if clad in sheet metal, is pre-colour treated or painted in a non-reflective colour</li> </ul>
	(k) retains a total area of soft landscaping in accordance with (i) or (ii), whichever is less:

		table:	
		Dwelling site area (or in the case of residential flat building or group dwelling(s), average site area) (m <sup>2</sup> )	Minimum percentage of site
		<150	10%
		150-200	15%
		201-450	20%
		>450	25%
	(ii)	the amount of existing soft lar the development occurring.	ndscaping prior to
P0 19.2	DTS/DPF 19.2		
Ancillary buildings and structures do not impede on-site functional requirements such as private open space provision, car parking requirements or result in over-development of the site.	<ul> <li>Ancillary buildings and structures do not result in:</li> <li>(a) less private open space than specified in Design Urban Areas Table 1 - Private Open Space</li> <li>(b) less on-site car parking than specified in Transport Access and Parking Table 1 - General Off-Street Car Parking Requirements or Table 2 - Off-Street Car Requirements in Designated Areas.</li> </ul>		in Design in ace in Transport, Off-Street Car
PO 19.3 Fixed plant and equipment in the form of pumps and/or filtration systems for a swimming pool or spa positioned and/or housed to not cause unreasonable noise nuisance to adjacent sensitive receivers.	<ul> <li>DTS/DPF 19.3</li> <li>The pump and/or filtration system is ancillary to a dwelling erected on the same site and is:</li> <li>(a) enclosed in a solid acoustic structure that is located a least 5m from the nearest habitable room located on adjoining allotment or</li> <li>(b) located at least 12m from the nearest habitable room located on an adjoining allotment.</li> </ul>		that is located at om located on an
Residential Devel	opment - Low Rise		
External a	ppearance		
PO 20.1	DTS/DPF 20.1		
Garaging is designed to not detract from the streetscape or appearance of a dwelling.	<ul> <li>(a) are situde be in fr</li> <li>(b) are set primar</li> <li>(c) have a</li> <li>(d) have a of the set</li> </ul>	arports facing a street: uated so that no part of the gara ront of any part of the building lin back at least 5.5m from the bo y street garage door / opening width no garage door / opening width no site frontage unless the dwelling g levels at the building line front street.	ne of the dwelling undary of the t exceeding 7m t exceeding 50% g has two or more

Policy24 - Enquiry

Policy24 - Enquiry			
PO 20.2	DTS/DPF 20.2		
Dwelling elevations facing public streets and common driveways make a positive contribution to the streetscape and the appearance of common driveway areas.	<ul> <li>Each dwelling includes at least 3 of the following design features within the building elevation facing a primary street, and at least 2 of the following design features within the building elevation facing any other public road (other than a laneway) or a common driveway: <ul> <li>(a) a minimum of 30% of the building wall is set back an additional 300mm from the building line</li> <li>(b) a porch or portico projects at least 1m from the building wall</li> <li>(c) a balcony projects from the building wall</li> <li>(d) a verandah projects at least 1m from the building wall</li> <li>(e) eaves of a minimum 400mm width extend along the width of the front elevation</li> <li>(f) a minimum 30% of the width of the upper level projects forward from the lower level primary building line by at least 300mm</li> </ul> </li> <li>(g) a minimum of two different materials or finishes are incorporated on the walls of the front building elevation in a single material or finish.</li> </ul>		
PO 20.3	DTS/DPF 20.3		
The visual mass of larger buildings is reduced when viewed from adjoining allotments or public streets.	None are applicable		
Private 0	pen Space		
PO 21.1	DTS/DPF 21.1		
Dwellings are provided with suitable sized areas of usable private open space to meet the needs of occupants.	Private open space is provided in accordance with Design in Urban Areas Table 1 - Private Open Space.		
PO 21.2	DTS/DPF 21.2		
Private open space is positioned to provide convenient access from internal living areas.	Private open space is directly accessible from a habitable room.		
Lands	caping		
PO 22.1	DTS/DPF 22.1		
<ul> <li>Soft landscaping is incorporated into development to:</li> <li>(a) minimise heat absorption and reflection</li> <li>(b) contribute shade and shelter</li> <li>(c) provide for stormwater infiltration and biodiversity</li> <li>(d) enhance the appearance of land and streetscapes.</li> </ul>	Residential development incorporates soft landscaping with a minimum dimension of 700mm provided in accordance with (a) and (b): <ul> <li>(a) a total area as determined by the following table:</li> </ul> Dwelling site area (or in the case of residential flat building or group dwelling(s), average site area) (m <sup>2</sup> )		

Policy24 - Enquiry	<150 10%
	150-200 15%
	>200-450 20%
	>450 25%
	(b) at least 30% of any land between the primary street boundary and the primary building line.
Car parking, access	and manoeuvrability
P0 23.1	DTS/DPF 23.1
Enclosed car parking spaces are of dimensions to be functional, accessible and convenient.	Residential car parking spaces enclosed by fencing, walls or other structures have the following internal dimensions (separat from any waste storage area):
	<ul> <li>(a) single width car parking spaces:</li> <li>(i) a minimum length of 5.4m per space</li> <li>(ii) a minimum width of 3.0m</li> <li>(iii) a minimum garage door width of 2.4m</li> </ul>
	<ul> <li>(b) double width car parking spaces (side by side):</li> <li>(i) a minimum length of 5.4m</li> <li>(ii) a minimum width of 5.4m</li> <li>(iii) minimum garage door width of 2.4m per space</li> </ul>
P0 23.2	DTS/DPF 23.2
Uncovered car parking space are of dimensions to be functional, accessible and convenient.	Uncovered car parking spaces have: <sup>(a)</sup> a minimum length of 5.4m
	(b) a minimum width of 2.4m
	(c) a minimum width between the centre line of the space and any fence, wall or other obstruction of 1.5m.
PO 23.3	DTS/DPF 23.3
Driveways and access points are located and designed to	Driveways and access points satisfy (a) or (b):
facilitate safe access and egress while maximising land available for street tree planting, domestic waste collection, landscaped street frontages and on-street parking.	<ul> <li>(a) sites with a frontage to a public road of 10m or less, have a width between 3.0 and 3.2 metres measured at the property boundary and are the only access point provided on the site</li> <li>(b) sites with a frontage to a public road greater than 10m:</li> </ul>
	<ul> <li>(i) have a maximum width of 5m measured at the property boundary and are the only access point provided on the site;</li> </ul>
	(ii) have a width between 3.0 metres and 3.2 metres measured at the property boundary and no more than two access points are provided on site, separated by no less than 1m.
P0 23.4	DTS/DPF 23.4
Vehicle access is safe, convenient, minimises interruption to the operation of public roads and does not interfere with street	Vehicle access to designated car parking spaces satisfy (a) or (b):

Policy24 - Enquiry

infrastructure or street trees.		
	<ul> <li>(a) is provided via a lawfully existing or authorised access point or an access point for which consent has been granted as part of an application for the division of land</li> <li>(b) where newly proposed, is set back: <ul> <li>(i) 0.5m or more from any street furniture, street pole, infrastructure services pit, or other stormwater or utility infrastructure unless consent is provided from the asset owner</li> <li>(ii) 2m or more from the base of the trunk of a street tree unless consent is provided from the tree owner for a lesser distance</li> <li>(iii) 6m or more from the tangent point of an intersection of 2 or more roads</li> <li>(iv) outside of the marked lines or infrastructure dedicating a pedestrian crossing.</li> </ul> </li> </ul>	
PO 23.5	DTS/DPF 23.5	
Driveways are designed to enable safe and convenient vehicle	Driveways are designed and sited so that:	
movements from the public road to on-site parking spaces.	<ul> <li>(a) the gradient from the place of access on the boundary of the allotment to the finished floor level at the front of the garage or carport is not steeper than 1-in-4 on average</li> </ul>	
	(b) they are aligned relative to the street so that there is no more than a 20 degree deviation from 90 degrees between the centreline of any dedicated car parking space to which it provides access (measured from the front of that space) and the road boundary.	
	<ul> <li>(c) if located so as to provide access from an alley, lane or right of way - the alley, lane or right or way is at least</li> <li>6.2m wide along the boundary of the allotment / site</li> </ul>	
PO 23.6	DTS/DPF 23.6	
Driveways and access points are designed and distributed to optimise the provision of on-street visitor parking.	Where on-street parking is available abutting the site's street frontage, on-street parking is retained in accordance with the following requirements:	
	(a) minimum 0.33 on-street spaces per dwelling on the site (rounded up to the nearest whole number)	
	(b) minimum car park length of 5.4m where a vehicle can enter or exit a space directly	
	(c) minimum carpark length of 6m for an intermediate space located between two other parking spaces or to an end obstruction where the parking is indented.	
Waste	storage	
PO 24.1	DTS/DPF 24.1	
Provision is made for the convenient storage of waste bins in a location screened from public view.	Where dwellings abut both side boundaries a waste bin storage area is provided behind the building line of each dwelling that:	
	<ul> <li>(a) has a minimum area of 2m<sup>2</sup> with a minimum dimension of 900mm (separate from any designated car parking spaces or private open space); and</li> </ul>	
	<ul> <li>(b) has a continuous unobstructed path of travel (excluding moveable objects like gates, vehicles and roller doors) with a minimum width of 800mm between the waste bin storage area and the street.</li> </ul>	

	I	
Design of Transı	oortable Buildings	
PO 25.1	DTS/DPF 25.1	
The sub-floor space beneath transportable buildings is enclosed to give the appearance of a permanent structure.	<ul> <li>Buildings satisfy (a) or (b):</li> <li>(a) are not transportable</li> <li>(b) the sub-floor space between the building and ground level is clad in a material and finish consistent with the building.</li> </ul>	
Residential Development - Medium and	ligh Rise (including serviced apartments)	
Outlook and Visual Privacy		
PO 26.1	DTS/DPF 26.1	
Ground level dwellings have a satisfactory short range visual outlook to public, communal or private open space.	<ul> <li>Buildings:</li> <li>(a) provide a habitable room at ground or first level with a window facing toward the street</li> <li>(b) limit the height / extent of solid walls or fences facing the street to 1.2m high above the footpath level or, where higher, to 50% of the site frontage.</li> </ul>	
PO 26.2	DTS/DPF 26.2	
The visual privacy of ground level dwellings within multi-level buildings is protected.	The finished floor level of ground level dwellings in multi-storey developments is raised by up to 1.2m.	
Private 0	pen Space	
PO 27.1	DTS/DPF 27.1	
Dwellings are provided with suitable sized areas of usable private open space to meet the needs of occupants.	e Private open space provided in accordance with Design in Urba Areas Table 1 - Private Open Space.	
Residential amenity i	n multi-level buildings	
PO 28.1	DTS/DPF 28.1	
Residential accommodation within multi-level buildings have habitable rooms, windows and balconies designed and positioned to be separated from those of other dwellings and accommodation to provide visual and acoustic privacy and allow for natural ventilation and the infiltration of daylight into interior and outdoor spaces.	Habitable rooms and balconies of independent dwellings and accommodation are separated by at least 6m from one anot where there is a direct line of sight between them and 3m or more from a side or rear property boundary.	
PO 28.2	DTS/DPF 28.2	
Balconies are designed, positioned and integrated into the overall architectural form and detail of the development to:	Balconies utilise one or a combination of the following design elements:	
<ul> <li>(a) respond to daylight, wind, and acoustic conditions to maximise comfort and provide visual privacy</li> <li>(b) allow views and casual surveillance of the street while providing for safety and visual privacy of nearby living spaces and private outdoor areas.</li> </ul>	<ul> <li>(a) sun screens</li> <li>(b) pergolas</li> <li>(c) louvres</li> <li>(d) green facades</li> <li>(e) openable walls.</li> </ul>	
PO 28.3	DTS/DPF 28.3	
Balconies are of sufficient size and depth to accommodate outdoor seating and promote indoor / outdoor living.	Balconies open directly from a habitable room and incorporate a minimum dimension of 2m.	

\_

Policy24 - Enquiry

Policy24 - Enquiry		
PO 28.4	DTS/DPF 28.4	
Dwellings are provided with sufficient space for storage to meet likely occupant needs.	Dwellings (not including student accommodation or serviced apartments) are provided with storage at the following rates with at least 50% or more of the storage volume to be provided within the dwelling:	
	(a) studio: not less than 6m <sup>3</sup>	
	(b) 1 bedroom dwelling / apartment: not less than 8m <sup>3</sup>	
	<ul> <li>(c) 2 bedroom dwelling / apartment: not less than 10m<sup>3</sup></li> <li>(d) 3+ bedroom dwelling / apartment: not less than 12m<sup>3</sup></li> </ul>	
	(d) 3+ bedroom dwelling / apartment: not less than 12m <sup>3</sup> .	
P0 28.5	DTS/DPF 28.5	
Dwellings that use light wells for access to daylight, outlook and ventilation for habitable rooms, are designed to ensure a	Light wells:	
reasonable living amenity is provided.	(a) are not used as the primary source of outlook for living	
	rooms	
	(b) up to 18m in height have a minimum horizontal dimension of 3m, or 6m if overlooked by bedrooms	
	(c) above 18m in height have a minimum horizontal	
	dimension of 6m, or 9m if overlooked by bedrooms.	
PO 28.6	DTS/DPF 28.6	
Attached or abutting dwellings are designed to minimise the transmission of sound between dwellings and, in particular, to protect bedrooms from possible noise intrusions.	None are applicable.	
P0 28.7	DTS/DPF 28.7	
Dwellings are designed so that internal structural columns	None are applicable.	
correspond with the position of internal walls to ensure that the space within the dwelling/apartment is useable.		
Dwelling C	onfiguration	
P0 29.1	DTS/DPF 29.1	
Buildings containing in excess of 10 dwellings provide a variety of dwelling sizes and a range in the number of bedrooms per dwelling to contribute to housing diversity.	Buildings containing in excess of 10 dwellings provide at least one of each of the following:	
	(a) studio (where there is no separate bedroom)	
	(b) 1 bedroom dwelling / apartment with a floor area of at	
	<ul> <li>least 50m<sup>2</sup></li> <li>(c) 2 bedroom dwelling / apartment with a floor area of at</li> </ul>	
	least 65m <sup>2</sup>	
	<ul> <li>(d) 3+ bedroom dwelling / apartment with a floor area of at least 80m<sup>2</sup>, and any dwelling over 3 bedrooms provides an additional 15m<sup>2</sup> for every additional bedroom.</li> </ul>	
P0 29.2	DTS/DPF 29.2	
Dwellings located on the ground floor of multi-level buildings with 3 or more bedrooms have the windows of their habitable rooms overlooking internal courtyard space or other public space, where possible.	None are applicable.	
Comm	on Areas	
PO 30.1	DTS/DPF 30.1	
The size of lifts, lobbies and corridors is sufficient to	Common corridor or circulation areas:	

visitor waiting areas.	<ul> <li>(a) have a minimum ceiling height of 2.7m</li> <li>(b) provide access to no more than 8 dwellings</li> <li>(c) incorporate a wider section at apartment entries where the corridors exceed 12m in length from a core.</li> </ul>	
Group Dwellings, Residential Flat Bu	ildings and Battle axe Development	
Ame	enity	
PO 31.1	DTS/DPF 31.1	
Dwellings are of a suitable size to provide a high standard of amenity for occupants.	Dwellings have a minimum internal floor area in accordance with the following table:	
	Number of bedrooms	Minimum internal floor area
	Studio	35m <sup>2</sup>
	1 bedroom	50m <sup>2</sup>
	2 bedroom	65m <sup>2</sup>
	3+ bedrooms	80m <sup>2</sup> and any dwelling over 3 bedrooms provides an additional 15m <sup>2</sup> for every additional bedroom
P0 31.2	DTS/DPF 31.2	
The orientation and siting of buildings minimises impacts on the amenity, outlook and privacy of occupants and neighbours.	None are applicable.	
PO 31.3	DTS/DPF 31.3	
Development maximises the number of dwellings that face public open space and public streets and limits dwellings oriented towards adjoining properties.	None are applicable.	
P0 31.4	DTS/DPF 31.4	
Battle-axe development is appropriately sited and designed to	Dwelling sites/allotments are not in the form of a battle-axe	
respond to the existing neighbourhood context.	arrangement. Open Space	
P0 32.1	DTS/DPF 32.1	
Private open space provision may be substituted for communal open space which is designed and sited to meet the recreation and amenity needs of residents.	None are applicable.	
P0 32.2	DTS/DPF 32.2	
Communal open space is of sufficient size and dimensions to cater for group recreation.	Communal open space incorporates a minimum dimension of metres.	
PO 32.3	DTS/DPF 32.3	
Communal open space is designed and sited to:	None are applicable.	
(a) be conveniently accessed by the dwellings which it services		
oncyz4 - Enqui y		
---	--	
(b) have regard to acoustic, safety, security and wind effects.		
P0 32.4	DTS/DPF 32.4	
Communal open space contains landscaping and facilities that are functional, attractive and encourage recreational use.	None are applicable.	
P0 32.5	DTS/DPF 32.5	
	None are applicable.	
Communal open space is designed and sited to:		
<ul> <li>(a) in relation to rooftop or elevated gardens, minimise overlooking into habitable room windows or onto the useable private open space of other dwellings</li> </ul>		
(b) in relation to ground floor communal space, be overlooked by habitable rooms to facilitate passive surveillance.		
Car parking, access	and manoeuvrability	
P0 33.1	DTS/DPF 33.1	
Driveways and access points are designed and distributed to optimise the provision of on-street visitor parking.	Where on-street parking is available directly adjacent the site, on- street parking is retained adjacent the subject site in accordance with the following requirements:	
	(a) minimum 0.33 on-street car parks per proposed dwelling (rounded up to the nearest whole number)	
	(b) minimum car park length of 5.4m where a vehicle can	
	(c) minimum carpark length of 6m for an intermediate	
	space located between two other parking spaces or to an end obstruction where the parking is indented.	
P0 33.2	DTS/DPF 33.2	
The number of vehicular access points onto public roads is minimised to reduce interruption of the footpath and positively contribute to public safety and walkability.	Access to group dwellings or dwellings within a residential flat building is provided via a single common driveway.	
PO 33.3	DTS/DPF 33.3	
Residential driveways that service more than one dwelling are designed to allow safe and convenient movement.	Driveways that service more than 1 dwelling or a dwelling on a battle-axe site:	
	(a) have a minimum width of 3m	
	<ul> <li>(b) for driveways servicing more than 3 dwellings:</li> <li>(i) have a width of 5.5m or more and a length of</li> </ul>	
	6m or more at the kerb of the primary street	
	(ii) where the driveway length exceeds 30m, incorporate a passing point at least every 30 metres with a minimum width of 5.5m and a minimum length of 6m.	
PO 33.4	DTS/DPF 33.4	
Residential driveways that service more than one dwelling or a dwelling on a battle-axe site are designed to allow passenger vehicles to enter and exit and manoeuvre within the site in a safe and convenient manner.	Driveways providing access to more than one dwelling, or a dwelling on a battle-axe site, allow a B85 passenger vehicle to enter and exit the garages or parking spaces in no more than a three-point turn manoeuvre.	
PO 33.5	DTS/DPF 33.5	

Dwellings are adequately separated from common driveways	Dwelling walls with entry doors or ground level habitable room
and manoeuvring areas.	windows are set back at least 1.5m from any driveway or area
	designated for the movement and manoeuvring of vehicles.

Soft lan	dscaping	
PO 34.1	DTS/DPF 34.1	
Soft landscaping is provided between dwellings and common driveways to improve the outlook for occupants and appearance of common areas.	Other than where located directly in front of a garage or building entry, soft landscaping with a minimum dimension of 1m is provided between a dwelling and common driveway.	
PO 34.2 Battle-axe or common driveways incorporate landscaping and permeability to improve appearance and assist in stormwater management.	<ul> <li>DTS/DPF 34.2</li> <li>Battle-axe or common driveways satisfy (a) and (b): <ul> <li>(a) are constructed of a minimum of 50% permeable or porous material</li> <li>(b) where the driveway is located directly adjacent the side or rear boundary of the site, soft landscaping with a minimum dimension of 1m is provided between the driveway and site boundary (excluding along the perimeter of a passing point).</li> </ul> </li> </ul>	
Site Facilities /	/ Waste Storage	
P0 35.1	DTS/DPF 35.1	
Provision is made for suitable mailbox facilities close to the major pedestrian entry to the site or conveniently located considering the nature of accommodation and mobility of occupants.	None are applicable.	
P0 35.2	DTS/DPF 35.2	
Provision is made for suitable external clothes drying facilities.	None are applicable.	
PO 35.3	DTS/DPF 35.3	
Provision is made for suitable household waste and recyclable material storage facilities which are: (a) located away, or screened, from public view, and (b) conveniently located in proximity to dwellings and the	None are applicable.	
waste collection point.		
PO 35.4	DTS/DPF 35.4	
Waste and recyclable material storage areas are located away from dwellings.	Dedicated waste and recyclable material storage areas are located at least 3m from any habitable room window.	
PO 35.5	DTS/DPF 35.5	
Where waste bins cannot be conveniently collected from the street, provision is made for on-site waste collection, designed to accommodate the safe and convenient access, egress and movement of waste collection vehicles.	None are applicable.	
PO 35.6	DTS/DPF 35.6	
Services including gas and water meters are conveniently located and screened from public view.	None are applicable.	

Water sensitive urban design

P0 36.1	DTS/DPF 36.1
Residential development creating a common driveway / access includes stormwater management systems that minimise the discharge of sediment, suspended solids, organic matter, nutrients, bacteria, litter and other contaminants to the stormwater system, watercourses or other water bodies.	None are applicable.
P0 36.2	DTS/DPF 36.2
Residential development creating a common driveway / access includes a stormwater management system designed to mitigate peak flows and manage the rate and duration of stormwater discharges from the site to ensure that the development does not increase the peak flows in downstream systems.	None are applicable.
Supported Accommodatio	n and retirement facilities
Siting, Configura	tion and Design
P0 37.1	DTS/DPF 37.1
Supported accommodation and housing for aged persons and people with disabilities is located where on-site movement of residents is not unduly restricted by the slope of the land.	None are applicable.
P0 37.2	DTS/DPF 37.2
Universal design features are incorporated to provide options for people living with disabilities or limited mobility and / or to facilitate ageing in place.	None are applicable.
Movement a	and Access
PO 38.1	DTS/DPF 38.1
Development is designed to support safe and convenient access	None are applicable.
and movement for residents by providing:	
<ul> <li>and movement for residents by providing:</li> <li>(a) ground-level access or lifted access to all units</li> <li>(b) level entry porches, ramps, paths, driveways, passenger loading areas and areas adjacent to footpaths that allow for the passing of wheelchairs and resting places</li> </ul>	
(b) level entry porches, ramps, paths, driveways, passenger loading areas and areas adjacent to footpaths that allow	
<ul> <li>(a) ground-level access or lifted access to all units</li> <li>(b) level entry porches, ramps, paths, driveways, passenger loading areas and areas adjacent to footpaths that allow for the passing of wheelchairs and resting places</li> <li>(c) car parks with gradients no steeper than 1-in-40, and of</li> </ul>	
<ul> <li>(a) ground-level access or lifted access to all units</li> <li>(b) level entry porches, ramps, paths, driveways, passenger loading areas and areas adjacent to footpaths that allow for the passing of wheelchairs and resting places</li> <li>(c) car parks with gradients no steeper than 1-in-40, and of sufficient area to provide for wheelchair manoeuvrability</li> </ul>	Dpen Space
<ul> <li>(a) ground-level access or lifted access to all units</li> <li>(b) level entry porches, ramps, paths, driveways, passenger loading areas and areas adjacent to footpaths that allow for the passing of wheelchairs and resting places</li> <li>(c) car parks with gradients no steeper than 1-in-40, and of sufficient area to provide for wheelchair manoeuvrability</li> <li>(d) kerb ramps at pedestrian crossing points.</li> </ul>	Dpen Space DTS/DPF 39.1

residents and visitors.	
P0 39.2	DTS/DPF 39.2
Private open space provision may be substituted for communal open space which is designed and sited to meet the recreation and amenity needs of residents.	None are applicable.
PO 39.3	DTS/DPF 39.3
Communal open space is of sufficient size and dimensions to	Communal open space incorporates a minimum dimension of 5

Policy24 - Enquiry		
cater for group recreation.	metres.	
PO 39.4	DTS/DPF 39.4	
Communal open space is designed and sited to:	None are applicable.	
<ul> <li>(a) be conveniently accessed by the dwellings which it services</li> </ul>		
(b) have regard to acoustic, safety, security and wind effects.		
P0 39.5	DTS/DPF 39.5	
Communal open space contains landscaping and facilities that are functional, attractive and encourage recreational use.	None are applicable.	
P0 39.6	DTS/DPF 39.6	
Communal open space is designed and sited to:	None are applicable.	
<ul> <li>(a) in relation to rooftop or elevated gardens, minimise overlooking into habitable room windows or onto the useable private open space of other dwellings</li> <li>(b) in relation to ground floor communal space, be overlooked by habitable rooms to facilitate passive surveillance.</li> </ul>		
Site Facilities ,	/ Waste Storage	
PO 40.1	DTS/DPF 40.1	
Development is designed to provide storage areas for personal items and specialised equipment such as small electric powered vehicles, including facilities for the recharging of small electric- powered vehicles.	None are applicable.	
P0 40.2	DTS/DPF 40.2	
Provision is made for suitable mailbox facilities close to the major pedestrian entry to the site or conveniently located considering the nature of accommodation and mobility of occupants.	None are applicable.	
PO 40.3	DTS/DPF 40.3	
Provision is made for suitable external clothes drying facilities.	None are applicable.	
PO 40.4	DTS/DPF 40.4	
Provision is made for suitable household waste and recyclable material storage facilities conveniently located away, or screened, from view.	None are applicable.	
P0 40.5	DTS/DPF 40.5	
Waste and recyclable material storage areas are located away from dwellings.	Dedicated waste and recyclable material storage areas are located at least 3m from any habitable room window.	
PO 40.6	DTS/DPF 40.6	
Provision is made for on-site waste collection where 10 or more bins are to be collected at any one time.	None are applicable.	
P0 40.7	DTS/DPF 40.7	
	·	

Services, including gas and water meters, are conveniently located and screened from public view.	None are applicable.
Student Ac	commodation
PO 41.1	DTS/DPF 41.1
Student accommodation is designed to provide safe, secure, attractive, convenient and comfortable living conditions for residents, including an internal layout and facilities that are designed to provide sufficient space and amenity for the requirements of student life and promote social interaction.	<ul> <li>Student accommodation provides:</li> <li>(a) a range of living options to meet a variety of accommodation needs, such as one-bedroom, two-bedroom and disability access units</li> <li>(b) common or shared facilities to enable a more efficient use of space, including: <ul> <li>(i) shared cooking, laundry and external drying facilities</li> <li>(ii) internal and external communal and private open space provided in accordance with Design in Urban Areas Table 1 - Private Open Space</li> <li>(iii) common on-site parking in accordance with Transport, Access and Parking Table 1 - Genera Off-Street Car Parking Requirements in Designated Areas</li> <li>(v) bicycle parking at the rate of one space for every 2 students.</li> </ul> </li> </ul>
P0 41.2 Student accommodation is designed to provide easy adaptation of the building to accommodate an alternative use of the building in the event it is no longer required for student housing.	DTS/DPF 41.2 None are applicable.
All	4
	ntial development
Water Sen	sitive Design
Water Sen P0 42.1 Development likely to result in risk of export of sediment, suspended solids, organic matter, nutrients, oil and grease include stormwater management systems designed to minimise	sitive Design DTS/DPF 42.1
Water Sen P0 42.1 Development likely to result in risk of export of sediment, suspended solids, organic matter, nutrients, oil and grease include stormwater management systems designed to minimise pollutants entering stormwater. P0 42.2 Water discharged from a development site is of a physical, chemical and biological condition equivalent to or better than its	sitive Design DTS/DPF 42.1 None are applicable.
P0 42.1 Development likely to result in risk of export of sediment, suspended solids, organic matter, nutrients, oil and grease include stormwater management systems designed to minimise pollutants entering stormwater. P0 42.2 Water discharged from a development site is of a physical, chemical and biological condition equivalent to or better than its pre-developed state.	sitive Design DTS/DPF 42.1 None are applicable. DTS/DPF 42.2
Water Sen P0 42.1 Development likely to result in risk of export of sediment, suspended solids, organic matter, nutrients, oil and grease include stormwater management systems designed to minimise pollutants entering stormwater.	sitive Design DTS/DPF 42.1 None are applicable. DTS/DPF 42.2 None are applicable. DTS/DPF 42.3 None are applicable.
P0 42.1 Development likely to result in risk of export of sediment, suspended solids, organic matter, nutrients, oil and grease include stormwater management systems designed to minimise pollutants entering stormwater. P0 42.2 Water discharged from a development site is of a physical, chemical and biological condition equivalent to or better than its pre-developed state. P0 42.3 Development includes stormwater management systems to mitigate peak flows and manage the rate and duration of stormwater discharges from the site to ensure that development does not increase peak flows in downstream systems.	sitive Design DTS/DPF 42.1 None are applicable. DTS/DPF 42.2 None are applicable. DTS/DPF 42.3 None are applicable.

· ···· <b>/</b>			
waste r wash-d	refuse bi lown are nent are: design stormv the ent paved wastev of suff wastev	ties including loading and unloading, storage of ins in commercial and industrial development or has used for the cleaning of vehicles, plant or hed to contain all wastewater likely to pollute water within a bunded and roofed area to exclude try of external surface stormwater run-off with an impervious material to facilitate water collection ficient size to prevent 'splash-out' or 'over-spray' of water from the wash-down area signed to drain wastewater to either:	None are applicable.
(d)	are des (i)	signed to drain wastewater to either: a treatment device such as a sediment trap and coalescing plate oil separator with subsequent disposal to a sewer, private or Community Wastewater Management Scheme or	
	(ii)	a holding tank and its subsequent removal off- site on a regular basis.	
		Laneway D	evelopment

	Laneway Development		
	Infrastructure and Access		
PO 44.1		DTS/DPF 44.1	
Development with a primary street comprising a laneway, alley, lane, right of way or similar minor thoroughfare only occurs where:		Development with a primary street frontage that is not an alley, lane, right of way or similar public thoroughfare.	
(a)	existing utility infrastructure and services are capable of accommodating the development		
(b)	the primary street can support access by emergency and regular service vehicles (such as waste collection)		
(c)	it does not require the provision or upgrading of infrastructure on public land (such as footpaths and stormwater management systems)		
(d)	safety of pedestrians or vehicle movement is maintained		
(e)	any necessary grade transition is accommodated within the site of the development to support an appropriate development intensity and orderly development of land fronting minor thoroughfares.		

# Table 1 - Private Open Space

Dwelling Type	Dwelling / Site Configuration	Minimum Rate
Dwelling (at ground level, other than a residential flat building that includes above ground dwellings)		<ul> <li>Total private open space area:</li> <li>(a) Site area &lt;301m2: 24m2 located behind the building line.</li> <li>(b) Site area ≥ 301m2: 60m2 located behind the building line.</li> <li>Minimum directly accessible from a living room: 16m2 / with a minimum dimension 3m.</li> </ul>

Cabin or caravan (permanently fixed to the ground) in a residential park or caravan and tourist park		Total area: 16m <sup>2</sup> , which may be uses as second car parking space, provided on each site intended for residential occupation.
Dwelling in a residential flat building or mixed use building which	Dwellings at ground level:	15m <sup>2</sup> / minimum dimension 3m
incorporate above ground level dwellings	Dwellings above ground level:	
	Studio (no separate bedroom)	4m <sup>2</sup> / minimum dimension 1.8m
	One bedroom dwelling	8m <sup>2</sup> / minimum dimension 2.1m
	Two bedroom dwelling	11m <sup>2</sup> / minimum dimension 2.4m
	Three + bedroom dwelling	15 m <sup>2</sup> / minimum dimension 2.6m

# Forestry

## **Assessment Provisions (AP)**

Desired Outcome
Commercial forestry is designed and sited to maximise economic benefits whilst managing potential negative impacts on the environment, transport networks, surrounding land uses and landscapes.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
Sit	ing
P0 1.1	DTS/DPF 1.1
Commercial forestry plantations are established where there is no detrimental effect on the physical environment or scenic quality of the rural landscape.	None are applicable.
P0 1.2	DTS/DPF 1.2
Commercial forestry plantations are established on slopes that are stable to minimise the risk of soil erosion.	Commercial forestry plantations are not located on land with a slope exceeding 20% (1-in-5).
P0 1.3	DTS/DPF 1.3
Commercial forestry plantations and operations associated with	Commercial forestry plantations and operations associated with

Policy24 - Enquiry		
their establishment, management and harvesting are appropriately set back from any sensitive receiver to minimise fire risk and noise disturbance.	their establishment, management and harvesting are set back 50m or more from any sensitive receiver.	
P0 1.4	DTS/DPF 1.4	
Commercial forestry plantations are separated from reserves gazetted under the <i>National Parks and Wildlife Act 1972</i> and/or <i>Wilderness Protection Act 1992</i> to minimise fire risk and potential for weed infestation.	Commercial forestry plantations and operations associated with their establishment, management and harvesting are set back 50m or more from a reserve gazetted under the <i>National Parks</i> <i>and Wildlife Act 1972</i> and/or <i>Wilderness Protection Act 1992</i> .	
Water P	rotection	
P0 2.1	DTS/DPF 2.1	
Commercial forestry plantations incorporate artificial drainage lines (i.e. culverts, runoffs and constructed drains) integrated with natural drainage lines to minimise concentrated water flows onto or from plantation areas.	None are applicable.	
P0 2.2	DTS/DPF 2.2	
Appropriate siting, layout and design measures are adopted to minimise the impact of commercial forestry plantations on	Commercial forestry plantations:	
surface water resources.	<ul> <li>(a) do not involve cultivation (excluding spot cultivation) in drainage lines</li> </ul>	
	<ul> <li>(b) are set back 20m or more from the banks of any major watercourse (a third order or higher watercourse), lake, reservoir, wetland or sinkhole (with direct connection to an aquifer)</li> </ul>	
	(c) are set back 10m or more from the banks of any first or second order watercourse or sinkhole ( with no direct connection to an aquifer).	
Fire Mar	nagement	
P0 3.1	DTS/DPF 3.1	
Commercial forestry plantations incorporate appropriate firebreaks and fire management design elements.	Commercial forestry plantations provide:	
	<ul> <li>(a) 7m or more wide external boundary firebreaks for plantations of 40ha or less</li> </ul>	
	(b) 10m or more wide external boundary firebreaks for plantations of between 40ha and 100ha	
	<ul> <li>(c) 20m or more wide external boundary firebreaks, or 10m with an additional 10m or more of fuel-reduced plantation, for plantations of 100ha or greater.</li> </ul>	
P0 3.2	DTS/DPF 3.2	
Commercial forestry plantations incorporate appropriate fire management access tracks.	Commercial forestry plantation fire management access tracks:	
	<ul> <li>(a) are incorporated within all firebreaks</li> <li>(b) are 7m or more wide with a vertical clearance of 4m or more</li> <li>(c) diamond the set of the set</li></ul>	
	<ul> <li>(c) are aligned to provide straight through access at junctions, or if they are a no through access track are appropriately signposted and provide suitable turnaround areas for fire-fighting vehicles</li> </ul>	
	(d) partition the plantation into units of 40ha or less in area.	
Power-line	Clearances	

Policy24 - Enquiry			
PO 4.1	DTS/DPF 4.1		
Commercial forestry plantations achieve and maintain	Commercial forestry plantations incorporating trees with an		rporating trees with an
	expected mature height of greater than 6m meet the clearance requirements listed in the following table:		
	Voltage of transmission line	Tower or Pole	Minimum horizontal clearance distance between plantings and transmission lines
	500 kV	Tower	38m
	275 kV	Tower	25m
	132 kV	Tower	30m
	132 kV	Pole	20m
	66 kV	Pole	20m
	Less than 66 kV	Pole	20m

# **Housing Renewal**

## **Assessment Provisions (AP)**

Desired Outcome		
DO 1	Renewed residential environments replace older social housing and provide new social housing infrastructure and other housing options and tenures to enhance the residential amenity of the local area.	

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
Land Use a	and Intensity
P0 1.1	DTS/DPF 1.1
Residential development provides a range of housing choices.	Development comprises one or more of the following: (a) detached dwellings (b) semi-detached dwellings (c) row dwellings

Policy24 - Enquiry	
	<ul> <li>(d) group dwellings</li> <li>(e) residential flat buildings.</li> </ul>
P0 1.2	DTS/DPF 1.2
Medium-density housing options or higher are located in close proximity to public transit, open space and/or activity centres.	None are applicable.
Buildin	g Height
P0 2.1	DTS/DPF 2.1
Buildings generally do not exceed 3 building levels unless in locations close to public transport, centres and/or open space.	Building height (excluding garages, carports and outbuildings) does not exceed 3 building levels and 12m and wall height does not exceed 9m (not including a gable end).
PO 2.2	DTS/DPF 2.2
Medium or high rise residential flat buildings located within or at the interface with zones which restrict heights to a maximum of 2 building levels transition down in scale and height towards the boundary of that zone, other than where it is a street boundary.	None are applicable.
Primary Str	eet Setback
PO 3.1	DTS/DPF 3.1
Buildings are set back from the primary street boundary to contribute to an attractive streetscape character.	Buildings are no closer to the primary street (excluding any balcony, verandah, porch, awning or similar structure) than 3m.
Secondary S	treet Setback
P0 4.1	DTS/DPF 4.1
Buildings are set back from secondary street boundaries to maintain separation between building walls and public streets and contribute to a suburban streetscape character.	Buildings are set back at least 900mm from the boundary of the allotment with a secondary street frontage.
Bounda	Iry Walls
P0 5.1	DTS/DPF 5.1
Boundary walls are limited in height and length to manage visual impacts and access to natural light and ventilation.	Except where the dwelling is located on a central site within a row dwelling or terrace arrangement, dwellings with side boundary walls are sited on only one side boundary and satisfy (a) or (b):
	<ul> <li>(a) adjoin or abut a boundary wall of a building on adjoining land for the same length and height</li> <li>(b) do not: <ul> <li>(i) exceed 3.2m in height from the lower of the natural or finished ground level</li> <li>(ii) exceed 11.5m in length</li> <li>(iii) when combined with other walls on the boundary of the subject development site, a maximum 45% of the length of the boundary</li> <li>(iv) encroach within 3 metres of any other existing or proposed boundary walls on the subject land.</li> </ul> </li> </ul>
P0 5.2	DTS/DPF 5.2
Dwellings in a semi-detached, row or terrace arrangement	Dwellings in a semi-detached or row arrangement are set back

maintain space between buildings consistent with a suburban<br/>streetscape character.900mm or more from side boundaries shared with allotments<br/>outside the development site, except for a carport or garage.

	Side Boundary Setback		
PO 6.1		DTS/DPF	6.1
Buildin (a)	gs are set back from side boundaries to provide: separation between dwellings in a way that contributes to a suburban character		nan walls located on a side boundary, buildings are set om side boundaries: at least 900mm where the wall height is up to 3m
(b)	access to natural light and ventilation for neighbours.	(b) (c)	other than for a wall facing a southern side boundary, at least 900mm plus 1/3 of the wall height above 3m at least 1.9m plus 1/3 of the wall height above 3m for walls facing a southern side boundary.
	Rear Bound	ary Setba	ck
P0 7.1		DTS/DPF	7.1
Buildin	gs are set back from rear boundaries to provide:	Dwellin	gs are set back from the rear boundary:
(a) (b) (c) (d)	separation between dwellings in a way that contributes to a suburban character access to natural light and ventilation for neighbours private open space space for landscaping and vegetation.	(a) (b)	3m or more for the first building level 5m or more for any subsequent building level.
	Buildings elev	vation des	ign
PO 8.1		DTS/DPF	8.1
make a	ng elevations facing public streets and common driveways a positive contribution to the streetscape and common ay areas.	within t 2 of the	welling includes at least 3 of the following design features he building elevation facing a primary street, and at least e following design features within the building elevation any other public road (other than a laneway) or a common ay: a minimum of 30% of the building elevation is set back an additional 300mm from the building line a porch or portico projects at least 1m from the building elevation a balcony projects from the building elevation a verandah projects at least 1m from the building elevation eaves of a minimum 400mm width extend along the width of the front elevation a minimum 30% of the width of the upper level projects forward from the lower level primary building line by at least 300mm. a minimum of two different materials or finishes are incorporated on the walls of the building elevation in a single material or finish.
P0 8.2		DTS/DPF	8.2
	ngs incorporate windows along primary street frontages to age passive surveillance and make a positive contribution	Each d	welling with a frontage to a public street:
	streetscape.	(a)	includes at least one window facing the primary street from a habitable room that has a minimum internal room dimension of 2.4m
		(b)	has an aggregate window area of at least 2m <sup>2</sup> facing the

Policy24 - Enquiry

Policy24 - Enquiry			
	primary street		
PO 8.3	DTS/DPF 8.3		
The visual mass of larger buildings is reduced when viewed from adjoining allotments or public streets.	None are applicable	e.	
P0 8.4	DTS/DPF 8.4		
Built form considers local context and provides a quality design response through scale, massing, materials, colours and architectural expression.	None are applicable	e.	
PO 8.5	DTS/DPF 8.5		
Entrances to multi-storey buildings are:	None are applicable	e.	
<ul> <li>(a) oriented towards the street</li> <li>(b) visible and easily identifiable from the street</li> <li>(c) designed to include a common mail box structure.</li> </ul>			
Outlook a	nd amenity		
P0 9.1	DTS/DPF 9.1		
Living rooms have an external outlook to provide a high standard of amenity for occupants.	-	lwelling incorporate wards the street fro	s a window with an ntage or private open
P0 9.2	DTS/DPF 9.2		
Bedrooms are separated or shielded from active communal recreation areas, common access areas and vehicle parking areas and access ways to mitigate noise and artificial light intrusion.	None are applicable.		
Private 0	Dpen Space		
P0 10.1	DTS/DPF 10.1		
Dwellings are provided with suitable sized areas of usable private open space to meet the needs of occupants.	Private open space table:	e is provided in acco	rdance with the following
	Dwelling Type	Dwelling / Site	Minimum Rate
		Configuration	
	Dwelling (at ground level)		Total area: 24m <sup>2</sup> located behind the building line
			Minimum adjacent to a living room: 16m <sup>2</sup> with a minimum dimension 3m
	Dwelling (above ground level)	Studio	4m <sup>2</sup> / minimum dimension 1.8m
		One bedroom dwelling	8m <sup>2</sup> / minimum dimension 2.1m

Policy24 - Enquiry	
	Two bedroom11m² / minimumdwellingdimension 2.4m
	Three + bedroom 15 m <sup>2</sup> / minimum dwelling dimension 2.6m
P0 10.2	DTS/DPF 10.2
Private open space positioned to provide convenient access from internal living areas.	At least 50% of the required area of private open space is accessible from a habitable room.
PO 10.3	DTS/DPF 10.3
Private open space is positioned and designed to:	None are applicable.
<ul> <li>(a) provide useable outdoor space that suits the needs of occupants;</li> <li>(b) take advantage of desirable orientation and vistas; and</li> <li>(c) adequately define public and private space.</li> </ul>	
Visua	l privacy
P0 11.1 Development mitigates direct overlooking from upper level windows to habitable rooms and private open spaces of adjoining residential uses.	<ul> <li>DTS/DPF 11.1</li> <li>Upper level windows facing side or rear boundaries shared with another residential allotment/site satisfy one of the following: <ul> <li>(a) are permanently obscured to a height of 1.5m above finished floor level and are fixed or not capable of being opened more than 200mm</li> <li>(b) have sill heights greater than or equal to 1.5m above finished floor level</li> <li>(c) incorporate screening with a maximum of 25% openings permanently fixed no more than 500mm from the window surface and sited adjacent to any part of the window less than 1.5m above the finished floor.</li> </ul> </li> </ul>
P0 11.2 Development mitigates direct overlooking from upper level balconies and terraces to habitable rooms and private open space of adjoining residential uses.	<ul> <li>DTS/DPF 11.2</li> <li>One of the following is satisfied: <ul> <li>(a) the longest side of the balcony or terrace will face a public road, public road reserve or public reserve that is at least 15m wide in all places faced by the balcony or terrace or</li> <li>(b) all sides of balconies or terraces on upper building levels are permanently obscured by screening with a maximum 25% transparency/openings fixed to a minimum height of: <ul> <li>(i) 1.5m above finished floor level where the balcony is located at least 15 metres from the nearest habitable window of a dwelling on adjacent land or</li> <li>(ii) 1.7m above finished floor level in all other cases</li> </ul> </li> </ul></li></ul>

Policy24 - Enquiry

P0 12.1	DTS/DPF 12.1	
<ul> <li>Soft landscaping is incorporated into development to:</li> <li>(a) minimise heat absorption and reflection</li> <li>(b) maximise shade and shelter</li> <li>(c) maximise stormwater infiltration and biodiversity</li> <li>(d) enhance the appearance of land and streetscapes.</li> </ul>	Residential development incorporates pervious a landscaping with a minimum dimension of 700m accordance with (a) and (b): (a) a total area as determined by the followin Dwelling site area (or in the case of residential flat building or group dwelling(s), average site area) (m <sup>2</sup> ) <150 <200 200-450 >450	m provided in mg table: Minimum percentage of site 10% 15% 20% 25%
Water Sens	(b) at least 30% of land between the road bo building line.	undary and the
P0 13.1	DTS/DPF 13.1	
Residential development is designed to capture and use stormwater to:	None are applicable.	
<ul> <li>(a) maximise efficient use of water resources</li> <li>(b) manage peak stormwater runoff flows and volume to ensure the carrying capacities of downstream systems are not overloaded</li> <li>(c) manage runoff quality to maintain, as close as practical, pre-development conditions.</li> </ul>		
Car F	l 'arking	
P0 14.1	DTS/DPF 14.1	
On-site car parking is provided to meet the anticipated demand of residents, with less on-site parking in areas in close proximity to public transport.	On-site car parking is provided at the following radwelling: (a) 2 or fewer bedrooms - 1 car parking space (b) 3 or more bedrooms - 2 car parking space	ce
P0 14.2	DTS/DPF 14.2	
Enclosed car parking spaces are of dimensions to be functional, accessible and convenient.	Residential parking spaces enclosed by fencing, work obstructions with the following internal dimension from any waste storage area): (a) single parking spaces: (i) a minimum length of 5.4m	
	<ul> <li>(ii) a minimum width of 3.0m</li> <li>(iii) a minimum garage door width of</li> <li>(b) double parking spaces (side by side):</li> <li>(i) a minimum length of 5.4m</li> <li>(ii) a minimum width of 5.5m</li> <li>(iii) minimum garage door width of 2</li> </ul>	
PO 14.3	DTS/DPF 14.3	

Uncovered car parking spaces are of dimensions to be functional, accessible and convenient.	<ul> <li>Uncovered car parking spaces have:</li> <li>(a) a minimum length of 5.4m</li> <li>(b) a minimum width of 2.4m</li> <li>(c) a minimum width between the centre line of the space and any fence, wall or other obstruction of 1.5m.</li> </ul>		
P0 14.4	DTS/DPF 14.4		
Residential flat buildings and group dwelling developments provide sufficient on-site visitor car parking to cater for anticipated demand.	Visitor car parking for group and residential flat buildings incorporating 4 or more dwellings is provided on-site at a minimum ratio of 0.25 car parking spaces per dwelling.		
P0 14.5	DTS/DPF 14.5		
Residential flat buildings provide dedicated areas for bicycle parking.	Residential flat buildings provide one bicycle parking space per dwelling.		
Oversh	adowing		
P0 15.1	DTS/DPF 15.1		
Development minimises overshadowing of the private open spaces of adjoining land by ensuring that ground level open space associated with residential buildings receive direct sunlight for a minimum of 2 hours between 9am and 3pm on 21 June.	None are applicable.		
W	aste		
P0 16.1	DTS/DPF 16.1		
Provision is made for the convenient storage of waste bins in a location screened from public view.	<ul> <li>A waste bin storage area is provided behind the primary building line that:</li> <li>(a) has a minimum area of 2m<sup>2</sup> with a minimum dimension of 900mm (separate from any designated car parking spaces or private open space).; and</li> <li>(b) has a continuous unobstructed path of travel (excluding moveable objects like gates, vehicles and roller doors) with a minimum width of 800mm between the waste bin storage area and the street.</li> </ul>		
P0 16.2	DTS/DPF 16.2		
Residential flat buildings provide a dedicated area for the on-site storage of waste which is:	None are applicable.		
<ul> <li>(a) easily and safely accessible for residents and for collection vehicles</li> <li>(b) screened from adjoining land and public roads</li> <li>(c) of sufficient dimensions to be able to accommodate the waste storage needs of the development considering the intensity and nature of the development and the frequency of collection.</li> </ul>			
Vehicl	e Access		
P0 17.1	DTS/DPF 17.1		
Driveways are located and designed to facilitate safe access and egress while maximising land available for street tree planting, landscaped street frontages and on-street parking.	None are applicable.		

Policy24 - Enquiry

Policy24 - Enquiry	
P0 17.2	DTS/DPF 17.2
Vehicle access is safe, convenient, minimises interruption to the operation of public roads and does not interfere with street infrastructure or street trees.	<ul> <li>Vehicle access to designated car parking spaces satisfy (a) or (b):</li> <li>(a) is provided via a lawfully existing or authorised access point or an access point for which consent has been granted as part of an application for the division of land</li> <li>(b) where newly proposed, is set back: <ul> <li>(i) 0.5m or more from any street furniture, street pole, infrastructure services pit, or other stormwater or utility infrastructure unless consent is provided from the asset owner</li> <li>(ii) 2m or more from the base of the trunk of a street tree unless consent is provided from the tree owner for a lesser distance</li> <li>(iii) 6m or more from the tangent point of an intersection of 2 or more roads</li> <li>(iv) outside of the marked lines or infrastructure dedicating a pedestrian crossing.</li> </ul> </li> </ul>
P0 17.3	DTS/DPF 17.3
Driveways are designed to enable safe and convenient vehicle movements from the public road to on-site parking spaces.	<ul> <li>Driveways are designed and sited so that:</li> <li>(a) the gradient from the place of access on the boundary of the allotment to the finished floor level at the front of the garage or carport is not more than 1-in-4 on average</li> <li>(b) they are aligned relative to the street so that there is no more than a 20 degree deviation from 90 degrees between the centreline of any dedicated car parking space to which it provides access (measured from the front of that space) and the road boundary.</li> <li>(c) if located so as to provide access from an alley, lane or right of way - the alley, lane or right or way is at least 6.2m wide along the boundary of the allotment / site.</li> </ul>
P0 17.4	DTS/DPF 17.4
Driveways and access points are designed and distributed to optimise the provision of on-street parking.	<ul> <li>Where on-street parking is available abutting the site's street frontage, on-street parking is retained in accordance with the following requirements:</li> <li>1. minimum 0.33 on-street spaces per dwelling on the site (rounded up to the nearest whole number)</li> <li>2. Minimum car park length of 5.4m where a vehicle can enter or exit a space directly</li> <li>3. minimum car park length of 6m for an intermediate space located between two other parking spaces.</li> </ul>
PO 17.5	DTS/DPF 17.5
Residential driveways that service more than one dwelling of a dimension to allow safe and convenient movement.	<ul> <li>Where on-street parking is available abutting the site's street frontage, on-street parking is retained in accordance with the following requirements:</li> <li>(a) minimum 0.33 on-street spaces per dwelling on the site (rounded up to the nearest whole number)</li> <li>(b) minimum car park length of 5.4m where a vehicle can enter or exit a space directly</li> <li>(c) minimum carpark length of 6m for an intermediate</li> </ul>

-oncy24 - Enquily		
	space located between two other parking spaces or to an end obstruction where the parking is indented.	
P0 17.6	DTS/DPF 17.6	
Residential driveways that service more than one dwelling are designed to allow passenger vehicles to enter and exit the site and manoeuvre within the site in a safe and convenient manner.	Driveways providing access to more than one dwelling, or a dwelling on a battle-axe site, allow a B85 passenger vehicle to enter and exit the garages or parking spaces in no more than three-point turn manoeuvre	
P0 17.7	DTS/DPF 17.7	
Dwellings are adequately separated from common driveways and manoeuvring areas.	Dwelling walls with entry doors or ground level habitable room windows are set back at least 1.5m from any driveway or are designated for the movement and manoeuvring of vehicles.	
Stor	age	
P0 18.1	DTS/DPF 18.1	
Dwellings are provided with sufficient and accessible space for storage to meet likely occupant needs.	Dwellings are provided with storage at the following rates and 50% or more of the storage volume is provided within the dwelling:	
	(a) studio: not less than 6m <sup>3</sup>	
	(b) 1 bedroom dwelling / apartment: not less than 8m <sup>3</sup>	
	(c) 2 bedroom dwelling / apartment: not less than $10m^3$	
	(d) $3+$ bedroom dwelling / apartment: not less than $12m^3$ .	
Earth	works	
PO 19.1	DTS/DPF 19.1	
Development, including any associated driveways and access tracks, minimises the need for earthworks to limit disturbance to	The development does not involve:	
natural topography.	<ul> <li>(a) excavation exceeding a vertical height of 1m or</li> <li>(b) filling exceeding a vertical height of 1m</li> </ul>	
	or <sup>(C)</sup> a total combined excavation and filling vertical height exceeding 2m.	
Service connection:	s and infrastructure	
P0 20.1	DTS/DPF 20.1	
Dwellings are provided with appropriate service connections and infrastructure.	The site and building:	
	<ul> <li>(a) have the ability to be connected to a permanent potable water supply</li> </ul>	
	(b) have the ability to be connected to a sewerage system, or a wastewater system approved under the <i>South</i> <i>Australian Public Health Act 2011</i>	
	(c) have the ability to be connected to electricity supply	
	<ul> <li>(d) have the ability to be connected to an adequate water supply (and pressure) for fire-fighting purposes</li> </ul>	
	(e) would not be contrary to the Regulations prescribed for the purposes of Section 86 of the <i>Electricity Act</i> 1996.	
Site conta	amination	
P0 21.1	DTS/DPF 21.1	
Land that is suitable for sensitive land uses to provide a safe	Development satisfies (a), (b), (c) or (d):	

Policy24 - Eriquity	
environment.	<ul> <li>(a) does not involve a change in the use of land</li> <li>(b) involves a change in the use of land that does not constitute a change to a more sensitive use</li> <li>(c) involves a change in the use of land to a more sensitive use on land at which site contamination does not exist (as demonstrated in a site contamination declaration form)</li> <li>(d) involves a change in the use of land to a more sensitive use on land at which site contamination exists, or may exist (as demonstrated in a site contamination exists, or may exist (as demonstrated in a site contamination exists, or may exist (as demonstrated in a site contamination declaration form)</li> <li>(d) involves a change in the use of land to a more sensitive use on land at which site contamination exists, or may exist (as demonstrated in a site contamination declaration form), and satisfies both of the following: <ul> <li>(i) a site contamination audit report has been prepared under Part 10A of the Environment Protection Act 1993 in relation to the land within the protection audit protection act 1993 in relation to the land within the service of the termination audit protection act 1993 in relation to the land within the protection act 1993 in relation to the land within the protection act 1993 in relation to the land within the protection act 1993 in relation to the land within the protection act 1993 in relation to the land within the protection act 1993 in relation to the land within the protection act 1993 in relation to the land within the protection act 1993 in relation to the land within the protection act 1993 in relation to the land within the protection act 1993 in relation to the land within the protection act 1993 in relation to the land within</li> </ul></li></ul>
	<ul> <li>(d) involves a change in the use of land to a more sensitive use on land at which site contamination exists, or may exist (as demonstrated in a site contamination declaration form), and satisfies both of the following: <ul> <li>(i) a site contamination audit report has been prepared under Part 10A of the Environment Protection Act 1993 in relation to the land within the previous 5 years which states that</li> <li>A. site contamination does not exist (or no longer exists) at the land or</li> <li>B. the land is suitable for the proposed use or range of uses (without the need for any further remediation) or</li> <li>C. where remediation is, or remains, necessary for the proposed use (or range of uses), remediation work has been carried out or will be carried out (and the applicant has provided a written undertaking that the remediation works will be implemented in association with the development)</li> </ul> </li> </ul>
	the site contamination audit report (as demonstrated in a <u>site contamination</u> <u>declaration form</u> ).

# Infrastructure and Renewable Energy Facilities

## **Assessment Provisions (AP)**

Desired Outcome		
DO 1	Efficient provision of infrastructure networks and services, renewable energy facilities and ancillary development in a manner that minimises hazard, is environmentally and culturally sensitive and manages adverse visual impacts on natural and rural landscapes and residential amenity.	

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

# Performance Outcome

# Deemed-to-Satisfy Criteria /

	Designated Performance Feature
	General
P0 1.1	DTS/DPF 1.1
Development is located and designed to minimise hazard or nuisance to adjacent development and land uses.	None are applicable.
	Visual Amenity
P0 2.1	DTS/DPF 2.1
<ul> <li>The visual impact of above-ground infrastructure networks and services (excluding high voltage transmission lines), renewable energy facilities (excluding wind farms), energy storage facilities and ancillary development is minimised from townships, scenic routes and public roads by:</li> <li>(a) utilising features of the natural landscape to obscure views where practicable</li> <li>(b) siting development below ridgelines where practicable</li> <li>(c) avoiding visually sensitive and significant landscapes</li> <li>(d) using materials and finishes with low-reflectivity and colours that complement the surroundings</li> <li>(e) using existing vegetation to screen buildings</li> <li>(f) incorporating landscaping or landscaped mounding around the perimeter of a site and</li> </ul>	None are applicable.
between adjacent allotments accommodating or zoned to primarily accommodate sensitive receivers.	
P0 2.2	DTS/DPF 2.2
Pumping stations, battery storage facilities, maintenance sheds and other ancillary structures incorporate vegetation buffers to reduce adverse visual impacts on adjacent land.	None are applicable.
P0 2.3	DTS/DPF 2.3
Surfaces exposed by earthworks associated with the installation of storage facilities, pipework, penstock, substations and other ancillary plant are reinstated and revegetated to reduce adverse visual impacts on adjacent land.	None are applicable.
	Rehabilitation
P0 3.1	DTS/DPF 3.1
Progressive rehabilitation (incorporating revegetation) of disturbed areas, ahead of or upon decommissioning of areas used for renewable energy facilities and transmission corridors.	None are applicable.
	Hazard Management

Policy24 - Enquiry

Policy24 - Enquiry		
PO 4.1	DTS/DPF 4.1	
Infrastructure and renewable energy facilities and ancillary development located and operated to not adversely impact maritime or air transport safety, including the operation of ports, airfields and landing strips.	None are applicable.	
PO 4.2	DTS/DPF 4.2	
Facilities for energy generation, power storage and transmission are separated as far as practicable from dwellings, tourist accommodation and frequently visited public places (such as viewing platforms / lookouts) to reduce risks to public safety from fire or equipment malfunction.	None are applicable.	
P0 4.3	DTS/DPF 4.3	
Bushfire hazard risk is minimised for renewable energy facilities by providing appropriate access tracks, safety equipment and water tanks and establishing cleared areas around substations, battery storage and operations compounds.	None are applicable.	
Electricity Infra	structure and Battery Storage Facilities	
P0 5.1	DTS/DPF 5.1	
Electricity infrastructure is located to minimise visual impacts through techniques including:	None are applicable.	
<ul> <li>(a) siting utilities and services:         <ul> <li>(i) on areas already cleared of native vegetation</li> <li>(ii) where there is minimal interference or disturbance to existing native vegetation or biodiversity</li> </ul> </li> </ul>		
(b) grouping utility buildings and structures with non-residential development, where practicable.		
PO 5.2	DTS/DPF 5.2	
Electricity supply (excluding transmission lines) serving new development in urban areas and townships installed underground, excluding lines having a capacity exceeding or equal to 33kV.	None are applicable.	
PO 5.3	DTS/DPF 5.3	
Battery storage facilities are co-located with substation infrastructure where practicable to minimise the development footprint and reduce environmental impacts.	None are applicable.	
Telecommunication Facilities		
P0 6.1	DTS/DPF 6.1	
The proliferation of telecommunications facilities in the form of towers/monopoles in any one locality is	None are applicable.	

Policy24 - Enquiry	
managed, where technically feasible, by co-locating a facility with other communications facilities to mitigate impacts from clutter on visual amenity.	
P0 6.2 Telecommunications antennae are located as close as practicable to support structures to manage overall bulk and mitigate impacts on visual amenity.	DTS/DPF 6.2 None are applicable.
PO 6.3	DTS/DPF 6.3
Telecommunications facilities, particularly towers/monopoles, are located and sized to mitigate visual impacts by the following methods:	None are applicable.
(a) where technically feasible, incorporating the facility within an existing structure that may serve another purpose	
or all of the following:	
(b) using existing buildings and landscape features to obscure or interrupt views of a facility from nearby public roads, residential areas and places of high public amenity to the extent practical without unduly hindering the effective provision of telecommunications services	
(c) using materials and finishes that complement the environment	
(d) screening using landscaping and vegetation, particularly for equipment shelters and huts.	
Re	enewable Energy Facilities
P0 7.1	DTS/DPF 7.1
Renewable energy facilities are located as close as practicable to existing transmission infrastructure to facilitate connections and minimise environmental impacts as a result of extending transmission infrastructure.	None are applicable.
	ble Energy Facilities (Wind Farm)
PO 8.1 Visual impact of wind turbine generators on the amenity of residential and tourist development is reduced	DTS/DPF 8.1 Wind turbine generators are: (a) set back at least 2000m from the base of a turbine to any of the
through appropriate separation.	<ul> <li>(a) set back at least 2000m from the base of a turbine to any of the following zones:         <ul> <li>(i) Rural Settlement Zone</li> <li>(ii) Township Zone</li> <li>(iii) Rural Living Zone</li> <li>(iv) Rural Neighbourhood Zone</li> </ul> </li> <li>with an additional 10m setback per additional metre over 150m overall turbine height (measured from the base of the turbine).</li> </ul>
	<ul> <li>(b) set back at least 1500m from the base of the turbine).</li> <li>(b) set back at least 1500m from the base of the turbine to non- associated (non-stakeholder) dwellings and tourist accommodation</li> </ul>

Policy24 - Enquiry

P0 8.2	DTS/DPF 8.2	
The visual impact of wind turbine generators on natural landscapes is managed by:	None are applicable.	
<ul> <li>(a) designing wind turbine generators to be uniform in colour, size and shape</li> </ul>		
<ul> <li>(b) coordinating blade rotation and direction</li> <li>(c) mounting wind turbine generators on tubular towers as opposed to lattice towers.</li> </ul>		
P0 8.3	DTS/DPF 8.3	
Wind turbine generators and ancillary development minimise potential for bird and bat strike.	None are applicable.	
P0 8.4	DTS/DPF 8.4	
Wind turbine generators incorporate recognition systems or physical markers to minimise the risk to aircraft operations.	No Commonwealth air safety (CASA / ASA) or Defence requirement is applicable.	
PO 8.5	DTS/DPF 8.5	
Meteorological masts and guidewires are identifiable to aircraft through the use of colour bands, marker balls, high visibility sleeves or flashing strobes.	None are applicable.	
Renewabl	e Energy Facilities (Solar Power)	
PO 9.1	DTS/DPF 9.1	
Ground mounted solar power facilities generating 5MW or more are not located on land requiring the clearance of areas of intact native vegetation or on land of high environmental, scenic or cultural value.		
P0 9.2	DTS/DPF 9.2	
Ground mounted solar power facilities allow for movement of wildlife by:	None are applicable.	
<ul> <li>(a) incorporating wildlife corridors and habitat refuges</li> <li>(b) avoiding the use of extensive security or perimeter fencing or incorporating fencing that enables the passage of small animals without unreasonably compromising the security of the facility.</li> </ul>		
PO 9.3	DTS/DPF 9.3	
Amenity impacts of solar power facilities are minimised through separation from conservation areas and sensitive receivers in other ownership.	ed Ground mounted solar power facilities are set back from land boundaries, conservation areas and relevant zones in accordance with the following criteria:	
	Generation CapacityApproximate size of arraySetback from adjoining landSetback from conservation areasSetback Township, Rural Settlement, Rural Neighbourhood	

					and Rural Living Zones <sup>1</sup>
	50MW>	80ha+	30m	500m	2km
	10MW<50MW	16ha-<80ha	25m	500m	1.5km
	5MW<10MW	8ha to <16ha	20m	500m	1km
	1MW<5MW	1.6ha to <8ha	15m	500m	500m
	100kW<1MW	0.5ha<1.6ha	10m	500m	100m
	<100kW	<0.5ha	5m	500m	25m
	Notes:				
	1. Does not app power facility is				mounted solar
P0 9.4	DTS/DPF 9.4				
Ground mounted solar power facilities incorporate landscaping within setbacks from adjacent road frontages and boundaries of adjacent allotments accommodating non-host dwellings, where balanced with infrastructure access and bushfire safety considerations.	None are applica	able.			
Hydropowe	er / Pumped Hydropo	wer Facilities			
PO 10.1	DTS/DPF 10.1				
Hydropower / pumped hydropower facility storage is designed and operated to minimise the risk of storage dam failure.	None are applicable.				
P0 10.2	DTS/DPF 10.2				
Hydropower / pumped hydropower facility storage is designed and operated to minimise water loss through increased evaporation or system leakage, with the incorporation of appropriate liners, dam covers, operational measures or detection systems.	None are applicable.				
PO 10.3	DTS/DPF 10.3				
Hydropower / pumped hydropower facilities on existing or former mine sites minimise environmental impacts from site contamination, including from mine operations or water sources subject to such processes, now or in the future.	None are applica	able.			
	Water Supply				
P0 11.1	DTS/DPF 11.1				

Development is connected to an appropriate water	Development is connected, or will be connected, to a reticulated water	
supply to meet the ongoing requirements of the intended use.	scheme or mains water supply with the capacity to meet the on-going requirements of the development.	
P0 11.2	DTS/DPF 11.2	
Dwellings are connected to a reticulated water scheme or mains water supply with the capacity to meet the requirements of the intended use. Where this is not available an appropriate rainwater tank or storage system for domestic use is provided.	A dwelling is connected, or will be connected, to a reticulated water scheme or mains water supply with the capacity to meet the requirements of the development. Where this is not available it is serviced by a rainwate tank or tanks capable of holding at least 50,000 litres of water which is: (a) exclusively for domestic use (b) connected to the roof drainage system of the dwelling.	
	Wastewater Services	
P0 12.1	DTS/DPF 12.1	
<ul> <li>Development is connected to an approved common wastewater disposal service with the capacity to meet the requirements of the intended use. Where this is not available an appropriate on-site service is provided to meet the ongoing requirements of the intended use in accordance with the following:</li> <li>(a) it is wholly located and contained within the allotment of the development it will service</li> <li>(b) in areas where there is a high risk of contamination of surface, ground, or marine water resources from on-site disposal of liquid wastes, disposal systems are included to minimise the risk of pollution to those water resources</li> <li>(c) septic tank effluent drainage fields and other wastewater disposal areas are located away from watercourses and flood prone, sloping, saline or poorly drained land to minimise</li> </ul>	<ul> <li>Development is connected, or will be connected, to an approved common wastewater disposal service with the capacity to meet the requirements of the development. Where this is not available it is instead capable of being serviced by an on-site waste water treatment system in accordance with the following: <ul> <li>(a) the system is wholly located and contained within the allotment or development it will service; and</li> <li>(b) the system will comply with the requirements of the South Australian Public Health Act 2011.</li> </ul> </li> </ul>	
P0 12.2	DTS/DPF 12.2	
Effluent drainage fields and other wastewater disposal areas are maintained to ensure the effective operation of waste systems and minimise risks to human health and the environment.	Development is not built on, or encroaches within, an area that is, or will be required for a sewerage system or waste control system.	
	Temporary Facilities	
P0 13.1	DTS/DPF 13.1	
In rural and remote locations, development that is likely to generate significant waste material during construction, including packaging waste, makes provision for a temporary on-site waste storage enclosure to minimise the incidence of wind-blown litter.	A waste collection and disposal service is used to dispose of the volume of waste at the rate it is generated.	
P0 13.2	DTS/DPF 13.2	
Temporary facilities to support the establishment of renewable energy facilities (including borrow pits, concrete batching plants, laydown, storage, access roads and worker amenity areas) are sited and	None are applicable.	

# Intensive Animal Husbandry and Dairies

## **Assessment Provisions (AP)**

Desired Outcome		
DO 1	Development of intensive animal husbandry and dairies in locations that are protected from encroachment by sensitive	
	receivers and in a manner that minimises their adverse effects on amenity and the environment.	

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
Siting a	nd Design
PO 1.1	DTS/DPF 1.1
Intensive animal husbandry, dairies and associated activities are sited, designed, constructed and managed to not unreasonably impact on the environment or amenity of the locality.	None are applicable.
P0 1.2	DTS/DPF 1.2
Intensive animal husbandry, dairies and associated activities are sited, designed, constructed and managed to prevent the potential transmission of disease to other operations where animals are kept.	None are applicable.
P0 1.3	DTS/DPF 1.3
Intensive animal husbandry and associated activities such as wastewater lagoons and liquid/solid waste disposal areas are sited, designed, constructed and managed to not unreasonably impact on sensitive receivers in other ownership in terms of noise and air emissions.	None are applicable.
PO 1.4	DTS/DPF 1.4
Dairies and associated activities such as wastewater lagoons and liquid/solid waste disposal areas are sited, designed, constructed and managed to not unreasonably impact on sensitive receivers in other ownership in terms of noise and air emissions.	Dairies, associated wastewater lagoon(s) and liquid/solid waste storage and disposal facilities are located 500m or more from the nearest sensitive receiver in other ownership.
PO 1.5	DTS/DPF 1.5
Lagoons for the storage or treatment of milking shed effluent is adequately separated from roads to minimise impacts from	Lagoons for the storage or treatment of milking shed effluent are set back 20m or more from public roads.

Policy24 - Enquiry	
odour on the general public.	
Wa	aste
PO 2.1	DTS/DPF 2.1
Storage of manure, used litter and other wastes (other than waste water lagoons) is sited, designed, constructed and managed to:	None are applicable.
<ul> <li>(a) avoid attracting and harbouring vermin</li> <li>(b) avoid polluting water resources</li> <li>(c) be located outside 1% AEP flood event areas.</li> </ul>	
Soil and Wa	ter Protection
P0 3.1	DTS/DPF 3.1
To avoid environmental harm and adverse effects on water resources, intensive animal husbandry operations are appropriately set back from: (a) public water supply reservoirs (b) major watercourses (third order or higher stream) (c) any other watercourse, bore or well used for domestic or stock water supplies.	<ul> <li>Intensive animal husbandry operations are set back:</li> <li>(a) 800m or more from a public water supply reservoir</li> <li>(b) 200m or more from a major watercourse (third order or higher stream)</li> <li>(c) 100m or more from any other watercourse, bore or well used for domestic or stock water supplies.</li> </ul>
P0 3.2	DTS/DPF 3.2
Intensive animal husbandry operations and dairies incorporate appropriately designed effluent and run-off facilities that:	None are applicable.
<ul> <li>(a) have sufficient capacity to hold effluent and runoff from the operations on site</li> </ul>	
(b) ensure effluent does not infiltrate and pollute groundwater, soil or other water resources.	

# Interface between Land Uses

## **Assessment Provisions (AP)**

Desired Outcome		
DO 1	Development is located and designed to mitigate adverse effects on or from neighbouring and proximate land uses.	

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

# Performance Outcome

# Deemed-to-Satisfy Criteria / Designated Performance Feature

General Land Use Compatibility

P0 1.1	DTS/DPF 1.1
Sensitive receivers are designed and sited to protect residents and occupants from adverse impacts generated by lawfully existing land uses (or lawfully approved land uses) and land uses desired in the zone.	None are applicable.
P0 1.2	DTS/DPF 1.2
Development adjacent to a site containing a sensitive receiver (or lawfully approved sensitive receiver) or zone primarily intended to accommodate sensitive receivers is designed to minimise adverse impacts.	None are applicable.
Hours of	Operation
PO 2.1	DTS/DPF 2.1
Non-residential development does not unreasonably impact the amenity of sensitive receivers (or lawfully approved sensitive	Development operating within the following hours:
receivers) or an adjacent zone primarily for sensitive receivers through its hours of operation having regard to:	Class of Development Hours of operation
<ul> <li>(a) the nature of the development</li> <li>(b) measures to mitigate off-site impacts</li> <li>(c) the extent to which the development is desired in the zone</li> </ul>	Consulting room 7am to 9pm, Monday to Friday 8am to 5pm, Saturday
<ul> <li>(d) measures that might be taken in an adjacent zone primarily for sensitive receivers that mitigate adverse impacts without unreasonably compromising the intended use of that land.</li> </ul>	Office 7am to 9pm, Monday to Friday 8am to 5pm, Saturday
	Shop, other than any one or combination of the following:7am to 9pm, Monday to Friday 8am to 5pm, Saturday and Sunday(a)restaurant (b)cellar door in the Productive Rural Landscape Zone, Rural Zone or Rural Horticulture Zone7am to 9pm, Monday to Friday
	adowing I
<ul> <li>PO 3.1</li> <li>Overshadowing of habitable room windows of adjacent residential land uses in:</li> <li>a. a neighbourhood-type zone is minimised to maintain access to direct winter sunlight</li> <li>b. other zones is managed to enable access to direct winter sunlight.</li> </ul>	DTS/DPF 3.1 North-facing windows of habitable rooms of adjacent residential land uses in a neighbourhood-type zone receive at least 3 hours of direct sunlight between 9.00am and 3.00pm on 21 June.
P0 3.2	DTS/DPF 3.2
Overshadowing of the primary area of private open space or communal open space of adjacent residential land uses in:	Development maintains 2 hours of direct sunlight between 9.00 am and 3.00 pm on 21 June to adjacent residential land uses in a

<ul> <li>a. a neighbourhood type zone is minimised to direct winter sunlight</li> <li>b. other zones is managed to enable access sunlight.</li> </ul>		<ul> <li>neighbourhood-type zone in accordance with the following:</li> <li>a. for ground level private open space, the smaller of the following:</li> <li>i. half the existing ground level open space or</li> <li>ii. 35m2 of the existing ground level open space (with at least one of the area's dimensions measuring 2.5m)</li> <li>b. for ground level open space, at least half of the existing ground level open space.</li> </ul>
P0 3.3		DTS/DPF 3.3
Development does not unduly reduce the generation adjacent rooftop solar energy facilities taking the form of development contemplate	into account:	None are applicable.
<ul> <li>(a) the form of development contemplate</li> <li>(b) the orientation of the solar energy fac</li> </ul>		
(c) the extent to which the solar energy factors overshadowed.		
P0 3.4		DTS/DPF 3.4
Development that incorporates moving parts, i and wind farms, are located and operated to n unreasonable nuisance to nearby dwellings an accommodation caused by shadow flicker.	ot cause	None are applicable.
	Activities Generating	g Noise or Vibration
P0 4.1		DTS/DPF 4.1
Development that emits noise (other than mus unreasonably impact the amenity of sensitive lawfully approved sensitive receivers).		Noise that affects sensitive receivers achieves the relevant Environment Protection (Noise) Policy criteria.
P0 4.2		DTS/DPF 4.2
Areas for the on-site manoeuvring of service a	nd delivery	None are applicable.
vehicles, plant and equipment, outdoor work s		
like) are designed and sited to not unreasonab		
amenity of adjacent sensitive receivers (or lawfully approved		
sensitive receivers) and zones primarily intended to		
accommodate sensitive receivers due to noise and vibration by adopting techniques including:		
<ul> <li>(a) locating openings of buildings and as away from the interface with the adjac receivers and zones primarily intended sensitive receivers</li> </ul>	cent sensitive	
(b) when sited outdoors, locating such are practicable from adjacent sensitive re primarily intended to accommodate s	ceivers and zones	
(c) housing plant and equipment within an structure or acoustic enclosure		
<ul> <li>(d) providing a suitable acoustic barrier b and / or equipment and the adjacent s boundary or zone.</li> </ul>		
PO 4.3		DTS/DPF 4.3

Fixed plant and equipment in the form of pumps and/or filtration systems for a swimming pool or spa are positioned and/or housed to not cause unreasonable noise nuisance to adjacent sensitive receivers (or lawfully approved sensitive receivers).	<ul> <li>The pump and/or filtration system ancillary to a dwelling erected on the same site is:</li> <li>(a) enclosed in a solid acoustic structure located at least 5m from the nearest habitable room located on an adjoining allotment or</li> <li>(b) located at least 12m from the nearest habitable room located on an adjoining allotment.</li> </ul>
P0 4.4	DTS/DPF 4.4
External noise into bedrooms is minimised by separating or shielding these rooms from service equipment areas and fixed noise sources located on the same or an adjoining allotment.	Adjacent land is used for residential purposes.
P0 4.5	DTS/DPF 4.5
Outdoor areas associated with licensed premises (such as beer gardens or dining areas) are designed and/or sited to not cause unreasonable noise impact on existing adjacent sensitive receivers (or lawfully approved sensitive receivers).	None are applicable.
P0 4.6	DTS/DPF 4.6
Development incorporating music achieves suitable acoustic amenity when measured at the boundary of an adjacent sensitive receiver (or lawfully approved sensitive receiver) or zone	Development incorporating music includes noise attenuation measures that will achieve the following noise levels:
primarily intended to accommodate sensitive receivers.	Assessment location Music noise level
	Externally at the nearest existing or envisaged noise sensitive locationLess than 8dB above the level of background noise $(L_{90,15min})$ in any octave band of the sound spectrum (LOCT10,15 < LOCT90,15 + 8dB)
Air Q	Juality
PO 5.1	DTS/DPF 5.1
Development with the potential to emit harmful or nuisance- generating air pollution incorporates air pollution control measures to prevent harm to human health or unreasonably impact the amenity of sensitive receivers (or lawfully approved sensitive receivers) within the locality and zones primarily intended to accommodate sensitive receivers.	None are applicable.
PO 5.2	DTS/DPF 5.2
<ul> <li>Development that includes chimneys or exhaust flues (including cafes, restaurants and fast food outlets) is designed to minimise nuisance or adverse health impacts to sensitive receivers (or lawfully approved sensitive receivers) by:</li> <li>(a) incorporating appropriate treatment technology before exhaust emissions are released</li> <li>(b) locating and designing chimneys or exhaust flues to</li> </ul>	None are applicable.
(b) locating and designing chimneys or exhaust flues to maximise the dispersion of exhaust emissions, taking into account the location of sensitive receivers.	

Policy24 - Enquiry

Policy24 - Enquiry Liah	t Spill
P0 6.1	DTS/DPF 6.1
External lighting is positioned and designed to not cause unreasonable light spill impact on adjacent sensitive receivers (or lawfully approved sensitive receivers).	None are applicable.
P0 6.2	DTS/DPF 6.2
External lighting is not hazardous to motorists and cyclists.	None are applicable.
Solar Reflec	I tivity / Glare
P0 7.1	DTS/DPF 7.1
Development is designed and comprised of materials and finishes that do not unreasonably cause a distraction to adjacent road users and pedestrian areas or unreasonably cause heat loading and micro-climatic impacts on adjacent buildings and land uses as a result of reflective solar glare.	None are applicable.
Electrical I	nterference
PO 8.1	DTS/DPF 8.1
Development in rural and remote areas does not unreasonably diminish or result in the loss of existing communication services	The building or structure: (a) is no greater than 10m in height, measured from existing
due to electrical interference.	<ul> <li>(a) is no greater than 10m in height, measured from existing ground level or</li> <li>(b) is not within a line of sight between a fixed transmitter and fixed receiver (antenna) other than where an alternative service is available via a different fixed transmitter or cable.</li> </ul>
Interface with	Rural Activities
P0 9.1	DTS/DPF 9.1
Sensitive receivers are located and designed to mitigate impacts from lawfully existing horticultural and farming activities (or lawfully approved horticultural and farming activities), including spray drift and noise and do not prejudice the continued operation of these activities.	None are applicable.
P0 9.2	DTS/DPF 9.2
Sensitive receivers are located and designed to mitigate potential impacts from lawfully existing intensive animal husbandry activities and do not prejudice the continued operation of these activities.	None are applicable.
P0 9.3	DTS/DPF 9.3
Sensitive receivers are located and designed to mitigate potential impacts from lawfully existing land-based aquaculture activities and do not prejudice the continued operation of these activities.	Sensitive receivers are located at least 200m from the boundary of a site used for land-based aquaculture and associated components in other ownership.
P0 9.4	DTS/DPF 9.4
Sensitive receivers are located and designed to mitigate potential impacts from lawfully existing dairies including associated wastewater lagoons and liquid/solid waste storage	Sensitive receivers are sited at least 500m from the boundary of a site used for a dairy and associated wastewater lagoon(s) and liquid/solid waste storage and disposal facilities in other

and disposal facilities and do not prejudice the continued operation of these activities.	ownership.
P09.5 Sensitive receivers are located and designed to mitigate the potential impacts from lawfully existing facilities used for the handling, transportation and storage of bulk commodities (recognising the potential for extended hours of operation) and do not prejudice the continued operation of these activities.	<ul> <li>DTS/DPF 9.5</li> <li>Sensitive receivers are located away from the boundary of a site used for the handling, transportation and/or storage of bulk commodities in other ownership in accordance with the following: <ul> <li>(a) 300m or more, where it involves the handling of agricultural crop products, rock, ores, minerals, petroleum products or chemicals to or from any commercial storage facility</li> <li>(b) 300m or more, where it involves the handling of agricultural crop products, rock, ores, minerals, petroleum products or chemicals at a wharf or wharf side facility (including sea-port grain terminals) where the handling of these materials into or from vessels does not exceed 100 tonnes per day</li> <li>(c) 500m or more, where it involves the storage of bulk petroleum in individual containers with a capacity up to 200 litres and a total on-site storage capacity not exceeding 1000 cubic metres</li> <li>(d) 500m or more, where it involves the handling of coal with a capacity up to 50 tonnes</li> </ul> </li> <li>(e) 1000m or more, where it involves the handling of coal with a capacity exceeding 1 tonne per day or a storage capacity exceeding 100 tonnes per day or a storage capacity exceeding 50 tonnes but not exceeding 5000 tonnes.</li> </ul>
PO 9.6 Setbacks and vegetation plantings along allotment boundaries	DTS/DPF 9.6 None are applicable.
should be incorporated to mitigate the potential impacts of spray drift and other impacts associated with agricultural and horticultural activities.	
P0 9.7	DTS/DPF 9.7
Urban development does not prejudice existing agricultural and horticultural activities through appropriate separation and design techniques.	None are applicable.
Interface with Mines and Qua	rries (Rural and Remote Areas)
PO 10.1	DTS/DPF 10.1
Sensitive receivers are separated from existing mines to minimise the adverse impacts from noise, dust and vibration.	Sensitive receivers are located no closer than 500m from the boundary of a Mining Production Tenement under the <i>Mining Act 1971.</i>

# Land Division

# Assessment Provisions (AP)

#### **Desired Outcome** DO 1 Land division: (a) creates allotments with the appropriate dimensions and shape for their intended use (b) allows efficient provision of new infrastructure and the optimum use of underutilised infrastructure (c) integrates and allocates adequate and suitable land for the preservation of site features of value, including significant vegetation, watercourses, water bodies and other environmental features (d) facilitates solar access through allotment orientation (e) creates a compact urban form that supports active travel, walkability and the use of public transport (f) avoids areas of high natural hazard risk.

#### Performance Outcome Deemed-to-Satisfy Criteria / **Designated Performance Feature** All land division Allotment configuration PO 1.1 DTS/DPF 1.1 Land division creates allotments suitable for their intended use. Division of land satisfies (a) or (b): (a) reflects the site boundaries illustrated and approved in an operative or existing development authorisation for residential development under the Development Act 1993 or Planning, Development and Infrastructure Act 2016 where the allotments are used or are proposed to be used solely for residential purposes (b) is proposed as part of a combined land division application with deemed-to-satisfy dwellings on the proposed allotments. PO 1.2 DTS/DPF 1.2 Land division considers the physical characteristics of the land, None are applicable. preservation of environmental and cultural features of value and the prevailing context of the locality. Design and Layout P0 2 1 DTS/DPF 2.1 Land division results in a pattern of development that minimises None are applicable. the likelihood of future earthworks and retaining walls. PO 2.2 DTS/DPF 2.2 Land division enables the appropriate management of interface None are applicable. impacts between potentially conflicting land uses and/or zones. PO 2.3 DTS/DPF 2.3 Land division maximises the number of allotments that face None are applicable. public open space and public streets. PO 2.4 DTS/DPF 2.4 Land division is integrated with site features, adjacent land uses, None are applicable.

Policy24 - Enquiry	
the existing transport network and available infrastructure.	
P0 2.5	DTS/DPF 2.5
Development and infrastructure is provided and staged in a manner that supports an orderly and economic provision of land, infrastructure and services.	None are applicable.
P0 2.6	DTS/DPF 2.6
Land division results in watercourses being retained within open space and development taking place on land not subject to flooding.	None are applicable.
P0 2.7	DTS/DPF 2.7
Land division results in legible street patterns connected to the surrounding street network.	None are applicable.
P0 2.8	DTS/DPF 2.8
Land division is designed to preserve existing vegetation of value including native vegetation and regulated and significant trees.	None are applicable.
Roads ar	id Access
P0 3.1	DTS/DPF 3.1
Land division provides allotments with access to an all-weather public road.	None are applicable.
P0 3.2	DTS/DPF 3.2
Street patterns and intersections are designed to enable the safe and efficient movement of pedestrian, cycle and vehicular traffic.	None are applicable.
P0 3.3	DTS/DPF 3.3
Land division does not impede access to publicly owned open space and/or recreation facilities.	None are applicable.
P0 3.4	DTS/DPF 3.4
Road reserves provide for safe and convenient movement and parking of projected volumes of vehicles and allow for the efficient movement of service and emergency vehicles.	None are applicable.
P0 3.5	DTS/DPF 3.5
Road reserves are designed to accommodate pedestrian and cycling infrastructure, street tree planting, landscaping and street furniture.	None are applicable.
P0 3.6	DTS/DPF 3.6
P0 3.6 Road reserves accommodate stormwater drainage and public utilities.	DTS/DPF 3.6 None are applicable.
Road reserves accommodate stormwater drainage and public	
Road reserves accommodate stormwater drainage and public utilities.	None are applicable. DTS/DPF 3.7

Street patterns and intersections are designed to enable the safe and efficient movement of pedestrian, cycle and vehicular traffic.	None are applicable.
P0 3.9	DTS/DPF 3.9
Roads, open space and thoroughfares provide safe and convenient linkages to the surrounding open space and transport network.	None are applicable.
P0 3.10	DTS/DPF 3.10
Public streets are designed to enable tree planting to provide shade and enhance the amenity of streetscapes.	None are applicable.
P0 3.11	DTS/DPF 3.11
Local streets are designed to create low-speed environments that are safe for cyclists and pedestrians.	None are applicable.
Infras	tructure
P0 4.1	DTS/DPF 4.1
Land division incorporates public utility services within road reserves or dedicated easements.	None are applicable.
P0 4.2	DTS/DPF 4.2
Waste water, sewage and other effluent is capable of being disposed of from each allotment without risk to public health or the environment.	<ul> <li>(a) a waste water treatment plant that has the hydraulic volume and pollutant load treatment and disposal capacity for the maximum predicted wastewater volume generated by subsequent development of the proposed allotment or</li> <li>(b) a form of on-site waste water treatment and disposal that meets relevant public health and environmental standards.</li> </ul>
P0 4.3	DTS/DPF 4.3
Septic tank effluent drainage fields and other waste water disposal areas are maintained to ensure the effective operation of waste systems and minimise risks to human health and the environment.	Development is not built on, or encroaches within, an area that is or will be, required for a sewerage system or waste control system.
P0 4.4	DTS/DPF 4.4
Constructed wetland systems, including associated detention and retention basins, are sited and designed to ensure public health and safety is protected, including by minimising potential public health risks arising from the breeding of mosquitoes.	None are applicable.
PO 4.5	DTS/DPF 4.5
Constructed wetland systems, including associated detention and retention basins, are sited and designed to allow sediments to settle prior to discharge into watercourses or the marine	None are applicable.
environment.	

Constructed wetland systems, including associated detention	None are applicable.
and retention basins, are sited and designed to function as a landscape feature.	
Minor Land Division	(Under 20 Allotments)
	Space
P0 5.1	DTS/DPF 5.1
Land division proposing an additional allotment under 1 hectare provides or supports the provision of open space.	None are applicable.
Solar O	rientation
P0 6.1	DTS/DPF 6.1
Land division for residential purposes facilitates solar access through allotment orientation.	None are applicable.
Water Sens	sitive Design
P0 7.1	DTS/DPF 7.1
Land division creating a new road or common driveway includes stormwater management systems that minimise the discharge of sediment, suspended solids, organic matter, nutrients, bacteria, litter and other contaminants to the stormwater system, watercourses or other water bodies.	None are applicable.
P0 7.2	DTS/DPF 7.2
Land division designed to mitigate peak flows and manage the rate and duration of stormwater discharges from the site to ensure that the development does not increase the peak flows in downstream systems.	None are applicable.
Battle-Axe I	Development
P0 8.1	DTS/DPF 8.1
Battle-axe development appropriately responds to the existing neighbourhood context.	Allotments are not in the form of a battle-axe arrangement.
P0 8.2	DTS/DPF 8.2
Battle-axe development designed to allow safe and convenient movement.	The handle of a battle-axe development:
	(a) has a minimum width of 4m
	or (b) where more than 3 allotments are proposed, a minimum width of 5.5m.
P0 8.3	DTS/DPF 8.3
Battle-axe allotments and/or common land are of a suitable size and dimension to allow passenger vehicles to enter and exit and manoeuvre within the site in a safe and convenient manner.	Battle-axe development allows a B85 passenger vehicle to enter and exit parking spaces in no more than a three-point turn manoeuvre.
P0 8.4	DTS/DPF 8.4
Battle-axe or common driveways incorporate landscaping and permeability to improve appearance and assist in stormwater	Battle-axe or common driveways satisfy (a) and (b):
management.	(a) are constructed of a minimum of 50% permeable or porous material
	(b) where the driveway is located directly adjacent the side or rear boundary of the site, soft landscaping with a minimum dimension of 1m is provided between the

driveway and site boundary (excluding along the
perimeter of a passing point).

Major Land Division (20+ Allotments)		
Open Space		
PO 9.1	DTS/DPF 9.1	
Land division allocates or retains evenly distributed, high quality areas of open space to improve residential amenity and provide urban heat amelioration.	None are applicable.	
P0 9.2	DTS/DPF 9.2	
Land allocated for open space is suitable for its intended active and passive recreational use considering gradient and potential for inundation.	None are applicable.	
P0 9.3	DTS/DPF 9.3	
Land allocated for active recreation has dimensions capable of accommodating a range of active recreational activities.	None are applicable.	
Water Sensitive Design		
PO 10.1	DTS/DPF 10.1	
Land division creating 20 or more residential allotments includes a stormwater management system designed to mitigate peak flows and manage the rate and duration of stormwater discharges from the site to ensure that the development does not increase the peak flows in downstream systems.	None are applicable.	
PO 10.2	DTS/DPF 10.2	
Land division creating 20 or more non-residential allotments includes a stormwater management system designed to mitigate peak flows and manage the rate and duration of stormwater discharges from the site to ensure that the development does not increase the peak flows in downstream systems.	None are applicable.	
PO 10.3	DTS/DPF 10.3	
Land division creating 20 or more allotments includes stormwater management systems that minimise the discharge of sediment, suspended solids, organic matter, nutrients, bacteria, litter and other contaminants to the stormwater system, watercourses or other water bodies.	None are applicable.	
Solar Orientation		
P0 11.1	DTS/DPF 11.1	
Land division creating 20 or more allotments for residential purposes facilitates solar access through allotment orientation and allotment dimensions.	None are applicable.	

# **Marinas and On-Water Structures**
#### **Assessment Provisions (AP)**

## Desired Outcome

DO 1	
	Marinas and on-water structures are located and designed to minimise the impairment of commercial, recreational and
	navigational activities and adverse impacts on the environment.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

# Performance Outcome Dee

## Deemed-to-Satisfy Criteria / Designated Performance Feature

Navigation and Safety		
P0 1.1	DTS/DPF 1.1	
Safe public access is provided or maintained to the waterfront, public infrastructure and recreation areas.	None are applicable.	
P0 1.2	DTS/DPF 1.2	
The operation of wharves is not impaired by marinas and on- water structures.	None are applicable.	
P0 1.3	DTS/DPF 1.3	
Navigation and access channels are not impaired by marinas and on-water structures.	None are applicable.	
P0 1.4	DTS/DPF 1.4	
Commercial shipping lanes are not impaired by marinas and on- water structures.	Marinas and on-water structures are set back 250m or more from commercial shipping lanes.	
P0 1.5	DTS/DPF 1.5	
Marinas and on-water structures are located to avoid interfering with the operation or function of a water supply pumping station.	<ul> <li>On-water structures are set back:</li> <li>(a) 3km or more from upstream water supply pumping station take-off points</li> <li>(b) 500m or more from downstream water supply pumping station take-off points.</li> </ul>	
P0 1.6	DTS/DPF 1.6	
Maintenance of on-water infrastructure, including revetment walls, is not impaired by marinas and on-water structures.	None are applicable.	
Environmental Protection		
P0 2.1	DTS/DPF 2.1	
Development is sited and designed to facilitate water circulation and exchange.	None are applicable.	

### **Open Space and Recreation**

#### Assessment Provisions (AP)

Desired Outcome		
DO 1	Pleasant, functional and accessible open space and recreation facilities are provided at State, regional, district, neighbourhood and local levels for active and passive recreation, biodiversity, community health, urban cooling, tree canopy cover, visual amenity, gathering spaces, wildlife and waterway corridors, and a range of other functions and at a range of sizes that reflect the purpose of that open space.	

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature	
Land Use	and Intensity	
P0 1.1	DTS/DPF 1.1	
Recreation facilities are compatible with surrounding land uses and activities.	None are applicable.	
P0 1.2	DTS/DPF 1.2	
Open space areas include natural or landscaped areas using locally indigenous plant species and large trees.	None are applicable.	
Design	and Siting	
P0 2.1	DTS/DPF 2.1	
Open space and recreation facilities address adjacent public roads to optimise pedestrian access and visibility.	None are applicable.	
PO 2.2	DTS/DPF 2.2	
Open space and recreation facilities incorporate park furniture, shaded areas and resting places.	None are applicable.	
P0 2.3	DTS/DPF 2.3	
Open space and recreation facilities link habitats, wildlife corridors and existing open spaces and recreation facilities.	None are applicable.	
Pedestrians and Cyclists		
P0 3.1	DTS/DPF 3.1	
Open space incorporates:	None are applicable.	
(a) pedestrian and cycle linkages to other open spaces, centres, schools and public transport nodes;		

	1	
<ul> <li>(b) safe crossing points where pedestrian routes intersect the road network;</li> <li>(c) easily identified access points.</li> </ul>		
Usa	bility	
PO 4.1	DTS/DPF 4.1	
Land allocated for open space is suitable for its intended active and passive recreational use taking into consideration its gradient and potential for inundation.	None are applicable.	
	d Security	
PO 5.1	DTS/DPF 5.1	
Open space is overlooked by housing, commercial or other development to provide casual surveillance where possible.	None are applicable.	
PO 5.2	DTS/DPF 5.2	
Play equipment is located to maximise opportunities for passive surveillance.	None are applicable.	
PO 5.3	DTS/DPF 5.3	
Landscaping provided in open space and recreation facilities maximises opportunities for casual surveillance throughout the park.	None are applicable.	
PO 5.4	DTS/DPF 5.4	
Fenced parks and playgrounds have more than one entrance or exit to minimise potential entrapment.	None are applicable.	
P0 5.5	DTS/DPF 5.5	
Adequate lighting is provided around toilets, telephones, seating, litter bins, bicycle storage, car parks and other such facilities.	None are applicable.	
PO 5.6	DTS/DPF 5.6	
Pedestrian and bicycle movement after dark is focused along clearly defined, adequately lit routes with observable entries and exits.	None are applicable.	
Sigu	nage	
PO 6.1	DTS/DPF 6.1	
Signage is provided at entrances to and within the open space and recreation facilities to provide clear orientation to major points of interest such as the location of public toilets, telephones, safe routes, park activities and the like.	None are applicable.	
Buildings and Structures		
P0 7.1	DTS/DPF 7.1	
Buildings and car parking areas in open space areas are designed, located and of a scale to be unobtrusive.	None are applicable.	
P0 7.2	DTS/DPF 7.2	
Buildings and structures in open space areas are clustered where practical to ensure that the majority of the site remains open.	None are applicable.	

Policy24 - Enquiry

DTS/DPF 7.3
None are applicable.
DTS/DPF 7.4
None are applicable.
scaping
DTS/DPF 8.1
None are applicable.
DTS/DPF 8.2
None are applicable.
DTS/DPF 8.3
None are applicable.
DTS/DPF 8.4
None are applicable.

## **Out of Activity Centre Development**

### Assessment Provisions (AP)

DO1 The role of Activity Centres in contributing to the form and pattern of development and enabling equitable and convenient access to a range of shopping, administrative, cultural, entertainment and other facilities in a single trip is maintained and reinforced.

	Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance
P0 1.1		Feature
PU 1.1		DTS/DPF 1.1
Non-residential development outside Activity Centres of a scale and type that does not diminish the role of Activity Centres:		None are applicable.
(a)	as primary locations for shopping, administrative, cultural, entertainment and community services	
(b)	as a focus for regular social and business gatherings	

<ul> <li>(c) in contributing to or maintaining a pattern of development that supports equitable community access to services and facilities.</li> </ul>	
P0 1.2	DTS/DPF 1.2
<ul> <li>Out-of-activity centre non-residential development complements Activity Centres through the provision of services and facilities:</li> <li>(a) that support the needs of local residents and workers, particularly in underserviced locations</li> <li>(b) at the edge of Activities Centres where they cannot readily be accommodated within an existing Activity Centre to expand the range of services on offer and support the role of the Activity Centre.</li> </ul>	None are applicable.

#### **Resource Extraction**

#### **Assessment Provisions (AP)**

Desired Outcome	
DO 1	Resource extraction activities are developed in a manner that minimises human and environmental impacts.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

## Performance Outcome

## Deemed-to-Satisfy Criteria / Designated Performance Feature

Land Use and Intensity		
P0 1.1	DTS/DPF 1.1	
Resource extraction activities minimise landscape damage outside of those areas unavoidably disturbed to access and exploit a resource and provide for the progressive reclamation and betterment of disturbed areas.	None are applicable.	
P0 1.2	DTS/DPF 1.2	
Resource extraction activities avoid damage to cultural sites or artefacts.	None are applicable.	
Water Quality		
P0 2.1	DTS/DPF 2.1	
Stormwater and/or wastewater from resource extraction activities is diverted into appropriately sized treatment and retention systems to enable reuse on site.	None are applicable.	

Separation Treatments, Buffers and Landscaping	
P0 3.1	DTS/DPF 3.1
Resource extraction activities minimise adverse impacts upon sensitive receivers through incorporation of separation distances and/or mounding/vegetation.	None are applicable.
P0 3.2	DTS/DPF 3.2
Resource extraction activities are screened from view from adjacent land by perimeter landscaping and/or mounding.	None are applicable.

### **Site Contamination**

#### **Assessment Provisions (AP)**

## **Desired Outcome**

DO 1 Ensure land is suitable for the proposed use in circumstances where it is, or may have been, subject to site contamination.

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
P0 1.1	DTS/DPF 1.1
Ensure land is suitable for use when land use changes to a more sensitive use.	Development satisfies (a), (b), (c) or (d): (a) does not involve a change in the use of land
	(b) involves a change in the use of land that does not constitute a change to a more sensitive use
	<ul> <li>(c) involves a change in the use of land to a more sensitive use on land at which site contamination is unlikely to exist (as demonstrated in a site contamination declaration form)</li> </ul>
	<ul> <li>(d) involves a change in the use of land to a more sensitive use on land at which site contamination exists, or may exist (as demonstrated in a site contamination declaration form), and satisfies both of the following:</li> </ul>
	(i) a site contamination audit report has been prepared under Part 10A of the <i>Environment</i> <i>Protection Act 1993</i> in relation to the land within the previous 5 years which states that-
	A. site contamination does not exist (or no longer exists) at the land
	or B. the land is suitable for the proposed use or range of uses (without the need for any further remediation)
	or C. where remediation is, or remains, necessary for the proposed use (or range of uses), remediation work has

(and the applicant has provided a written undertaking that the remediation works will be implemented in association with the development)

(ii) no other class 1 activity or class 2 activity has taken place at the land since the preparation of the site contamination audit report (as demonstrated in a site contamination declaration form).

and

### **Tourism Development**

#### **Assessment Provisions (AP)**

Desired Outcome	
DO 1	Tourism development is built in locations that cater to the needs of visitors and positively contributes to South Australia's visitor economy.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature	
Gen	eral	
P0 1.1	DTS/DPF 1.1	
<ul> <li>Tourism development complements and contributes to local, natural, cultural or historical context where:</li> <li>(a) it supports immersive natural experiences</li> <li>(b) it showcases South Australia's landscapes and produce</li> <li>(c) its events and functions are connected to local food, wine and nature.</li> </ul>	None are applicable.	
P0 1.2	DTS/DPF 1.2	
Tourism development comprising multiple accommodation units (including any facilities and activities for use by guests and visitors) is clustered to minimise environmental and contextual impact.	None are applicable.	
Caravan and Tourist Parks		
P0 2.1	DTS/DPF 2.1	
Potential conflicts between long-term residents and short-term	None are applicable.	

Policy24 - Enquiry	
tourists are minimised through suitable siting and design measures.	
P0 2.2	DTS/DPF 2.2
Occupants are provided privacy and amenity through landscaping and fencing.	None are applicable.
P0 2.3	DTS/DPF 2.3
Communal open space and centrally located recreation facilities are provided for guests and visitors.	12.5% or more of a caravan park comprises clearly defined communal open space, landscaped areas and areas for recreation.
P0 2.4	DTS/DPF 2.4
Perimeter landscaping is used to enhance the amenity of the locality.	None are applicable.
P0 2.5	DTS/DPF 2.5
Amenity blocks (showers, toilets, laundry and kitchen facilities) are sufficient to serve the full occupancy of the development.	None are applicable.
P0 2.6	DTS/DPF 2.6
Long-term occupation does not displace tourist accommodation, particularly in important tourist destinations such as coastal and riverine locations.	None are applicable.
Tourist accommodation in areas constituted	under the National Parks and Wildlife Act 1972
P0 3.1	DTS/DPF 3.1
Tourist accommodation avoids delicate or environmentally sensitive areas such as sand dunes, cliff tops, estuaries, wetlands or substantially intact strata of native vegetation (including regenerated areas of native vegetation lost through bushfire).	None are applicable.
P0 3.2	DTS/DPF 3.2
Tourist accommodation is sited and designed in a manner that is subservient to the natural environment and where adverse impacts on natural features, landscapes, habitats and cultural assets are avoided.	None are applicable.
PO 3.3	DTS/DPF 3.3
Tourist accommodation and recreational facilities, including associated access ways and ancillary structures, are located on cleared (other than where cleared as a result of bushfire) or degraded areas or where environmental improvements can be achieved.	None are applicable.
PO 3.4	DTS/DPF 3.4
Tourist accommodation is designed to prevent conversion to private dwellings through:	None are applicable.
<ul> <li>(a) comprising a minimum of 10 accommodation units</li> <li>(b) clustering separated individual accommodation units</li> <li>(c) being of a size unquitable for a private dwalling</li> </ul>	

being of a size unsuitable for a private dwelling

(c)

(d) ensuring functional areas that are generally associated with a private dwelling such as kitchens and laundries are excluded from, or physically separated from individual accommodation units, or are of a size unsuitable for a private dwelling.	
--	--

## **Transport, Access and Parking**

#### **Assessment Provisions (AP)**

Desired Outcome	
DO 1	A comprehensive, integrated and connected transport system that is safe, sustainable, efficient, convenient and accessible to all users.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
Movemer	it Systems
P0 1.1	DTS/DPF 1.1
Development is integrated with the existing transport system and designed to minimise its potential impact on the functional performance of the transport system.	None are applicable.
P0 1.2	DTS/DPF 1.2
Development is designed to discourage commercial and industrial vehicle movements through residential streets and adjacent other sensitive receivers.	None are applicable.
P0 1.3	DTS/DPF 1.3
Industrial, commercial and service vehicle movements, loading areas and designated parking spaces are separated from passenger vehicle car parking areas to ensure efficient and safe movement and minimise potential conflict.	None are applicable.
PO 1.4	DTS/DPF 1.4
Development is sited and designed so that loading, unloading and turning of all traffic avoids interrupting the operation of and queuing on public roads and pedestrian paths.	All vehicle manoeuvring occurs onsite.
Sigh	tlines
P0 2.1	DTS/DPF 2.1
Sightlines at intersections, pedestrian and cycle crossings, and	None are applicable.

Policy24 - Enquiry	
crossovers to allotments for motorists, cyclists and pedestrians are maintained or enhanced to ensure safety for all road users and pedestrians.	
P0 2.2	DTS/DPF 2.2
Walls, fencing and landscaping adjacent to driveways and corner sites are designed to provide adequate sightlines between vehicles and pedestrians.	None are applicable.
Vehicle	Access
PO 3.1	DTS/DPF 3.1
Safe and convenient access minimises impact or interruption on the operation of public roads.	<ul> <li>The access is:</li> <li>(a) provided via a lawfully existing or authorised driveway or access point or an access point for which consent has been granted as part of an application for the division of land or</li> <li>(b) not located within 6m of an intersection of 2 or more roads or a pedestrian activated crossing.</li> </ul>
P0 3.2	DTS/DPF 3.2
Development incorporating vehicular access ramps ensures vehicles can enter and exit a site safely and without creating a hazard to pedestrians and other vehicular traffic.	None are applicable.
PO 3.3	DTS/DPF 3.3
Access points are sited and designed to accommodate the type and volume of traffic likely to be generated by the development or land use.	None are applicable.
PO 3.4	DTS/DPF 3.4
Access points are sited and designed to minimise any adverse impacts on neighbouring properties.	None are applicable.
PO 3.5	DTS/DPF 3.5
Access points are located so as not to interfere with street trees, existing street furniture (including directional signs, lighting, seating and weather shelters) or infrastructure services to maintain the appearance of the streetscape, preserve local amenity and minimise disruption to utility infrastructure assets.	<ul> <li>Vehicle access to designated car parking spaces satisfy (a) or (b):</li> <li>(a) is provided via a lawfully existing or authorised access point or an access point for which consent has been granted as part of an application for the division of land</li> <li>(b) where newly proposed, is set back: <ul> <li>(i) 0.5m or more from any street furniture, street pole, infrastructure services pit, or other stormwater or utility infrastructure unless consent is provided from the asset owner</li> <li>(ii) 2m or more from the base of the trunk of a street tree unless consent is provided from the tree owner for a lesser distance</li> <li>(iii) 6m or more from the tangent point of an intersection of 2 or more roads</li> <li>(iv) outside of the marked lines or infrastructure dedicating a pedestrian crossing.</li> </ul> </li> </ul>
PO 3.6	DTS/DPF 3.6

Policy24 - Enquiry		
Driveways and access points are separated and minimised in number to optimise the provision of on-street visitor parking (where on-street parking is appropriate).	<ul> <li>Driveways and access points:</li> <li>(a) for sites with a frontage to a public road of 20m or less, one access point no greater than 3.5m in width is provided</li> <li>(b) for sites with a frontage to a public road greater than 20m: <ul> <li>(i) a single access point no greater than 6m in width is provided</li> <li>(ii) not more than two access points with a width of 3.5m each are provided.</li> </ul> </li> </ul>	
P0 3.7	DTS/DPF 3.7	
Access points are appropriately separated from level crossings to avoid interference and ensure their safe ongoing operation.	Development does not involve a new or modified access or cause an increase in traffic through an existing access that is located within the following distance from a railway crossing: (a) 80 km/h road - 110m (b) 70 km/h road - 90m (c) 60 km/h road - 70m (d) 50km/h or less road - 50m.	
P0 3.8	DTS/DPF 3.8	
Driveways, access points, access tracks and parking areas are designed and constructed to allow adequate movement and manoeuvrability having regard to the types of vehicles that are reasonably anticipated.	None are applicable.	
PO 3.9	DTS/DPF 3.9	
Development is designed to ensure vehicle circulation between activity areas occurs within the site without the need to use public roads.	None are applicable.	
Access for People with Disabilities		
PO 4.1	DTS/DPF 4.1	
Development is sited and designed to provide safe, dignified and convenient access for people with a disability.	None are applicable.	
Vehicle Pa	rking Rates	
P0 5.1	DTS/DPF 5.1	
Sufficient on-site vehicle parking and specifically marked accessible car parking places are provided to meet the needs of the development or land use having regard to factors that may support a reduced on-site rate such as:	Development provides a number of car parking spaces on-site at a rate no less than the amount calculated using one of the following, whichever is relevant: (a) Transport, Access and Parking Table 1 - General Off-	
<ul> <li>(a) availability of on-street car parking</li> <li>(b) shared use of other parking areas</li> <li>(c) in relation to a mixed-use development, where the hours of operation of commercial activities complement the residential use of the site, the provision of vehicle parking may be shared</li> </ul>	<ul> <li>Street Car Parking Requirements</li> <li>(b) Transport, Access and Parking Table 2 - Off-Street Vehicle Parking Requirements in Designated Areas</li> <li>(c) if located in an area where a lawfully established carparking fund operates, the number of spaces calculated under (a) or (b) less the number of spaces</li> </ul>	
(d) the adaptive reuse of a State or Local Heritage Place.	offset by contribution to the fund.	

king Areas	
DTS/DPF 6.1	
Movement between vehicle parking areas within the site can occur without the need to use a public road.	
DTS/DPF 6.2	
None are applicable.	
DTS/DPF 6.3	
None are applicable.	
DTS/DPF 6.4	
None are applicable.	
DTS/DPF 6.5	
None are applicable.	
DTS/DPF 6.6	
Loading areas and designated parking spaces are wholly located within the site.	
DTS/DPF 6.7	
None are applicable.	
Undercroft and Below Ground Garaging and Parking of Vehicles	
DTS/DPF 7.1	
None are applicable.	
ential Parks and Caravan and Tourist Parks	
DTS/DPF 8.1	
None are applicable.	
DTS/DPF 8.2	
None are applicable.	

Policy24 - Enquiry	
PO 9.1	DTS/DPF 9.1
The provision of adequately sized on-site bicycle parking facilities encourages cycling as an active transport mode.	Areas and / or fixtures are provided for the parking and storage of bicycles at a rate not less than the amount calculated using Transport, Access and Parking Table 3 - Off Street Bicycle Parking Requirements.
P0 9.2	DTS/DPF 9.2
Bicycle parking facilities provide for the secure storage and tethering of bicycles in a place where casual surveillance is possible, is well lit and signed for the safety and convenience of cyclists and deters property theft.	None are applicable.
PO 9.3	DTS/DPF 9.3
Non-residential development incorporates end-of-journey facilities for employees such as showers, changing facilities and secure lockers, and signage indicating the location of the facilities to encourage cycling as a mode of journey-to-work transport.	None are applicable.
Corner	Cut-Offs
PO 10.1	DTS/DPF 10.1
Development is located and designed to ensure drivers can safely turn into and out of public road junctions.	Development does not involve building work, or building work is located wholly outside the land shown as Corner Cut-Off Area in the following diagram:
	Corner Cut- Off Area

#### Table 1 - General Off-Street Car Parking Requirements

The following parking rates apply and if located in an area where a lawfully established carparking fund operates, the number of spaces is reduced by an amount equal to the number of spaces offset by contribution to the fund.

Class of Development	Car Parking Rate (unless varied by Table 2 onwards) Where a development comprises more than one development type, then the overall car parking rate will be taken to be the sum of the car parking rates for each development type.
Residential Development	
Detached Dwelling	Dwelling with 1 bedroom (including rooms capable of being used as a bedroom) - 1 space per dwelling.
	Dwelling with 2 or more bedrooms (including rooms capable of being used as a bedroom) - 2 spaces per dwelling, 1 of which is to be covered.
Group Dwelling	Dwelling with 1 or 2 bedrooms (including rooms capable of being used as a bedroom) - 1 space per dwelling.

	Dwelling with 3 or more bedrooms (including rooms capable of being used as a bedroom) - 2 spaces per dwelling, 1 of which is to be covered.
	0.33 spaces per dwelling for visitor parking where development involves 3 or more dwellings.
Residential Flat Building	Dwelling with 1 or 2 bedrooms (including rooms capable of being used as a bedroom) - 1 space per dwelling.
	Dwelling with 3 or more bedrooms (including rooms capable of being used as a bedroom) - 2 spaces per dwelling, 1 of which is to be covered.
	0.33 spaces per dwelling for visitor parking where development involves 3 or more dwellings.
Row Dwelling where vehicle access is from the primary street	Dwelling with 1 bedroom (including rooms capable of being used as a bedroom) - 1 space per dwelling.
	Dwelling with 2 or more bedrooms (including rooms capable of being used as a bedroom) - 2 spaces per dwelling, 1 of which is to be covered.
Row Dwelling where vehicle access is not from the primary street (i.e. rear-loaded)	Dwelling with 1 or 2 bedrooms (including rooms capable of being used as a bedroom) - 1 space per dwelling.
······································	Dwelling with 3 or more bedrooms (including rooms capable of being used as a bedroom) - 2 spaces per dwelling, 1 of which is to be covered.
Semi-Detached Dwelling	Dwelling with 1 bedroom (including rooms capable of being used as a bedroom) - 1 space per dwelling.
	Dwelling with 2 or more bedrooms (including rooms capable of being used as a bedroom) - 2 spaces per dwelling, 1 of which is to be covered.
Aged / Supported Accommodation	
Retirement village	Dwelling with 1 or 2 bedrooms (including rooms capable of being used as a bedroom) - 1 space per dwelling.
	Dwelling with 3 or more bedrooms (including rooms capable of being used as a bedroom) - 2 spaces per dwelling.
	0.2 spaces per dwelling for visitor parking.
Supported accommodation	0.3 spaces per bed.
Residential Development (Other)	
Ancillary accommodation	No additional requirements beyond those associated with the main dwelling.
Residential park	Dwelling with 1 or 2 bedrooms (including rooms capable of being used as a bedroom) - 1 space per dwelling.
	Dwelling with 3 or more bedrooms (including rooms capable of being used as a bedroom) - 2 spaces per dwelling.
	0.2 spaces per dwelling for visitor parking.
Student accommodation	0.3 spaces per bed.
Workers' accommodation	0.5 spaces per bed plus 0.2 spaces per bed for visitor parking.
Tourist	

Caravan park / tourist park	Parks with 100 sites or less - a minimum of 1 space per 10 sites to be used for accommodation.	
	Parks with more than 100 sites - a minimum of 1 space per 15 sites used for accommodation.	
	A minimum of 1 space for every caravan (permanently fixed to the ground) or cabin.	
Tourist accommodation	1 car parking space per accommodation unit / guest room.	
Commercial Uses		
Auction room/ depot	1 space per 100m <sup>2</sup> of building floor area plus an additional 2 spaces.	
Automotive collision repair	3 spaces per service bay.	
Call centre	8 spaces per 100m <sup>2</sup> of gross leasable floor area.	
Motor repair station	3 spaces per service bay.	
Office	4 spaces per 100m <sup>2</sup> of gross leasable floor area.	
Retail fuel outlet	3 spaces per 100m <sup>2</sup> gross leasable floor area.	
Service trade premises	2.5 spaces per 100m <sup>2</sup> of gross leasable floor area	
	1 space per 100m <sup>2</sup> of outdoor area used for display purposes.	
Shop (no commercial kitchen)	5.5 spaces per 100m <sup>2</sup> of gross leasable floor area where not located in an integrated complex containing two or more tenancies (and which may comprise more than one building) where facilities for off-street vehicle parking, vehicle loading and unloading, and the storage and collection of refuse are shared.	
	5 spaces per 100m <sup>2</sup> of gross leasable floor area where located in an integrated complex containing two or more tenancies (and which may comprise more than one building) where facilities for off-street vehicle parking, vehicle loading and unloading, and the storage and collection of refuse are shared.	
Shop (in the form of a bulky goods outlet)	2.5 spaces per 100m <sup>2</sup> of gross leasable floor area.	
Shop (in the form of a restaurant or involving a commercial kitchen)	Premises with a dine-in service only (which may include a take-away component with no drive-through) - 0.4 spaces per seat.	
	Premises with take-away service but with no seats - 12 spaces per 100m <sup>2</sup> of total floor area plus a drive-through queue capacity of ten vehicles measured from the pick-up point.	
	Premises with a dine-in and drive-through take-away service - 0.3 spaces per seat plus a drive through queue capacity of 10 vehicles measured from the pick-	

Policy24 - Enquiry

Policy24 - Enquiry				
	up point.			
Community and Civic Uses				
Childcare centre	0.25 spaces per child			
Library	4 spaces per 100m <sup>2</sup> of total floor area.			
Community facility	10 spaces per 100m <sup>2</sup> of total floor area.			
Hall / meeting hall	0.2 spaces per seat.			
Place of worship	1 space for every 3 visitor seats.			
Pre-school	1 per employee plus 0.25 per child (drop off/pick up bays)			
Educational establishment	For a primary school - 1.1 space per full time equivalent employee plus 0.25 spaces per student for a pickup/set down area either on-site or on the public realm within 300m of the site.			
	For a secondary school - 1.1 per full time equivalent employee plus 0.1 spaces per student for a pickup/set down area either on-site or on the public realm within 300m of the site.			
	For a tertiary institution - 0.4 per student based on the maximum number of students on the site at any time.			
Health Related Uses				
Hospital	4.5 spaces per bed for a public hospital.			
	1.5 spaces per bed for a private hospital.			
Consulting room	4 spaces per consulting room excluding ancillary facilities.			
Recreational and Entertainment Uses				
Cinema complex	0.2 spaces per seat.			
Concert hall / theatre	0.2 spaces per seat.			
Hotel	1 space for every 2m <sup>2</sup> of total floor area in a public bar plus 1 space for every 6m <sup>2</sup> of total floor area available to the public in a lounge, beer garden plus 1 space per 2 gaming machines, plus 1 space per 3 seats in a restaurant.			
Indoor recreation facility	6.5 spaces per $100m^2$ of total floor area for a Fitness Centre			
	4.5 spaces per 100m <sup>2</sup> of total floor area for all other Indoor recreation facilities.			

Industry/Employment Uses		
Fuel depot	1.5 spaces per 100m <sup>2</sup> total floor area 1 spaces per 100m <sup>2</sup> of outdoor area used for fuel depot activity purposes.	
Industry	1.5 spaces per 100m <sup>2</sup> of total floor area.	
Store	0.5 spaces per 100m <sup>2</sup> of total floor area.	
Timber yard	1.5 spaces per 100m <sup>2</sup> of total floor area	
	1 space per 100m <sup>2</sup> of outdoor area used for display purposes.	
Warehouse	0.5 spaces per 100m <sup>2</sup> total floor area.	
Other Uses		
Funeral Parlour	1 space per 5 seats in the chapel plus 1 space for each vehicle operated by the parlour.	
Radio or Television Station	5 spaces per 100m <sup>2</sup> of total building floor area.	

#### Table 2 - Off-Street Car Parking Requirements in Designated Areas

The following parking rates apply in any zone, subzone or other area described in the 'Designated Areas' column subject to the following:

- (a) the location of the development is unable to satisfy the requirements of Table 2 Criteria (other than where a location is exempted from the application of those criteria) or
- (b) the development satisfies Table 2 Criteria (or is exempt from those criteria) and is located in an area where a lawfully established carparking fund operates, in which case the number of spaces are reduced by an amount equal to the number of spaces offset by contribution to the fund.

Class of Development	Car Parking Rate Where a development comprises more than one development type, then the overall car parking rate will be taken to be th sum of the car parking rates for each development type.		Designated Areas			
	Minimum number of spaces	Maximum number of spaces				
Development generally	Development generally					
All classes of development	No minimum.	No maximum except in the Primary Pedestrian Area identified in the Primary Pedestrian Area Concept Plan, where the maximum is:	Capital City Zone City Main Street Zone City Riverbank Zone			

Residential development	1 space for every 4 bedrooms up to 100 bedrooms plus 1 space for every 5 bedrooms over 100 bedrooms	1 space per 2 bedrooms up to 100 bedrooms and 1 space per 4 bedrooms over 100 bedrooms	Urban Activity Centre Zone City Living Zone Urban Activity Centre Zone Urban Corridor (Boulevard) Zone Urban Corridor (Business) Zone Urban Corridor (Living) Zone Urban Corridor (Main Street ) Zone Urban Neighbourhood Zone
	up to 100 bedrooms plus 1 space for every 5 bedrooms	100 bedrooms and 1 space per 4 bedrooms over 100	City Living Zone Urban Activity Centre Zone Urban Corridor (Boulevard) Zone Urban Corridor (Business) Zone Urban Corridor (Living) Zone Urban Corridor (Main Street ) Zone
Tourist accommodation			Urban Activity Centre Zone
Non-residential development excluding tourist accommodation	3 spaces per 100m <sup>2</sup> of gross leasable floor area.	6 spaces per 100m <sup>2</sup> of gross leasable floor area.	Strategic Innovation Zone Suburban Activity Centre Zone Suburban Business Zone Business Neighbourhood Zone Suburban Main Street Zone
Non-residential development excluding tourist accommodation	3 spaces per 100m <sup>2</sup> of gross leasable floor area.	5 spaces per 100m <sup>2</sup> of gross leasable floor area.	City Living Zone Urban Corridor (Boulevard) Zone Urban Corridor (Business) Zone Urban Corridor (Living) Zone Urban Corridor (Main Street ) Zone Urban Neighbourhood Zone
Non-residential develop	ment	<ul> <li>1 space for each dwelling with a total floor area less than 75 square metres</li> <li>2 spaces for each dwelling with a total floor area between 75 square metres and 150 square metres</li> <li>3 spaces for each dwelling with a total floor area greater than 150 square metres.</li> <li>Residential flat building or Residential component of a multi-storey building: 1 visitor space for each 6 dwellings.</li> </ul>	Adelaide Park Lands Zone Business Neighbourhood Zone (within the City of Adelaide) The St Andrews Hospital Precinct Subzone and Women's and Children's Hospital Precinct Subzone of the Community Facilities Zone

of a multi-storey building	bedroom -0.25 spaces per dwelling		Strategic Innovation Zone
	<ol> <li>bedroom dwelling - 0.75 spaces per dwelling</li> <li>bedroom dwelling - 1 space per dwelling</li> <li>or more bedroom dwelling - 1.25 spaces per dwelling</li> <li>0.25 spaces per dwelling for visitor parking.</li> </ol>		Urban Activity Centre Zone Urban Corridor (Boulevard) Zone Urban Corridor (Business) Zone Urban Corridor (Living) Zone Urban Corridor (Main Street ) Zone Urban Neighbourhood Zone
Residential flat building	<ul> <li>Dwelling with no separate bedroom -0.25 spaces per dwelling</li> <li>1 bedroom dwelling - 0.75 spaces per dwelling</li> <li>2 bedroom dwelling - 1 space per dwelling</li> <li>3 or more bedroom dwelling - 1.25 spaces per dwelling</li> <li>0.25 spaces per dwelling for visitor parking.</li> </ul>	None specified.	City Living Zone Urban Activity Centre Zone Urban Corridor (Boulevard) Zone Urban Corridor (Business) Zone Urban Corridor (Living) Zone Urban Corridor (Main Street ) Zone Urban Neighbourhood Zone

#### Table 2 - Criteria:

The following criteria are used in conjunction with Table 2. The 'Exception' column identifies locations where the criteria do not apply and the car parking rates in Table 2 are applicable.

Criteria	Exceptions
The designated area is wholly located within Metropolitan Adelaide and any part of the development site satisfies one or more of the following:	<ul> <li>(a) All zones in the City of Adelaide</li> <li>(b) Strategic Innovation Zone in the following locations:         <ul> <li>(i) City of Burnside</li> <li>(ii) City of Marion</li> <li>(iii) City of Mitcham</li> </ul> </li> </ul>
<ul> <li>(a) is within 200 metres of any section of road reserve along which a bus service operates as a high frequency public transit service<sup>(2)</sup></li> <li>(b) is within 400 metres of a bus interchange<sup>(1)</sup></li> <li>(c) is within 400 metres of an O-Bahn interchange<sup>(1)</sup></li> <li>(d) is within 400 metres of a passenger rail station<sup>(1)</sup></li> <li>(e) is within 400 metres of a passenger tram station<sup>(1)</sup></li> <li>(f) is within 400 metres of the Adelaide Parklands.</li> </ul>	<ul> <li>(c) Urban Corridor (Boulevard) Zone</li> <li>(d) Urban Corridor (Business) Zone</li> <li>(e) Urban Corridor (Living) Zone</li> <li>(f) Urban Corridor (Main Street ) Zone</li> <li>(g) Urban Neighbourhood Zone</li> </ul>

[NOTE(S): (1)Measured from an area that contains any platform(s), shelter(s) or stop(s) where people congregate for the purpose waiting to board a bus, tram or train, but does not include areas used for the parking of vehicles. (2) A high frequency public transit service is a route serviced every 15 minutes between 7.30am and 6.30pm Monday to Friday and every 30 minutes at night, Saturday, Sunday and public holidays until 10pm.]

#### **Table 3 - Off-Street Bicycle Parking Requirements**

The bicycle parking rates apply within designated areas located within parts of the State identified in the Schedule to Table 3.

Class of Development	Bicycle Parking Rate
	Where a development comprises more than one development type, then the overall bicycle parking rate will be taken to be the sum of the bicycle parking rates for each development type.
Consulting Room	1 space per 20 employees plus 1 space per 20 consulting rooms for customers.
Educational establishment	For a secondary school - 1 space per 20 full-time time employees plus 10 percent of the total number of employee spaces for visitors.
	For tertiary education - 1 space per 20 employees plus 1 space per 10 full time students.
Hospital	1 space per 15 beds plus 1 space per 30 beds for visitors.
Indoor recreation facility	1 space per 4 employees plus 1 space per 200m <sup>2</sup> of gross leasable floor area for visitors.
Licensed Premises	1 per 20 employees, plus 1 per 60 square metres total floor area, plus 1 per 40 square metres of bar floor area, plus 1 per 120 square metres lounge and beer garden floor area, plus 1 per 60 square metres dining floor area, plus 1 per 40 square metres gaming room floor area.
Office	1 space for every 200m <sup>2</sup> of gross leasable floor area plus 2 spaces plus 1 space per 1000m <sup>2</sup> of gross leasable floor area for visitors.
Pre-school	1 space per 20 full time employees plus 1 space per 40 full time children.
Recreation area	1 per 1500 spectator seats for employees plus 1 per 250 visitor and customers.
Residential flat building	Within the City of Adelaide 1 for every dwelling for residents with a total floor area less than 150 square metres, 2 for every dwelling for residents with a total floor area greater than 150 square metres, plus 1 for every 10 dwellings for visitors, and in all other cases 1 space for every 4 dwellings for residents plus 1 for every 10 dwellings for visitors.
Residential component of a multi-storey building	Within the City of Adelaide 1 for every dwelling for residents with a total floor area less than 150 square metres, 2 for every dwelling for residents with a total floor area greater than 150 square metres, plus 1 for every 10 dwellings for visitors, and in all other cases 1 space for every 4 dwellings for residents plus 1 space for every 10 dwellings for visitors.
Shop	1 space for every 300m <sup>2</sup> of gross leasable floor area plus 1 space for every 600m <sup>2</sup> of gross leasable floor area for customers.

Policy24 - Enquiry		
Tourist accommodation	1 space for every 20 employees plus 2 for the first 40 rooms and 1 for every additional 40 rooms for visitors.	
Schedule to Table 3		
Designated Area	Relevant part of the State	
	The bicycle parking rate applies to a designated area located in a relevant part of the State described below.	
All zones	City of Adelaide	
Business Neighbourhood Zone	Metropolitan Adelaide	
Strategic Innovation Zone		
Suburban Activity Centre Zone		
Suburban Business Zone		
Suburban Main Street Zone		
Urban Activity Centre Zone		
Urban Corridor (Boulevard) Zone		
Urban Corridor (Business) Zone		
Urban Corridor (Living) Zone		
Urban Corridor (Main Street ) Zone		
Urban Neighbourhood Zone		

### Waste Treatment and Management Facilities

#### **Assessment Provisions (AP)**

	Desired Outcome
DO 1	Mitigation of the potential environmental and amenity impacts of waste treatment and management facilities.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)



## Deemed-to-Satisfy Criteria / Designated Performance Feature

Siting

Policy24 - Enquiry		
P0 1.1	DTS/DPF 1.1	
Waste treatment and management facilities incorporate separation distances and attenuation measures within the site between waste operations areas (including all closed, operating and future cells) and sensitive receivers and sensitive environmental features to mitigate off-site impacts from noise, air and dust emissions.	None are applicable.	
Soil and Wat	er Protection	
P0 2.1	DTS/DPF 2.1	
Soil, groundwater and surface water are protected from contamination from waste treatment and management facilities through measures such as:	None are applicable.	
<ul> <li>(a) containing potential groundwater and surface water contaminants within waste operations areas</li> </ul>		
(b) diverting clean stormwater away from waste operations areas and potentially contaminated areas		
(c) providing a leachate barrier between waste operations areas and underlying soil and groundwater.		
P0 2.2	DTS/DPF 2.2	
Wastewater lagoons are set back from watercourses to minimise environmental harm and adverse effects on water resources.	Wastewater lagoons are set back 50m or more from watercourse banks.	
P0 2.3	DTS/DPF 2.3	
Wastewater lagoons are designed and sited to:	None are applicable.	
<ul> <li>(a) avoid intersecting underground waters;</li> <li>(b) avoid inundation by flood waters;</li> <li>(c) ensure lagoon contents do not overflow;</li> <li>(d) include a liner designed to prevent leakage.</li> </ul>		
P0 2.4	DTS/DPF 2.4	
Waste operations areas of landfills and organic waste processing facilities are set back from watercourses to minimise adverse impacts on water resources.	Waste operations areas are set back 100m or more from watercourse banks.	
Amenity		
P0 3.1	DTS/DPF 3.1	
Waste treatment and management facilities are screened, located and designed to minimise adverse visual impacts on amenity.	None are applicable.	
P0 3.2	DTS/DPF 3.2	
Access routes to waste treatment and management facilities via residential streets is avoided.	None are applicable.	
P0 3.3	DTS/DPF 3.3	
Litter control measures minimise the incidence of windblown litter.	None are applicable.	

Policy24 - Enquiry				
PO 3.4	DTS/DPF 3.4			
Waste treatment and management facilities are designed to minimise adverse impacts on both the site and surrounding areas from weed and vermin infestation.	None are applicable.			
Act	cess			
P0 4.1	DTS/DPF 4.1			
Traffic circulation movements within any waste treatment or management site are designed to enable vehicles to enter and exit the site in a forward direction.	None are applicable.			
PO 4.2	DTS/DPF 4.2			
Suitable access for emergency vehicles is provided to and within waste treatment or management sites.	None are applicable.			
Fencing a	nd Security			
PO 5.1	DTS/DPF 5.1			
Security fencing provided around waste treatment and management facilities prevents unauthorised access to operations and potential hazard to the public.	Chain wire mesh or pre-coated painted metal fencing 2m or more in height is erected along the perimeter of the waste treatment or waste management facility site.			
Landfill				
P0 6.1	DTS/DPF 6.1			
Landfill gas emissions are managed in an environmentally acceptable manner.	None are applicable.			
P0 6.2	DTS/DPF 6.2			
Landfill facilities are separated from areas of environmental significance and land used for public recreation and enjoyment.	Landfill facilities are set back 250m or more from a public open space reserve, forest reserve, national park or Conservation Zone.			
PO 6.3	DTS/DPF 6.3			
Landfill facilities are located on land that is not subject to land slip.	None are applicable.			
PO 6.4	DTS/DPF 6.4			
Landfill facilities are separated from areas subject to flooding.	Landfill facilities are set back 500m or more from land inundated in a 1% AEP flood event.			
Organic Waste Pr	ocessing Facilities			
P0 7.1	DTS/DPF 7.1			
Organic waste processing facilities are separated from the coast to avoid potential environment harm.	Organic waste processing facilities are set back 500m or more from the coastal high water mark.			
P0 7.2	DTS/DPF 7.2			
Organic waste processing facilities are located on land where the engineered liner and underlying seasonal water table cannot intersect.	None are applicable.			
P0 7.3	DTS/DPF 7.3			
Organic waste processing facilities are sited away from areas of environmental significance and land used for public recreation	Organic waste processing facilities are set back 250m or more from a public open space reserve, forest reserve, national park or			

Policy24 - Enquiry

Policy24 - Enquiry	1
and enjoyment.	a Conservation Zone.
P0 7.4	DTS/DPF 7.4
Organic waste processing facilities are located on land that is not subject to land slip.	None are applicable.
P0 7.5	DTS/DPF 7.5
Organic waste processing facilities separated from areas subject to flooding.	Organic waste processing facilities are set back 500m or more from land inundated in a 1% AEP flood event.
Major Wastewater Treatment Facilities	
PO 8.1	DTS/DPF 8.1
Major wastewater treatment and disposal systems, including lagoons, are designed to minimise potential adverse odour impacts on sensitive receivers, minimise public and environmental health risks and protect water quality.	None are applicable.
P0 8.2	DTS/DPF 8.2
Artificial wetland systems for the storage of treated wastewater are designed and sited to minimise potential public health risks arising from the breeding of mosquitoes.	None are applicable.

### Workers' accommodation and Settlements

## Assessment Provisions (AP)

Desired Outcome		
DO 1	Appropriately designed and located accommodation for seasonal and short-term workers in rural areas that minimises environmental and social impacts.	
	Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
P0 1.1		DTS/DPF 1.1
scenic ro significar	accommodation and settlements are obscured from outes, tourist destinations and areas of conservation nce or otherwise designed to complement the ling landscape.	None are applicable.
DO 1 2		

P0 1.2	DTS/DPF 1.2
Workers' accommodation and settlements are sited and designed to minimise nuisance impacts on the amenity of adjacent users of land.	None are applicable.
PO 1.3	DTS/DPF 1.3

Workers' accommodation and settlements are built with materials and colours that blend with the landscape.	None are applicable.
P0 1.4	DTS/DPF 1.4
Workers' accommodation and settlements are supplied with service infrastructure such as power, water and effluent disposal sufficient to satisfy the living requirements of workers.	None are applicable.

No criteria applies to this land use. Please check the definition of the land use for further detail.